Standard Operating Procedures for Managing Nonpoint Source BMP Data and Other Inputs to the Chesapeake Bay Watershed Model

West Virginia Revised March 4, 2016

Alana Hartman, Potomac Basin Coordinator

West Virginia Department of Environmental Protection

22288 Northwestern Pike

Romney, WV 26757

(304) 822-7266

	Date:
Jennifer Pauer, WVDEP - DWWM Project Manager	
	Date:
Scott Mandirola, Director, WVDEP – DWWM	
	Date:
Lucinda Power, US EPA CB Project Manager	
	Date:
Rich Batiuk, US EPA CBPO QA Officer	

TABLE OF CONTENTS

GROUP A. PROJECT MANAGEMENT	5
GROUP B. DATA ACQUISITION AND MANAGEMENT	8
B.1 BMPs for Agricultural Land Uses	8
B.2 Resource BMPs	
B.3 BMPs for Developed Lands	
GROUP C. FURTHER PROCEDURES	26
GROUP D. DATA REVIEW, VALIDATION AND VERIFICATION	
Introduction	
D.1. AGRICULTURE	
D.1.1 West Virginia's Agriculture Verification Program Development Team	
D.1.2 Verification Methods and Procedures (Cost Shared Practices)	
D.1.3 Resource Improvement (non-cost shared) BMPs	
D.1.4 Geographic Scale	
D.1.5 Federal Agency Verification Protocol (USDA, NRCS, & FSA)	
D.1.6 State Agency / Non-Governmental Organizations Protocol	
D.1.7 Adjusted Lifespans	
D.1.8 Programmatic Constraint	
D.1.9 Verification Training Program	
D.1.10 Verification Pilot Project	
D.1.11 Communications Strategy	
D.1.12 Agriculture BMP Types	
D.2 STRUCTURAL BMPS	
D.2.1 BMP verification	
D.2.2 BMP validation	
D.2.3 BMP performance	
D.3 STRUCTURAL/AGRONOMIC BMPS	
D.3.1 BMP verification	
D.3.2 BMP validation	
D.3.3 BMP performance	
D.4 MANAGEMENT BMPs	
D.4.1 BMP verification	
D.4.3 BMP performance	
D.5 Annual BMPs	
D.5.1 BMP verification	
D.5.2 BMP validation	
D.5.3 BMP performance	
D.6 Lower "Priority" Verification Protocols	
D.2. FORESTRY	
D.2.1 FOREST HARVESTING BMPs	
D.2.1.1 BMP verification	
D.2.1.2 BMP validation	
D.2.1.3 BMP performance	
D.2.2 Forest Conservation BMPs	
D.2.2.1 BMP verification	
D.2.2.2 BMP validation	
D.2.2.3 BMP performance	
D.2.3 EXPANDED TREE CANOPY	
D.2.3.1 BMP verification	
D.2.3.2 BMP validation	

	BMP performance	
	IN RIPARIAN FOREST BUFFERS	
D.2.4.1	BMP verification	60
D.2.4.2	BMP validation	60
D.2.4.3	BMP performance	61
D.2.5 RIPAR	RIAN FOREST BUFFERS	61
D.2.5.1	BMP verification	61
D.2.5.2	BMP validation	61
D.2.5.3	BMP performance	61
D.2.6 TREE	PLANTING (AGRICULTURAL)	62
D.2.6.1	BMP verification	62
D.2.5.2	BMP validation	62
D.2.5.3	BMP performance	62
D.3. STORI	MWATER	66
D.3.1 REGU	LATED BMPs (MS4s)	70
D.3.1.1	BMP verification	70
D.3.1.2	BMP validation	71
D.3.1.3	BMP performance	71
D.3.2 SEMI-	-REGULATED BMPs	72
D.3.2.1	BMP verification	72
D.3.2.2	BMP validation	73
D.3.2.3	BMP performance	73
D.3.3 Non-	REGULATORY BMPs	74
D.3.3.1	BMP Verification	74
D.3.3.2	BMP validation	74
D.3.3.3	BMP performance	75
D.3.4 LEGA	cy BMPs	75
D.4. STREA	M RESTORATION	80
D.4.1	BMP verification	82
D.4.2	BMP validation	83
D.4.3	BMP performance	
D.5. WETL	AND RESTORATION	85
D.5.1	BMP verification	88
D.5.2	BMP validation	
D.5.3	BMP performance	89
D.5.4	Answers to wetlands evaluation questions listed on page 52 of the BMP Verification Panel's Augus	st 7,
2015 re	port to the Partnership	89
D.6. SEPTION	C SYSTEM BMPs	92
D.6.1. DE-N	NITRIFYING SEPTIC SYSTEMS	92
D.6.2. CON	NECTIONS TO PUBLIC SEWER	92
	TIC SYSTEM PUMPING	
D.7. BMPs	OWNED OR OPERATED BY FEDERAL AGENCIES, FACILITIES AND LANDOWNERS	93
	APPING OF JURISDICTION BMP VERIFICATION PROTOCOL COMPONENTS TO THE RELEVANT QAPP UGGESTED IN APPENDIX Q OF VERIFICATION FRAMEWORK)94	
REFERENCES	96	
APPENDIX A:	2011 BMP REPORTING WORKSHEET.XLS97	
	DESCRIPTION OF "AGGREGATED NRCS AND FSA DATA FOR ANNUAL PROGRESS REPORTING"98	
	WV AGRICULTURE BMP DATABASE USER'S GUIDE100	
	TION103	
Авоит тн	IS GUIDE	103
GETTING S	Started	103
Reque	st an Account	103

Rec	quirements	103
Log	gging In	103
Ove	erall Screen Structure	
Per	rmissions	105
SCREE	EN CONVENTIONS	106
	ta Grids	
Dat	ta Value Validations	107
	rm Controls	
Icoi	n Conventions	109
INSTRU	CTIONS	111
2.1.	HOME PAGE	
2.2.	BMPs & SUBMISSIONS	
Suk	bmissions	113
BM	IPs	113
1.1		120
1.2		120
2.3.	UPLOAD DATA	
2.4.	CONTACTS & ORGANIZATIONS	121
Maı	nage Contacts	
Org	ganization	
2.5.	Sites	
2.6.	Adhoc Search	
2.7.	GENERATE NEIEN XML	
	GUIDE	
ADMINIS	STRATION	130
	X D: WEST VIRGINIA'S CUSTOM NEIEN APPENDIX	
	X E: PRACTICE REVIEW FORM USED BY NRCS STAFF	
AF FEINDL	A L. FINACTICL INLVIEW FURIN USED DT NINCS STAFF	

GROUP A. PROJECT MANAGEMENT

Project Staff and Organization:

1. West Virginia Department of Environmental Protection (WVDEP) — Alana Hartman, Potomac Basin Coordinator (PBC), is the coordinator for this project, and collects septic BMP data and information from local governments. Teresa Koon requests data from a USDA Forest Service contact. Megan Grose and Natalie Hardman support the BMP, concurrently permitted acres, and land use change reporting by MS4 and Construction Stormwater permittees. Sebastian Donner, WVDEP Stormwater Specialist (SS), manages the WV Stormwater BMP Database and assesses the presence and condition of post-construction stormwater BMPs.

The PBC will perform a check on the new entries in the Stormwater BMP database, and the SS will perform a check on the new entries in the NPS BMP Database. See Group C, below, for descriptions of these QA/QC functions.

- 2. **West Virginia Conservation Agency (WVCA)** Carla Hardy serves as the Watershed Program Coordinator and oversees data collection for the agency including litter transport from private vendors and other grant- and statefunded agricultural BMP programs. In addition, WVCA provides Erosion and Sediment Control data for projects less than 1 acre. Barbara Elliott, Watershed Specialist, assists with the submission of agricultural BMP data from the Agricultural Enhancement Program (AgEP) in the Eastern Panhandle Conservation District. Ben Heavner, Conservation Specialist in the Potomac Valley, assists with the agricultural BMP data collection for the AgEP Program within the Potomac Valley Conservation District. Melissa Merritt, Conservation Specialist, assists with nonagricultural nutrient management collection. Suzy Campbell, Conservation Specialist, assists with any urban BMP data collection from the Eastern Panhandle Conservation District.
- 3. West Virginia Department of Agriculture (WVDA) Matt Monroe, Assistant Director Environmental Programs, will assist in overseeing WVDA's agricultural BMP data collection. Andy Yost, WVDA's Environmental Technician, is West Virginia's representative on the Chesapeake Bay Program's Agriculture Workgroup. Jerry Ours, the WV Nutrient Management Coordinator, assists WVCA with collection of poultry litter transport data, contributes to WVDA's nutrient management plan spreadsheet, and checks the accuracy and completeness of nutrient management data. Mark Hedrick and Jason Dalrymple, Nutrient Management Specialists, contribute to WVDA's nutrient management plan tracking spreadsheet. See section D.1.1 for additional staff involvement.
- 4. West Virginia Division of Forestry (WVDOF) Herb Peddicord, Chesapeake Watershed Forester, collects and reports forest buffer plantings, tree plantings, forest harvesting BMPs, and forest conservation data. He participates in the Chesapeake Bay Program's Forestry Workgroup.
- 5. Farm Service Agency (FSA) Kevin Hinkle and Mike Taylor support the collection and interpretation of FSA data. Data collection includes quarterly reports from county offices starting in mid-2012, which capture the date, length, width, and other details of each CREP contract. This will allow us to divide the year into the EPA-requested timeframe (July-June).
- 6. **Cacapon Institute** Frank Rodgers and Molly Barkman report to DEP any BMPs installed at schools in WV's Potomac Basin through the Potomac Headwaters Leaders of Watersheds (PHLOW) program. Tanner Haid submits tree planting data from the CommuniTree Program to Herb Peddicord (see above).
- 7. County Health Departments (sanitarians or administrative personnel) providing information:
 Berkeley County (Martinsburg), Grant County (Petersburg), Hampshire County (Augusta), Hardy County (Moorefield), Jefferson County (Charles Town), Mineral County (Keyser), Morgan County (Berkeley Springs), Pendleton County (Franklin).
- 8. Federal Facilities potentially providing information:

These facilities are listed in Appendix F of WV's Watershed Implementation Plan, http://www.wvca.us/bay/documents.cfm

9. County governments potentially providing information:

Berkeley County*: Martinsburg, WV (Curtis Keller, Berkeley Co. Public Service Sewer District)

Grant County: Petersburg, WV (Commission President)

Hampshire County: Romney, WV (Charles Baker, County Commission staff)

Hardy County: Moorefield, WV (Melissa Scott, Planner)

Jefferson County: Charles Town, WV (Roger Goodwin, Chief County Engineer)

Mineral County: Keyser, WV (Commission President)
Morgan County: Berkeley Springs, WV (Alma Gorse, Planner)
Pendleton County: Franklin, WV (Commission President)

10. Municipalities potentially providing information:

Hedgesville, WV (Mayor)

Martinsburg, WV* (Jeff Wilkerson, Public Works Director)

Bayard, WV (Mayor Durst)

Petersburg, WV (Richard Harper)

Romney, WV (Dan Marsh, City Administrator)

Capon Bridge, WV (Mayor)

Moorefield, WV (Rick Freeman, City staff)

Wardensville, WV (Amanda Barney)

Bolivar, WV (Mayor)

Charles Town, WV (City staff)

Harpers Ferry, WV (Tree Committee chairperson)

Ranson, WV (Sarah Kleckner, Planning Director)

Shepherdstown, WV (Frank Welch, Public Works)

Carpendale, WV (Butch Armentrout, City staff)

Elk Garden, WV (Mayor)

Keyser, WV (Mayor)

Piedmont, WV (Mayor)

Ridgeley, WV (Mayor)

Bath (Berkeley Springs), WV (Debra Peck, Town Clerk)

Paw Paw, WV (Jack Delawder)

Franklin, WV (Mayor)

11. Data are also potentially collected from:

- Groundskeepers/superintendents of golf courses
- US Fish & Wildlife Service- John Schmidt
- Trout Unlimited- Gary Berti, Dustin Wichterman
- Watershed Associations
- Land Trusts and county Farmland Preservation programs
- Conservation Districts
- Public Service Districts

Project Objectives/Background:

The objective is to supply annual, nonpoint source BMP implementation data for inclusion into the Chesapeake Bay Watershed Model (CBWM) annual progress evaluations. We aim to count, as accurately as possible, the number and kinds of BMPs being implemented in the eight-county Potomac Basin of West Virginia. One reason is to obtain

^{*}Berkeley County and Martinsburg are the only local governments with MS4 permits. A third MS4 permittee in WV's Chesapeake Bay watershed is the Division of Highways, with Stephen Sites as our contact.

credit for and document in one place the worthy water quality improvement work carried out by multiple public and private entities in West Virginia. Another reason is so that the CBWM will reflect reality as closely as possible, and any assessments made by using the model will be as true as possible. Data collection occurs approximately July through November each year (due on December 1), gathering data about implementation that occurred the previous (July through June) year. Since West Virginia began participating in the Chesapeake Bay Program (CBP), we have continually expanded and refined the methods we use for collecting this data. We have done so while communicating with the CBP's Watershed Modeling tools ("Scenario Builder") team and with representatives of other jurisdictions who participate in the workgroups. Meanwhile, as the CBWM has become more sophisticated, we have attempted to provide more sophisticated inputs. We have always used the best, most accurate, most detailed data reasonably attainable, and we welcome suggestions for improvement.

- a) The BMP data we plan to report includes: implementation of a new BMP; maintenance of an existing BMP (not to be reported as a new practice); or renewed practices such as nutrient management plans.
- b) We do not plan to report existing practices in a new year under a new BMP name.
- c) BMPs' units will be tracked directly. Units will not be calculated by estimating a percentage of total acres available.

Project Description and Schedule:

The purpose of the project is to produce, as accurately as possible, a count of BMPs installed each year. This involves several individual phone calls and e-mails made by the personnel listed above, beginning sometime in the summer, to remind them to initiate their respective data-gathering tasks.

Beginning Sept. 10, 2013, the CBP annually calls for data from federal facilities using a template we provided: "Federal Facilities Reporting Data Template WV_06122014.xlsx." If WVDEP receives data from the federal facilities, WVDEP will report the BMPs through NEIEN as appropriate. It is assumed these facilities are *not* already reporting BMPs to Scenario Builder and the CBWM (per Matt Johnston email, 10/21/13). If they do not provide data to us separately, we will still capture some stormwater management information from any projects one acre or greater, for which they would have had to seek WVDEP's Construction Stormwater Permit.

To seek data on developed lands BMPs that might have been missed by other databases, e.g., disturbance less than one acre, WVDEP staff mails an urban/suburban BMP worksheet to each of 8 counties and 21 incorporated municipalities, except Berkeley County and the City of Martinsburg (both MS4 permittees). This worksheet is provided as Appendix A. We also use the annual reports from the MS4s to extract data. The MS4 permit requires permittees to inventory and track stormwater management practices deployed at new development and redevelopment projects; additional restoration practices, e.g. tree planting, may also be included.

For many of the agriculture BMPs, we receive data known as the "Aggregated NRCS and FSA data for Annual Progress Reporting" in November from Olivia Devereux. Details about its source and aggregation principles are provided in Appendix B. We share this dataset with representatives from the agriculture agencies and work out problems it raises, if any. Additional data is from the WVCA's Agricultural Enhancement Program (AgEP), which supports West Virginia's agriculture community through implementation of cost-share practices to reduce soil erosion, providing alternative water for livestock and improving the productivity of agriculture acres. The program is administered by the 14 West Virginia Conservation Districts with assistance from the West Virginia Conservation Agency. Supported practices are determined by each Conservation District to address local resource concerns. Through the program, financial and technical assistance is offered as incentives to implement BMPs. In the 2014 progress year, over 250 participants were paid in the Eastern Panhandle and Potomac Valley Conservation Districts. One of the most popular practices in the Eastern Panhandle and Potomac Valley is the cost-share for cover crops.

WVDA is defining a process to record and track non-cost-shared and previously unreported BMPs implemented by farmers. In 2006, WVCA conducted a pilot survey in the Lost River watershed to assess BMPs previously missed because they were not part of any agency-tracked program. For details, see "Lost River BMP Assessment," by Carla Hardy, Laurie Olah, and Laurel Kessel, from West Virginia Conservation Agency in cooperation with West Virginia

Department of Agriculture and the Chesapeake Bay Program. In 2011, a more comprehensive procedure was begun and described in Appendix G of West Virginia's Phase II Watershed Implementation Plan. It is not yet finalized.

This project is considered ongoing because reporting to the CBP is required annually.

Geographic reporting units are by county, or in a very few cases by latitude/longitude point location if it is known.

To ensure our entries use the proper titles of BMPs and measurement names, we refer to the "NEIEN NPS BMP CBP data flow Appendix A", which is often updated and posted at the website above. Included as Appendix D is a table based on that NEIEN Appendix, "Custom_111215_neien_nps_bmp_cbp_data_flow_appendixA.pdf", but cropped and annotated for WV's use.

GROUP B. DATA ACQUISITION AND MANAGEMENT

The rationale for collecting data on each of these BMPs is because they are credited in the Chesapeake Bay Watershed Model, unless otherwise noted below.

B.1 BMPs for Agricultural Land Uses

Definitions are from "CASTSourceData 8-24-2015.xlsx" accessed at www.casttool.org/Documentation.aspx. These generally match definitions in "Estimates of County-Level Nitrogen and Phosphorus Data for use in Modeling Pollutant Reduction Documentation for Scenario Builder" Version 2.4, Revised: January, 2013, accessed at www.chesapeakebay.net/documents/SB Documentation V24 01 04 2013.pdf.

Beginning in Progress Year 2012, we use some of the data provided to us by Olivia Devereux, known as the "Aggregated NRCS and FSA data for Annual Progress Reporting." Details about its source and aggregation principles are in Appendix B. The USDA database is not set up to match the BMP definitions approved by the CBP. Therefore, we have assigned NRCS and FSA practice codes to CBP-defined practice names, as listed below. This source is denoted by "Aggregated NRCS/FSA data" below.

1. BMP name: Off Stream Watering without Fencing (Pasture Alternative Watering/Watering Facility)

<u>Definition:</u> This BMP requires the use of alternative drinking water sources away from streams. The BMP may also include options to provide off-stream shade for livestock, and implementing a shade component is encouraged where applicable. The hypothesis on which this practice is based is that, given a choice between a clean and convenient off-stream water source and a stream, cattle will preferentially drink from off-stream water source and reduce the time they spend near and in streams. Alternative watering facilities typically involve the use of permanent or portable livestock water troughs placed away from the stream corridor. The source of water supplied to the facilities can be from any source including pipelines, spring developments, water wells, or ponds. In-stream watering facilities such as stream crossings or access points are not considered in this definition. The modeled benefits of alternative watering facilities can be applied to pasture acres in association with or without improved pasture management systems such as prescribed grazing or PIRG.

NRCS practice(s) counted: 614 (Watering facility)
Source of data: "Aggregated NRCS/FSA data"
Procedure used to compile data: none

<u>Data analysis:</u> none <u>Checks for accuracy:</u> Units: NO (number)

2. BMP name: Stream Access Control with Fencing (Pasture Fencing)

<u>Definition</u>: Involves excluding a strip of land with fencing along the stream corridor to provide protection from livestock. The fenced areas may be planted with trees or grass, or left to natural plant succession, and can be of various widths. To provide the modeled benefits of a functional riparian buffer, the width must be a minimum of 35 feet from top-of-bank to fence line. The implementation of stream fencing provides stream access control for livestock but does not necessarily exclude animals from entering the stream by incorporating limited and stabilized in-stream crossing or watering facilities. The modeled benefits of stream access control can be applied to degraded stream corridors in association with or without alternative watering facilities. They can also be applied in conjunction with or without pasture management systems such as prescribed grazing or PIRG. Alternative watering facilities typically involve the use of permanent or portable livestock water troughs placed away from the stream corridor. The source of water supplied to the facilities can be from any source including pipelines, spring developments, water wells, and ponds. In-stream watering facilities such as stream crossings or access points are not considered in this definition.

FSA practice(s) counted: CP22

Source of data: FSA's reporting form regarding CREP fencing projects

<u>Procedure used to compile data:</u> Since 2014, FSA has required their county offices to provide practice metrics on the one-time payment incentive form that is submitted to the conservation districts. WVCA staff then utilizes this information to compile data submission for the respective practices.

Data analysis: Acres are reported

Checks for accuracy: Cross-checked with "Aggregated NRCS/FSA data"

<u>Units:</u> acres; we can now also enter length and width as separate measurements for the same BMP in NEIEN. <u>Historical Data Cleanup effort 2013-15:</u> The basis for cleaned-up reporting of "Exclusion Fencing with Forest Buffer," was practice "CP22" as reported by USDA Farm Service Agency's Conservation Reserve Enhancement Program (CREP) records 2001-2014. This is because these CP22 projects are at least 35 feet wide and are managed to result in forested buffers. CREP was generally not present prior to 2003 except in Jefferson County where reported activity occurred in 2001 and 2002. Asterisks in the source report from FSA indicated where FSA identified non-reportable activity (less than x projects in a year). We could not discern practices implemented, or even whether they were CREP or non CREP. The table "Pasture Fence History 061815.xlsx" shows that we targeted FSA annual and cumulative CP22 values and considered data captured by Herb Peddicord (WV Div. of Forestry staff who checked with local FSA offices), Carla Hardy (WV Conservation Agency staff who is aware of some local CREP projects and works with FSA staff to provide more project measurements in recent years), and Olivia Devereux, (who has access to federal cost-share data and could answer questions as privacy restrictions allowed); final step was to replace asterisks with difference from cumulative report if appropriate (yellow cells). However, FSA cumulative 1996-2014 report still includes asterisks if reporting threshold not met cumulatively (Morgan).

Some CP21 includes livestock exclusion fencing, FSA staff attempted to capture pasture fence component. Found 15 active acres in Grant County and 2.7 active acres in Hampshire County. CP21 by definition is filter strip on crop land and filter strips may not be riparian. The CREP fencing associated with CP21 was to restrict grazing of the filter strip. Because of all the uncertainty, we chose not to include any CP21 in riparian fence assessment.

Non CREP projects reported by WVCA and Trout Unlimited were also added to NEIEN as "Exclusion Fencing with Narrow Grass Buffers" or "...with Narrow Forest Buffers" as appropriate.

We chose not to adjust history 1985 -2002; this low level activity was assumed as non CREP, and entered as "Exclusion Fencing with Narrow Grass Buffers." For 1985-2001, fencing records already in the model "WV Land BMP History.xlsx" 1997, 2002 were distributed equally among years for which we were not given the annual data. We did not use any "Access Control" or "Fencing" (both NRCS) practices in this historical data set.

3. BMP name: Animal Waste Management Systems- Livestock

<u>Definition:</u> Practices designed for proper handling, storage, and utilization of waste generated from confined animal operations. Reduced storage and handling loss is conserved in the manure and available for land application. <a href="https://www.nccentral.org/nccen

<u>Source of data:</u> "Aggregated NRCS/FSA data," emailed request to local NRCS staff to provide the number of animals associated with each system.

Procedure used to compile data: Collect email responses from NRCS staff.

<u>Data analysis:</u> Number of animals is converted into animal units using table 3.1 of Scenario Builder Documentation (see reference above). The factor used for cow/calf pairs is 1.472 animals per AU.

Checks for accuracy: Confirmed with local NRCS staff

Units: number of animals → animal units

<u>Historical Data Cleanup effort 2013-15:</u> WVCA intern recorded records of this practice documented in NRCS field office records. Units were Animal Units. WVDEP reported through NEIEN 116 records covering 1998-2011 of livestock structures, including mostly beef, but also dairy, goats, and horses.

4. BMP name: Animal Waste Management Systems-Poultry

<u>Definition</u>: Practices designed for proper handling, storage, and utilization of waste generated from confined animal operations. Reduced storage and handling loss is conserved in the manure and available for land application.

NRCS practice(s) counted: 313 (Waste storage facility)

<u>Source of data:</u> "Aggregated NRCS/FSA data," emailed request to local NRCS staff to provide the number of animals associated with each system.

<u>Procedure used to compile data:</u> Collect email responses from NRCS staff.

<u>Data analysis:</u> Number of animals is converted into animal units using table 3.1 of Scenario Builder Documentation (see reference above)

Checks for accuracy: Confirmed with local NRCS staff

<u>Units:</u> number of animals → animal units

<u>Historical Data Cleanup effort 2013-15:</u> WVCA intern recorded records of this practice documented in NRCS field office records. Units were Animal Units. WVDEP reported through NEIEN 281 records covering 1997-2011 of poultry structures, including broilers, pullets, layers, and turkeys.

5. <u>BMP name:</u> **Barnyard Runoff Control/Containment**

<u>Definition</u>: Includes the installation of practices to control runoff from barnyard areas. This includes practices such as roof runoff control, diversion of clean water from entering the barnyard and control of runoff from barnyard areas. Different efficiencies exist if controls are installed on an operation with manure storage or if the controls are installed on a loafing lot without waste storage.

NRCS practice(s) counted: 558 (Roof runoff structures)

Source of data: "Aggregated NRCS/FSA data"

Procedure used to compile data:

<u>Data analysis:</u> none <u>Checks for accuracy:</u> <u>Units:</u> # of systems

6. BMP name: Conservation Tillage -Additional Acres

<u>Definition:</u> Conservation tillage involves planting and growing crops with minimal disturbance of the surface soil. Conservation tillage requires two components, (a) a minimum 30% residue coverage at the time of planting and (b) a non-inversion tillage method. Each segment is assigned a default amount of conservation tillage based on historical data from the Conservation Technology Information Center ("Documentation Appendix 6"- reference unclear). Specifying acres under this BMP adds the specified acres to the historical amount. Only one submission unit may be used per scenario. Note: short-term expert panel recommendations were approved October 2013. NRCS practice(s) counted: 329 (Residue and Tillage Management, No-Till/Strip Till/Direct Seed); 344 (Residue Management, Seasonal); 345 (Residue and Tillage Management, Mulch Till)

<u>Source of data:</u> "Aggregated NRCS/FSA data" – note none has been reported from this source from 2007, on. Procedure used to compile data: none

Data analysis: Sum the three NRCS practices by county.

Checks for accuracy:

Units: acres

<u>Historical Data Cleanup effort 2013-15:</u> We accepted CTIC numbers to the extent that they were trending upward. When they went the other way, wel either retained the previous year's value until we had specific acres reported

(NRCS "Residue Tillage Management" acres – the same as we have previously reported) or we ramped to the latter year to avoid large jumps. One exception is Pendleton Co. where we ramped up the numbers from 0.5 to 0.8 on the advice of county extension agents. In this case, we did not take into account the Residue Tillage Management numbers (column K).

We entered these as the last date of the calendar year for the year given.

7. BMP name: Cover Crops

<u>Definition:</u> Planting and growing of crops (non-harvested, non-fertilized) including wheat, rye and barley, designed for nutrient removal (*Developing best management practice definitions and effectiveness estimates for nitrogen, phosphorus and sediment in the Chesapeake Bay watershed"* December 2009, by Dr. Thomas Simpson and Sarah Weammert, University of Maryland Mid-Atlantic Water Program p. 99). *Note: short-term expert panel recommendations were approved October 2013.*

NRCS practice(s) counted: 340 (Cover crops)

<u>Source of data</u>: "Aggregated NRCS/FSA data," WVCA's AgEP Program (both generate very specific data)

<u>Procedure used to compile data</u>: staff enters acreages into a table by county, using measurement names from the approved NEIEN appendix. These describe the crop, planting method, and timing. Within measurement names, they are aggregated by county.

Data analysis:

Checks for accuracy:

Units: acres

Historical Data Cleanup effort 2013-15: We entered into NEIEN a county total for each year (using the last date from each progress year period) from the reporting spreadsheets we used in the past. Most of this BMP data came from NRCS staff c. 2003-2005, then NRCS' PRS database (looking up practice #340) 2006-2009, then NRCS staff 2010-2011, then USGS agreement 2012-2014. In 2006 there was one entry from the Lost River voluntary BMP assessment. All NRCS data and all other data through 2009 is reported as Measure Name "Area Planted" which I believe maps to Late Other Wheat, the most conservative cover crop type. Beginning 2009, Agricultural Enhancement Program (AEP) Cover Crop projects were also entered, and for these we recorded more specifics about species, planting type, and timing.

8. BMP name: Commodity Cover Crops

<u>Definition:</u> Cover crops which may be harvested for grain or silage; they may receive nutrient applications, but only after March 1 of the spring following their establishment. *Note: short-term expert panel recommendations were approved October 2013.*

NRCS practice(s) counted: 340 (Cover crops)

<u>Source of data</u>: "Aggregated NRCS/FSA data", WVCA's AgEP Program (both generate very specific data) <u>Procedure used to compile data</u>: staff enters acreages into a table by county, using measurement names from the approved NEIEN appendix. These describe the crop, planting method, and timing. Within measurement names, they are aggregated by county.

Data analysis:

Checks for accuracy:

Units: acres

9. BMP name: Grass Buffers

<u>Definition</u>: linear strips of grass or other non-woody vegetation maintained between the edge of fields and streams, rivers or tidal waters that help filter nutrients, sediment and other pollutants from runoff. The recommended buffer width for riparian forests buffers (agriculture) is 100 feet, with a 35 feet minimum width required. Vegetated open channels are modeled identically to grass buffers.

- 9.a. **Narrow Grass Buffers:** linear strips of grass or other non-woody vegetation maintained between the edge of fields and streams, rivers or tidal waters that help filter nutrients, sediment and other pollutants from runoff. Between 10 and 35' in width.
- 9.b. **Streamside Grass Buffers**: Converts degraded riparian pasture to Hay Without Nutrients. NRCS practice(s) counted: 390 (Riparian Herbaceous Cover), 393 (Filter Strip)

<u>FSA practice counted:</u> CP21, known to be streamside and width is 20' or greater; must be entered as narrow grass buffer unless 35' minimum width is confirmed.

<u>Source of data</u>: "Aggregated NRCS/FSA data", WVCA may also have acreages from its own projects to add.

<u>Procedure used to compile data:</u> If 393 can be determined to be streamside, should be entered as narrow grass buffer unless 35' minimum width is confirmed. If it cannot be determined to be streamside, it cannot be used. Data analysis: Acreages are summed by county.

<u>Checks for accuracy</u>: Cross checked with FSA reporting sheet to local Conservation Districts for CREP projects Units: acres; we can now also enter length and width as separate measurements for the same BMP in NEIEN.

10. BMP name: Loafing Lot Management

<u>Definition:</u> The stabilization of areas frequently and intensively used by people, animals or vehicles by establishing vegetative cover, surfacing with suitable materials, and/or installing needed structures. This does not include poultry pad installation.

NRCS Practice(s) counted: 561 (Heavy use area protection)

Source of data: "Aggregated NRCS/FSA data"

<u>Procedure used to compile data</u>: Given the caveat in the definition we <u>do not</u> report the thousands of acres of 561 that show up in our counties in this report.

<u>Data analysis:</u> n/a <u>Checks for accuracy:</u> n/a

Units: acres

<u>Historical Data Cleanup effort 2013-15:</u> West Virginia did not previously report this BMP in Progress submissions. WVCA intern recorded records of this practice documented in NRCS field office records. Units were Animal Units. WVDEP reported through NEIEN 178 records covering 1996-2011.

11. BMP name: Animal Mortality Composting

<u>Definition</u>: A physical structure and process for disposing of any type of dead animals. Composted material is land applied using nutrient management plan recommendations (CAST documentation). Mortality composters involve composting routine mortality in a designed, on-farm facility, with subsequent land application of the compost. This prevents the necessity to bury dead animals that could result in nutrient leachate, or rendering of dead animals for processing into animal feeds or incineration. Mortality composting can be, and is, applied to various species including poultry, swine and dairy calves (p. 395 MAWP).

NRCS practice(s) counted: 316 (Animal Mortality Composters) also 317 manure (and other organic byproducts) composters

Source of data: "Aggregated NRCS/FSA data"

Procedure used to compile data: none of these practices appear in this report, going back to 2007.

<u>Data analysis:</u> n/a Checks for accuracy: n/a

Units: systems, but animal units seems more appropriate

<u>Historical Data Cleanup effort 2013-15:</u> WVCA intern recorded records of this practice documented in NRCS field office records.

12. BMP name: Non-urban Stream Restoration

<u>Definition:</u> This BMP maintains the integrity of streambanks by preventing or controlling erosion.

NRCS practice(s) counted: 395 (Stream Habitat Improvement and Management)

<u>Source of data:</u> "Aggregated NRCS/FSA data" with follow-up to NRCS staff to learn what kind of project it was. Combined with county level WVCA data, with staff follow-up to learn type of project.

<u>Procedure used to compile data: WVCA</u> staff enters feet of each project into a table with county, submits overall spreadsheet of WVCA data to DEP's PBC.

<u>Data analysis:</u> Number of acres of practice #395 reported separately from the number of feet treated by other projects

Checks for accuracy:

Units: acres of #395; other known projects reported in feet.

13. BMP name: Nutrient Management Plan

<u>Definition:</u> Nutrient management plan (NMP) implementation (crop) is a comprehensive plan that describes the optimum use of nutrients to minimize nutrient loss while maintaining yield. A NMP details the type, rate, timing, and placement of nutrients for each crop. Soil, plant tissue, manure and/or sludge tests are used to assure optimal application rates. Plans should be revised every 2 to 3 years.

- 13.a. Tier 1 (Crop Group) Nutrient Application Management: The Crop Group Nutrient Application Management reflects operations with documentation for manure and/or fertilizer application management activities in accordance with basic land grant university (LGU) recommendations. This documentation should support farm-specific efforts to maximize growth by application of nitrogen and phosphorus with respect to proper nutrient source, rate, timing and placement for optimum crop growth consistent with LGU recommendations. Particular attention is paid to: 1) standard, realistic farm-wide yield goals; 2) credit of N sources (soil, sod, past manure and current year applications; 3) P application rates consistent with LGU recommendations based on soil tests for fields without manure; 4) N based application rates consistent with LGU recommendations for fields receiving manure.
- 13.b. Tier 2 Field Level Nutrient Application Management Nitrogen and Phosphorus, EffNutMan2NP: Field level nutrient application management includes the requirements for Tier 1 plus: (1) standard yield goals per soil type, or historic yields within field management units; (2) fields assessed for and applications consistent with P loss risk using a LGU P risk assessment tool (Phosphorus Site Index [PSI]) (3) other conservation tools that improve nutrient use efficiency such as: best N application timing, manure incorporation where appropriate, and manure application setbacks (from CAST documentation version 10/31/15).

NRCS practice(s) counted: 590 (Nutrient management), on Crop and Pasture land uses.

<u>Source of data:</u> NRCS ("Aggregated NRCS/FSA data"), and a WVDA spreadsheet updated annually by nutrient management planners on staff.; beginning in 2014, all certified nutrient management planners are required to submit an annual report to WVDA to enable WVDA to count nutrient management plans in which its staff were not involved.

<u>Procedure used to compile data:</u> staff enters acreages into a table by county

<u>Data analysis:</u> Acreages provided by WVDA are added across all 8 counties by land use (crop, hay, and pasture).

Then the NMP acreages are entered by county, land use, and source agency (NRCS, WVDA).

Checks for accuracy:

Units: acres

<u>Historical Data Cleanup effort 2013-15:</u> 1) source: Poultry Integrator - We used numbers from one poultry company that represented most of the acreage that experienced planning at the time. The records used were sampling records, which don't record the start and end dates of the plans. County totals for each county from 2004-08 show percentages of approximately:

Hardy = 64%, Pendleton = 14%, Hampshire = 9%, Grant = 8%, Mineral = 5%

But since I was not given the county annual totals, I submitted the total numbers I was given, broken down by these county percentages. Also, not knowing which plans included the P index and other details (most of the crop), we called them all "Tier 1."

The planner involved in 2004-2008 attests the land uses to which NMPs are applied have stayed roughly the same through the present in these Potomac Valley counties. We still need to check whether for 1997-2004 that was also the case. Highest pasture (in 2013 Progress year the WVDA & non-agency planners' totals resulted in 44%), then hay (31%), then crop (25%).

Data are in "WV NMP Historical data cleanup 2015_proportions_used.xlsx" These were entered with 12/31/xxxx of the year in which they appeared on the spreadsheet from WVDA.

2) source: WVCA's North Fork Project – I was given acres of each NMP, all of which were in Pendleton County. If pasture plus another land use was listed, I entered it under pasture, the more conservative credit. If crop & hay were both listed, I entered it under crop, because I believe crop and hay get the same credit. Each NMP was considered to get credit for the year it was listed (entered as 12/31/xxxx) and also the following 2 years, so I entered each one twice more with the subsequent years assigned, so that the land uses would stay correct. In some cases I was able to lump some NMPs if the year, county and land use were the same.

3) source: NRCS – In 2013, WVCA staff looked at paper records in NRCS field offices and recorded acres of NMPs written. We used these data, aggregated to county. In addition, NRCS staff submitted their 1985-2003 acres or estimated acres of NMPs (and many other BMPs) by field office around 2004 when the Bay Program asked for historical data. We assumed each District Conservationist or other staff entered reasonable numbers at that time. For the Martinsburg field office, we assigned half the acres to Berkeley Co. and half to Morgan Co. The numbers from this historical estimation effort were used unless we had a number from the data-gathering effort in 2013, when WVCA staff looked at paper records in NRCS field offices; data from the 2013 effort were considered superior and used whenever both were available for a given county/year. Finally, each county's annual total of new plans was entered in NEIEN for that year, but also carried forward into the overall county total for the next two years thereafter. We called this our 3-year running total. These are the numbers we entered in NEIEN to represent NRCS NMPs for this period, each representing an annual snapshot of plans that were active. (how broke down by land use, if at all?) For NRCS from these sources, we had to discard the 2010 numbers because they are already in the 2010 numbers below – maybe had to discard 2011-2013 also because can't be sure not already counted.

4) source: WVDA and some NRCS, more recent years -

2010 numbers are re-created in NEIEN using new "Tier 1 Acres," and are taken from NRCS report and WVDA report, which were mutually exclusive that year. These were entered with a date of 06/30/2010.
2011 and 2012 are re-created in NEIEN using new "Tier 1 Acres," and I just copied them from the most recent NEIEN progress run report.

14. BMP name: Prescribed Grazing (Precision Rotational Grazing)

<u>Definition:</u> This practice utilizes a range of pasture management and grazing techniques to improve the quality and quantity of the forages grown on pastures and reduce the impact of animal travel lanes, animal concentration areas or other degraded areas. PG can be applied to pastures intersected by streams or upland pastures outside of the degraded stream corridor (35 feet width from top of bank). The modeled benefits of prescribed grazing practices can be applied to pasture acres in association with or without alternative watering facilities. They can also be applied in conjunction with or without stream access control. Pastures under the PG systems are defined as having a vegetative cover of 60% or greater.

NRCS practice(s) counted: 528 (prescribed grazing) & 528A on Crop and Pasture land uses.

Source of data: "Aggregated NRCS/FSA data"

Procedure used to compile data:

Data analysis: Acreages are summed by county.

Checks for accuracy:

Units: acres

15. BMP name: Riparian Forest Buffers (agricultural land)

<u>Definition:</u> Agricultural riparian forest buffers are linear wooded areas along rivers, stream and shorelines. Forest buffers help filter nutrients, sediments and other pollutants from runoff as well as remove nutrients from groundwater. The recommended buffer width for riparian forest buffers (agriculture) is 100 feet, with a 35 feet minimum width required.

- 15.a. **Narrow Forest Buffers:** Linear strips of wooded areas maintained on agricultural land between the edge of fields and streams, rivers or tidal waters that help filter nutrients, sediment and other pollutants from runoff. Narrow grass buffers are between 10 and 35 feet in width.
- 15.b. **Streamside Forest Buffers:** Converts streamside areas to forest. In the model, converts degraded riparian pasture to hay without nutrients. This should be used with Stream Access Control with Fencing to convert from hay without nutrients to forest.

NRCS practice counted: 391 (Riparian Forest Buffer) Note that none of these have been reported in the "Aggregated NRCS/FSA data," which goes back to 2007.

FSA practice counted: CP-22

<u>Source of data:</u> Primarily, detailed information provided by FSA; secondarily, "Aggregated NRCS/FSA data;" and WVCA and WVDOF may also have acreages from their own projects to add. If so, specific location and other information may be available for separate entry.

<u>Procedure used to compile data:</u> WVCA compiles projects into a tab of overall reporting spreadsheet. If FSA provides length and width, and width is 35' or greater, and confirms it is on pasture, then report this as Forest Buffers TRP. On a separate table, WVDOF staff enters acreages into a table separately by project, noting prior land use. Both tables are emailed to DEP's PBC.

<u>Data analysis:</u> If length and width are provided, acreage is calculated. Acres are summed by county, or in the case of projects whose details are known and that are assured to be not double-counted, they are entered individually. <u>Checks for accuracy:</u> WVDOF staff uses lat/long reading to plot each project on Terrain Navigator map; WVDOF staff checks for double-counting by consulting with soil conservationists at the county Field Offices of NRCS. Cross checked with FSA reporting sheet to local Conservation Districts for CREP projects.

<u>Units:</u> acres; we can now also enter length and width as separate measurements for the same BMP in NEIEN. <u>Historical Data Cleanup effort 2013-15:</u> Please see the first paragraph of the historical data cleanup notes for BMP #2 above, "Stream Access Control with Fencing." Because of this new method of calling these practices "Exclusion Fencing with Forest Buffer," we only entered these acres representing CP22 once. CP22 associated with CREP has forest buffers of minimum 35ft width.

16. BMP name: Tree planting (agricultural land)

<u>Definition:</u> Tree planting includes any tree planting, except those used to establish riparian forest buffers, targeting lands that are highly erodible or identified as critical resource areas. *Note: expert panel recommendations are expected in 2014.*

NRCS practice(s) counted: 612 (Tree/Shrub Establishment)/666 (Forestland Re-established or Improved) Source of data: "Aggregated NRCS/FSA data", WVDOF might have projects to add.

Procedure used to compile data:

Data analysis: Acreages are summed by county.

Checks for accuracy:

<u>Units</u>: acres; we can now also enter length and width, or number of trees planted, as separate measurements for the same BMP in NEIEN.

17. BMP name: Wetland Restoration

<u>Definition</u>: Agricultural wetland restoration activities reestablish the natural hydraulic condition in a field that existed prior to the installation of subsurface or surface drainage. Projects may include restoration, creation and enhancement acreage. Restored wetlands may be any wetland classification including forested, scrub-shrub or emergent marsh.

NRCS practice(s) counted: 646 (Shallow Water Development & Management), 657 (Wetland Restoration); according to wetland workgroup participants 11/6/13, 656 and 658 are also possibilities. 657 might include rehabilitation. Source of data: "Aggregated NRCS/FSA data", Trout Unlimited or USFWS's Partners for Fish and Wildlife Program might also have some of these to report.

Procedure used to compile data: Email responses from TU or USFWS are used.

Data analysis: Acreages are summed by county.

Checks for accuracy:

Units: acres

18. BMP name: Land Retirement (Conventional Till to Pasture)

<u>Definition</u>: Converts land area to pasture. Agricultural land retirement takes marginal and highly erosive cropland out of production by planting permanent vegetative cover such as shrubs, grasses, and/or trees. Agricultural agencies have a program to assist farmers in land retirement procedures.

NRCS practice(s) counted: 2013 Progress year: Establishment of permanent introduced grasses and legumes Source of data: "Aggregated NRCS/FSA data"

Procedure used to compile data:

Data analysis: none

Checks for accuracy:

Units: acres

19. BMP name: Conservation Plans / SCWQP

<u>Definition(s)</u>: Cropland management practices. Agronomic, management and engineered practices that protect soil productivity and water quality, and prevent deterioration of natural resources. CDs, NRCS, or consultant can prepare plan, but must meet technical standards.

NRCS practice(s) counted: none

<u>Source of data</u>: (past: PRS database, use Report 1.2, Conservation Plan Acres, and use "planned" numbers. NRCS staff explained December 2010 why Planned was the better number to report.)

Procedure used to compile data: West Virginia no longer reports this practice for progress

Data analysis: Acreages are summed by county.

Checks for accuracy:

Units: acres

20. BMP name: Manure Transport

<u>Definition</u>: Transport of excess manure in or out of a county. Manure may be of any type—poultry, dairy, or any of the animal categories. Transport should only be reported for county to county transport. Movement within the same county should not be included.

<u>Source of data</u>: NRCS field offices in West Virginia (n= ~30), except those over 200 miles from the Potomac Basin, and also voluntary broker participation

<u>Procedure used to compile data</u>: WVCA and/or WVDA staff contacts each field office and asks for the tonnage, type, sending county (often this is simply the field office contacted) and receiving county. Private vendors are also contacted and data is collected based on litter type, tonnage, county of production and end use location (county). WVCA staff enters all tonnage into a table by county.

<u>Data analysis:</u> All data is reported to Chesapeake Bay Program with receiving county specified, even if it is within the Chesapeake Bay watershed. Tons are summed by county.

Checks for accuracy:

Units: tons (=2000 lbs)

<u>Historical Data Cleanup effort 2013-15:</u> 2005, 2006 & 2009 we were given receiving counties. From one source in 2009, the sending counties were said to be split between Grant, Hardy and Pendleton, so I split those tonnages equally between those 3 counties. That particular source was said to be broilers and turkeys – I entered them as broilers.

2008 we were not given a receiving county, so I could not enter those data, even though the sources stated the litter was transferred outside the Bay watershed.

Jan.- June 2007 no data were reported.

B.2 Resource BMPs

21. BMP name: Abandoned Mine Reclamation

<u>Definition and background:</u> From WV's WIP, Section 7B.a: Mining activities are regulated by two separate permitting programs in West Virginia. Permits issued pursuant to West Virginia Code §22-3 and §22-4 (commonly referred to as Article 3 and Article 4 permits) implement the requirements of the federal Surface Mining Control and Reclamation Act of 1977 (SMCRA) in relation to coal and non-coal (quarries) mining, respectively. WV/NPDES permits are also issued to coal and non-coal mining activities pursuant to West Virginia Code §22-11.

The CBWM provides an "extractive" land use to facilitate representation of mining activity. WVDEP queried available permit information to quantify the permitted acreage associated with active mining operations. This was accomplished using the PERBD shapefile maintained by the Division of Mining and Reclamation, which spatially

locates and provides area information for Article 3 and 4 permits. Appendix B.5 of the WIP identifies the permitted facilities included in the assessment and provides location and permit bonded area information.

The area of extractive land use provided in the updated land use for CBWM 5.3.2 is consistent with the PERBD derived "permit bonded areas" at the county scale. Because of contemporaneous reclamation permit requirements, it is not realistic to portray all permitted bonded area as disturbed when, in fact, at any point in time the permitted area includes undisturbed, disturbed and reclaimed components. Furthermore, the stormwater runoff from disturbed areas is treated by sedimentation basins subject to technology-based TSS limitations under the NPDES program.

Since existing permit bonded area is mapped to the extractive land uses and since the permitted area is either undisturbed forest, reclaimed, or disturbed and subject to stringent TSS controls, loadings from NPDES permitted area is commensurate with the application of the Abandoned Minelands Reclamation (AMR) BMP to extractive land uses. As such, the WIP II allocation process applies the AMR BMP to 100% of the West Virginia extractive land uses. This operation results in extractive land uses pollutant loadings approximately equal to forest loading.

Source of data: CBWM acreage of "Extractive" land use

Procedure used to compile data: WVDEP requests acreage from CBPO

Data analysis: acres are summed by county

Checks for accuracy: confirmed for use by Management Board at 9/30/15 meeting.

Units: acres

22. BMP name: Forest Harvesting Practices

<u>Definition(s)</u>: Land harvested under Division of Forestry's (WVDOF's) permitting process, using Logging Sediment Control Act's required BMPs.

Source of data: By law, all timber harvest operations are required to notify the WV Division of Forestry. The notifications include, among other items, acreage to be harvested, what type of harvest, location and time period. Data from the notifications are entered into the LONIE system. (Logging Operation Notification, Inspection and Enforcement) The system was developed by the Appalachian Hardwood Center at West Virginia University. Procedure used to compile data: The LONIE system can be queried to report on a number of different requests and compile them as an Excel spreadsheet. For acreage reporting, we use job start dates only to avoid double counting. WVDOF reports acres to WVDEP staff.

<u>Data analysis</u>: 98% of the timber registration acres are reported for this BMP. Rationale: Occasionally, we do have illegal logging activity that is discovered after the fact and does not get reported. We do not track these because there are others that we never discover. 2% is an estimate of unknown illegal activity that may or may not have BMP's applied. This number is probably higher in other parts of the state but not a major problem in the Potomac drainage.

<u>Checks for accuracy</u>: See Section D.2.1.

Units: acres

<u>Historical Data Cleanup effort 2013-15:</u> WV DOF staff provided acreage registered under logging permits 2003-2014 and these were entered directly into NEIEN as county totals by year. I assigned each entry the last date of the reporting year. Keeping this method consistent into the present meant that I had to delete each 2011 record that had been in NEIEN and replace them with this new number. My notes indicate that in 2011 we had used 98% of the hyf acreage in the 2010 NA scenario.

23. BMP name: Forest Conservation

<u>Definition(s)</u>: Forest land use protected under conservation easement. We realize the BMP guidance from Chesapeake Bay Program says only Maryland is eligible for this BMP at this time, but we still feel this BMP (with above definition) is worth tracking.

<u>Source of data:</u> WVDOF staff contacts the region's land trusts and other local organizations involved in conserving land, e.g. county farmland protection agencies, to determine the acreage to report in this category. We attempt to track location of acres reported, or a property name, so they will not be double counted in the future.

<u>Procedure used to compile data</u>: Contact organizations and ask whether they oversaw any contracts to this effect and how many acres these contracts represent within each county; add acres within each county.

Data analysis: presumably none needed

<u>Checks for accuracy</u>: Our region is small enough that if we saw an unreasonably large number in any of these categories reported on by counties and municipalities, we could question the location.

Units: acres

B.3 BMPs for Developed Lands

The Phase 5 Chesapeake Bay Watershed Model includes "developed" land uses such as High-Intensity Impervious Urban (IU), High-Intensity Pervious Urban (PU), Low-Intensity Impervious Urban (IU), and Low-Intensity Pervious Urban (PU). In general, "Urban" is used below to denote High-Intensity (PU and IU), and "Suburban" is considered Low-Intensity (PU and IU).

The expert panel reports for Stormwater Performance Standards (SPSEP) and Stormwater Retrofits led to a shift in the way many of the BMPs listed here will be reported.

Table 4 Classification of BMPs based on	Runoff reduction capability ¹					
Runoff Reduction (RR)	Stormwater Treatment (ST)					
Practices	Practices ²					
Non-Structural Practices						
Landscape Restoration/Reforestation	Constructed Wetlands					
Riparian Buffer Restoration	Filtering Practices (aka Constructed Filters, Sand Filters, Stormwater Filtering Systems)					
Rooftop Disconnection (aka Simple Disconnection to Amended Soils, to a Conservation Area, to a Pervious Area, Non-Rooftop Disconnection)	Proprietary Practices (aka Manufactured BMPs)					
Sheetflow to Filter/Open Space* (aka Sheetflow to Conservation Area, Vegetated Filter Strip)	Wet Ponds (aka Retention Basin)					
Non-Structural BMPs, PA 2006 BMP Manual, Chapter 5	Wet Swale					
Practices						
All ESD practices in MD 2007						
Bioretention or Rain Garden (Standard or						
Enhanced)						
Dry Swale						
Expanded Tree Pits						
Grass Channels (w/ Soil Amendments, aka						
Bioswale, Vegetated Swale)						
Green Roof (aka Vegetated Roof)						
Green Streets						
Infiltration (aka Infiltration Basin, Infiltration Bed,						
Infiltration Trench, Dry Well/Seepage Pit,						
Landscape Infiltration)						
Permeable Pavement (aka Porous Pavement)						
Rainwater Harvesting (aka Capture and Re-use)						
*May include a berm or a level spreader						
¹ Refer to DC, MD, PA, VA or WV State Stormwater Manuals for more information						
² Dry ED ponds have limited removal capability , the	ir efficiency is calculated using rates in					
Table B-4, Appendix B						


(from p. 12 of above-referenced report,

http://www.chesapeakebay.net/documents/Final CBP Approved Expert Panel Report on Stormwater Performance Standards LONG.pdf).

The "West Virginia Stormwater Management Design and Guidance Manual" can be accessed at http://www.dep.wv.gov/WWE/Programs/stormwater/MS4/Pages/StormwaterManagementDesignandGuidanceManual.aspx.

The March 4, 2013 minutes of Watershed Technical Workgroup (WTWG) indicate "The WTWG approved 2018 as a deadline for reporting all new and retrofit projects using the new state stormwater performance standards, with the understanding that the date can be adjusted as necessary." We are working toward being able to report the necessary fields, indicated in blue font in the flowchart that follows. In the meantime, many stormwater BMPs will still be reported using the "old" method indicated in orange boxes of the flowchart.

http://www.chesapeakebay.net/channel files/19137/attachment f--flow charts for stormwater performance standards.pdf



<u>Historical BMP data cleanup effort 2013-2015</u> *Stormwater BMPs*

Prior to 2011, we used to report pledged BMPs that developers put on their Construction Stormwater General Permit applications before beginning a development project. In 2011, WVDEP's Stormwater Specialist (CBRAP funded) began inspecting, verifying and cleaning up BMPs we'd been reporting since 2006 Progress Year (which began July 1, 2005). Visual inspections were performed using guidance communicated by the Chesapeake Bay Program; more detailed procedures were not yet finalized for WV's BMP verification program. A stormwater BMP database was developed by TetraTech, and the BMPs we previously kept in spreadsheets were copied to the database. This database was later discontinued, but the information was extracted and is currently being managed as an Excel file periodically brought into a GIS so the map and attributes can co-exist. This project has also involved a summer intern, a WVU GIS intern, and a temporary employee.

For the BMP History Cleanup, the coordinates were imported into Google Earth, and using the historical images it was determined whether construction had actually occurred. For sites where a change was identified, a field visit was made to verify presence and performance of BMPs. This resulted in some BMPs being deleted from the system, and others being added. Where coordinates were incorrect, they were corrected prior to field visits using

supporting data from the Construction Permit application and aerial photos. Implementation Date and the latest Inspection Date were recorded for each BMP. Note that inspection dates are all 2011 or later.

Impervious area, total drainage area, and volume treated were entered for each BMP. When these values were not explicitly included in the permit information, a hand-drawn outline was made in the field and later drawn on Google Maps or ArcGIS and the area calculation tool generated the total drainage area. When these data were provided, the Stormwater Specialist checked whether they were reasonable. If they did not seem reasonable, then the method described above was used to correct it. Treatment volume could be calculated using total area and impervious area if the "treated to 1" standard" box was checked on the application. If a different performance standard was indicated in the application, the appropriate calculations were used. Some BMPs, especially older ones, did not have enough data for these calculations; in this case they were reported with the total drainage area (old method). At times, submitted construction drawings were consulted, but this method proved to be too inefficient. If estimates had to be made, they were always made on the conservative side. Additional BMPs were identified visually, but not included in this historical dataset because there was not enough information to warrant reporting them.

Definitions

Definitions are from "CASTSourceData 8-24-2015.xlsx" accessed at www.casttool.org/Documentation.aspx. These generally match definitions in "Estimates of County-Level Nitrogen and Phosphorus Data for use in Modeling Pollutant Reduction Documentation for Scenario Builder" Version 2.4, Revised: January, 2013, accessed at www.chesapeakebay.net/documents/SB Documentation V24 01 04 2013.pdf.

24. BMP name: Wet Ponds and Wetlands (Stormwater Treatment Performance Standard)

<u>Definition:</u> A water impoundment structure that intercepts stormwater runoff then releases it to an open water system at a specified flow rate. These structures retain a permanent pool and usually have retention times sufficient to allow settlement of some portion of the intercepted sediments and attached nutrients/toxins. Until recently, these practices were designed specifically to meet water quantity, not water quality objectives. There is little or no vegetation living within the pooled area nor are outfalls directed through vegetated areas prior to open water release. Nitrogen reduction is minimal.

Source of data: Beginning fall 2005, applicants for construction stormwater permits are asked to indicate which permanent stormwater management practices they will use and the number of acres draining to each. WVDEP staff enters these applications into the Environmental Resources Information System (ERIS) database within a few days of receipt, and the Stormwater Specialist queries this information for the progress year after June 30. The query includes Industrial Stormwater permittees. In addition, the Potomac Basin Coordinator sends a letter with a blank table to the appropriate person in county government, incorporated municipalities, and watershed groups, asking him/her to fill out the table with appropriate units of each urban/suburban BMP installed in the county in the past calendar year. Data from the annual reports from the MS4s is also a potential source.

<u>Procedure used to compile data:</u> ERIS reports are run for the construction stormwater general permit (sites ≥3 acres) and Notice of Intent sites (1-3 acres). An ERIS report is also run for Industrial Stormwater permits. To access NPDES applications, the SWS logs into ERIS, selects "Permit Application Reports" in the Reports tab, selects a appropriate permit type and sub type (such as Construction Stormwater GP), and adds selection criteria for all counties of interest using "IN" as the operator. After retrieving and saving the information, the permit type/sub type is changed to other permit applications of interest, such as Construction Stormwater NOI. WVDEP Environmental Enforcement staff emails a list of "Notice of Termination" for completed construction projects to the Stormwater Specialist on a regular basis (~monthly).

<u>Data analysis</u>: None needed; BMPs will be entered separately instead of being summed by county, whenever possible.

<u>Checks for accuracy:</u> The letter mentioned above may serve as a check for accuracy.

Units: acres, but see new reporting requirements above

25. BMP name: Dry Extended Detention Ponds

<u>Definition:</u> Dry Extended Detention (ED) Ponds (or basins) are depressions created by excavation or berm construction that temporarily store runoff and release it slowly via surface flow or groundwater infiltration following storms. Dry ED basins are designed to dry out between storm events, in contrast with wet ponds, which contain standing water permanently. As such, they are similar in construction and function to dry detention basins, except that the duration of detention of stormwater is designed to be longer, theoretically improving treatment effectiveness. Dry extended detention ponds or basins that provide for a gradual release of storm water in order to increase settling of pollutants and to reduce stormwater volumes downstream at a given time; and that are usually dry between rainfall events.

Source of data: see source of data for #24.

Procedure used to compile data: See procedure used for #24.

Data analysis: See data analysis for #24

Checks for accuracy: See #24

Units: acres drained

25.a. Dry Detention Ponds

<u>Definition:</u> Dry Detention Ponds are depressions or basins created by excavation or berm construction that temporarily store runoff and release it slowly via surface flow or groundwater infiltration following storms.

Source of data: See source of data for #24

Procedure used to compile data: See procedure used for #24

Data analysis: See data analysis for #24

Checks for accuracy: See checks for accuracy for #24

<u>Units:</u> Measurement name is "Area Treated," units are acres.

26. BMP name: Urban Infiltration Practices (Runoff Reduction Performance Standard)

<u>Definition</u>: **w/ Sand, Veg. - A/B soils, no underdrain**: A depression to form an infiltration basin where sediment is trapped and water infiltrates the soil. No underdrains are associated with infiltration basins and trenches, because by definition these systems provide complete infiltration. Design specifications require infiltration basins and trenches to be built in good soil, they are not constructed on poor soils, such as C and D soil types. Engineers are required to test the soil before approved to build is issued. To receive credit over the longer term, jurisdictions must conduct yearly inspections to determine if the basin or trench is still infiltrating runoff.

w/o Sand, Veg. - A/B soils, no underdrain: A depression to form an infiltration basin where sediment is trapped and water infiltrates the soil. No underdrains are associated with infiltration basins and trenches, because by definition these systems provide complete infiltration.

Source of data: See source of data for #24

Procedure used to compile data: See procedure used for #24

Data analysis: See data analysis for #24

Checks for accuracy: See checks for accuracy for #24

<u>Units:</u> Measurement name is "Drainage Area," units are acres.

26.a. BMP name: Bioretention/Raingardens

<u>Definition:</u> An excavated pit backfilled with engineered media, topsoil, mulch, and vegetation. These are planting areas installed in shallow basins in which the storm water runoff is temporarily ponded and then treated by filtering through the bed components, and through biological and biochemical reactions within the soil matrix and around the root zones of the plants. Three categories are possible: A/B soils, no underdrain; A/B soils, underdrain; and C/D soils, underdrain.

Source of data: See source of data for #24

Procedure used to compile data: See procedure used for #24

Data analysis: See data analysis for #24

Checks for accuracy: See checks for accuracy for #24

<u>Units:</u> Measurement name is "Area Treated," units are acres.

26.b. BMP name: Bioswale

<u>Definition</u>: With a bioswale, the load is reduced because, unlike other open channel designs, there is now

treatment through the soil. A bioswale is designed to function as a bioretention area.

Source of data: See source of data for #24

Procedure used to compile data: See procedure used for #24

Data analysis: See data analysis for #24

Checks for accuracy: See checks for accuracy for #24

<u>Units:</u> Measurement name is "Area Treated," units are acres.

27. BMP name: Urban Filtering Practices (Stormwater Treatment Performance Standard)

<u>Definition</u>: Practices that capture and may temporarily store stormwater then pass it through a filter bed of either sand or an organic media. There are various sand filter designs, such as above ground, below ground, perimeter, etc. An organic media filter uses another medium besides sand to enhance pollutant removal for many compounds due to the increased cation exchange capacity achieved by increasing the organic matter. These systems require yearly inspection and maintenance to receive pollutant reduction credit.

Source of data: See source of data for #24

Procedure used to compile data: See procedure used for #24

Data analysis: See data analysis for #24

Checks for accuracy: See checks for accuracy for #24

Units: Measurement name is "Area Treated," units are acres.

28. BMP name: Urban Grass Buffer (Runoff Reduction Performance Standard)

<u>Definition:</u> Linear strips of planted grass or other non-woody vegetation between the edge of urban/suburban land use and streams or rivers. "This BMP changes the land use from pervious urban to pervious urban. Therefore, there is no change and no reduction from using this BMP."

Source of data: See source of data for #24

Procedure used to compile data: See procedure used for #24

Data analysis: See data analysis for #24

Checks for accuracy: See checks for accuracy for #24

Units: acres or length and width

29. BMP name: **Urban Forest Buffers**

<u>Definition:</u> An area of trees at least 35 feet wide on one side of a stream, usually accompanied by trees, shrubs and other vegetation that is adjacent to a body of water. The riparian area is managed to maintain the integrity of stream channels and shorelines, to reduce the impacts of upland sources of pollution by trapping, filtering, and converting sediments, nutrients, and other chemicals.. *Note: expert panel recommendations are expected in 2014.* Source of data: See source of data for #24; Also WVDOF and other agency partners' knowledge of projects.

Procedure used to compile data: See procedure used for #24

Data analysis: See data analysis for #24

<u>Checks for accuracy</u>: See checks for accuracy for #24. WVDOF staff uses lat/long reading to plot each project on

Terrain Navigator map.

Units: acres or length and width

30. BMP name: Impervious Surface Reduction (Runoff Reduction Performance Standard)

<u>Definition</u>: Reducing impervious surfaces to promote infiltration and percolation of runoff storm water.

Source of data: See source of data for #24

Procedure used to compile data: See procedure used for #24

Data analysis: See data analysis for #24

Checks for accuracy: See checks for accuracy for #24

Units: acres

31. BMP name: Street Sweeping Pounds

<u>Definition:</u> Street sweeping measured by the weight of street residue collected. Street sweeping and storm drain cleanout practices rank among the oldest practices used by communities for a variety of purposes to provide a clean and healthy environment, and more recently to comply with their National Pollutant Discharge Elimination System stormwater permits. The ability for these practices to achieve pollutant reductions is uncertain given current research findings.

Source of data: The Potomac Basin Coordinator sends a letter with a blank table to the appropriate person in county government, incorporated municipalities, asking him/her to fill out the table with appropriate units of each urban/suburban BMP installed in the county in the past calendar year. Street sweeping is not reported to the Bay Program unless the entity reports that they performed street sweeping >/= 24 times per year. Data from the annual reports from the MS4s is also a potential source.

<u>Procedure used to compile data</u>: Each qualifying report from a municipality is entered separately into the NPS BMP database.

<u>Data analysis</u>: None needed; BMPs will be entered separately instead of being summed by county, whenever possible. If reported in pounds, divide by 2000 to convert to tons.

<u>Checks for accuracy</u>: <u>Units</u>: tons (=2000 lbs)

32. <u>BMP name:</u> **Urban Stream Restoration** (none has been reported in recent years but it is possible)

<u>Definition:</u> Stream restoration in urban areas is used to restore the urban stream ecosystem by restoring the natural hydrology and landscape of a stream, helping to improve habitat and water quality conditions in degraded streams. <u>Source of data:</u> The Potomac Basin Coordinator sends a letter with a blank table to the appropriate person in county government and incorporated municipalities, asking him/her to fill out the table with appropriate units of each urban/suburban BMP installed in the county in the past calendar year. In addition, agency partners may also report these projects.

<u>Procedure used to compile data</u>: None needed

<u>Data analysis</u>: None <u>Checks for accuracy:</u> None

Units: linear feet

33. BMP name: Tree Planting (developed lands)

<u>Definition</u>: any tree plantings on any site except those along rivers and streams, which are considered forested buffers and are treated differently. *Note: expert panel recommendations have changed the definitions of tree planting BMPs, replaced by 33a and 33b, below.*

<u>Source of data</u>: See source of data for #32; also, WVDOF tracks "seedlings planted," using categories: erosion control, seedling, and timber production

Procedure used to compile data:

Data analysis: Sum the county totals from the different sources. Divide by 100 to get "acres."

Checks for accuracy:

<u>Units</u>: acres; we can now also enter # of trees planted, and/or length and width as separate measurements for the same BMP in NEIEN.

33a. **Urban Tree Canopy:** Expanding tree canopy involves increasing the overall percent of tree cover in a geographically defined locality on developed land. Credit is applied according to the number of new acres (net gain) of tree cover, i.e., amount of canopy expansion. If trees are not planted in a contiguous area, such as for street trees, then acres of trees can be approximated using the following conversion factor: 100 trees = 1 acre of new tree cover. Accurate crediting for urban tree canopy is currently being developed. Please consult updated forest and urban stormwater workgroup publications for up to date conversion and reporting requirements.

33b. **Urban Forest Planting:** Planting trees on urban pervious areas at a rate that would produce a forest-like condition over time. The intent of the planting is to eventually convert the urban area to forest. If the trees are planted as part of the urban landscape, with no intention to convert the area to forest, then this would not count as urban forest planting, but rather as urban tree canopy. Note: The WV MS4 permit lists this Urban Forest Planting BMP as Urban Tree Planting BMP. Adjustments to MS4 definitions are anticipated for the 2019 reissuance of MS4 permits.

34. BMP name: Erosion and Sediment Control Level 2

<u>Definition:</u> This level of performance reflects the more stringent ESC requirements that have been adopted by local and state governments in the Bay watershed over the last several years, and generally conform to the standard requirements in EPA's 2012 Construction General Permit. These include a greater sediment treatment capacity (typically 3600 cubic feet/acre), surface outlets, more rapid vegetative cover for temporary and permanent stabilization, and improved design specifications for individual ESC practices to enhance sediment trapping or removal. In addition, many states now have construction phasing requirements for larger sites and all require more frequent self-inspections and regulatory inspections.

<u>Source of data</u>: Applicants for coverage under WVDEP NPDES Stormwater Construction Permit; WVCA projects less than one acre.

<u>Procedure used to compile data</u>: WVDEP enters data into a database (ERIS), then searches the database for acreage permitted in the period of interest, under the Notice of Intent (NOI) and General Permit (GP). These data are summed by county. This number for each county is added to any acres reported by WVCA for projects less than one acre.

<u>Data analysis</u>: Acreages are summed by county.

<u>Checks for accuracy</u>: WVDEP Environmental Enforcement Inspector enforces compliance for sites 1 acre or greater. Units: acres disturbed

<u>Historical Data Cleanup effort 2013-15:</u> For history 2011 and prior, we compiled our Best Professional Judgment for historical Erosion and Sediment Control BMPs and the extent of concurrently disturbed areas by county, by year. "WV CSGP and extent history.xlsx" Permit program was initiated in 1993. Program regulated disturbances greater than 3 acres 1993-2002; greater than 1 acre 2003-present. Program requirements qualify as Level 1 ESC 1993-2007; Level 2 2008 –present

Notes on the "Extent" we provided to the Bay Program modeling team, Sept. 2015: Extent = BMP area 2003-present. Extent is more than BMP area 1993-2002 to recognize no regulation of 1-3 acres disturbances. Backwards rolling averages by county used to populate extents 1985-1992.

35. BMP name: Urban Nutrient Management Plan

<u>Definition:</u> An urban nutrient management plan is written, site-specific plan which addresses how the major plant nutrients (nitrogen, phosphorus and potassium) are to be annually managed for expected turf and landscape plants and for the protection of water quality. The goal of an urban or turf and landscape nutrient management plan is to minimize adverse environmental effects, primarily upon water quality, and avoid unnecessary nutrient applications. It should be recognized that some level of nutrient loss to surface and groundwater will occur even by following the recommendations in a nutrient management plan. The impacts of urban nutrient management plans will differ from lawn-to-lawn depending on nutrient export risk factors. This BMP is the default for lawns with an unknown risk type.

<u>Source of data</u>: See source of data for #32. In addition, WVCA staff occasionally sends a letter to every golf course in the Basin and asks how many acres are under nutrient management.

Procedure used to compile data: None needed.

<u>Data analysis</u>: Sum the totals from the different sources by county.

Checks for accuracy: None

Units: acres

36. BMP name: Septic Connection

<u>Definition:</u> Septic connections/hookups represent the replacement of traditional septic systems with connection to and treatment at wastewater treatment plants (WWTPs).

Source of data: Public Service Districts (PSDs)

<u>Procedure used to compile data</u>: WVDEP staff calls PSDs and asks them how many septic systems were connected to sewer lines in the past calendar year.

Data analysis: numbers are summed by county if applicable.

Checks for accuracy: Unreasonably large numbers overall could be questioned.

Units: number of systems

37. BMP name: Septic Pumping

<u>Definition:</u> Septic systems achieve nutrient reductions through several types of management practices, including frequent maintenance and pumping. On average, septic tanks need to be pumped once every three to five years to maintain effectiveness. The pumping of septic tanks is one of several measures that can be implemented to protect soil absorption systems from failure. When septic tanks are pumped and sewage removed, the septic system's capacity to remove settable and floatable solids from wastewater is increased.

<u>Source of data</u>: Septic pumping companies with DEP permits to dispose of septage at POTWs or by land application. <u>Procedure used to compile data</u>: WVDEP's PBC queries ERIS database for companies permitted to dispose of sewage in the 8-county region or nearby. PBC calls septic pumping companies in the region and asks how many tanks they pumped per county in the past calendar year.

<u>Data analysis</u>: some companies do not track number of septic tanks pumped, so we must take the number of gallons reported to WVDEP under their permit and estimate number of tanks by dividing by 1000. Also, some companies do not track the county in which the pumping was done, so we ask them to estimate the percent of their total pumping business conducted in each county. Then we multiply the total tanks they reported by the appropriate county percentage.

<u>Checks for accuracy:</u> <u>Units:</u> number of systems

38. BMP name: Septic Denitrification

<u>Definition</u>: **50% Denitrification Units with Conventional In Situ**: The septic system should employ a 50% denitrification unit for pre-treatment of waste with no enhanced in situ treatment system within the soil treatment unit. This BMP should be used only for systems that employ recirculating media filters (RMF) or integrated fixed-film activated sludge (IFAS) pre-treatment technologies, but do not employ enhanced in situ treatment systems. **50% Denitrification Units with Enhanced In Situ**: The septic system should employ both a 50% denitrification unit for pre-treatment of waste and an enhanced in situ treatment system within the soil treatment unit. This BMP should be used only for systems that employ recirculating media filters (RMF) or integrated fixed-film activated sludge (IFAS) pre-treatment technologies. The system must also employ shallow-placed, pressure-dosed dispersal units or elevated sand mounds with pressure-dosed dispersal for in situ treatment within the soil treatment unit. Source of data: partners' knowledge of 319 or other grant-funded projects

Procedure used to compile data: aggregate by county

Data analysis:

Checks for accuracy:

Units: count (number of systems)

GROUP C. FURTHER PROCEDURES

Assembling data:

For non-stormwater BMPs, the PBC uses Microsoft Excel to assemble and store the BMP data. Files are stored on a network drive within WVDEP's system, and are backed up nightly by the Information Technology Office. The file structure is easy to understand: Alana's "Z:" drive/Chesapeake Bay Documents/bmp spreadsheets/...then filed under the "Progress Year," e.g., 2013 July - 2014 June, for which the data were collected.

These data are then entered by hand into the NPS BMP database, accessible at https://apps.dep.wv.gov/npsbmp/index.cfm, as either county summary data or individual record data for each BMP. This database was created in fall 2010, and the ability to enter components and land use information was added in fall 2011. For the annual data submission, the NPS BMP Database is used to convert the data to an "xml" file.

One of WV's 2015 milestones in the agriculture sector is to "develop and implement a tracking and reporting system for agricultural non-cost-shared BMPs." The West Virginia Department of Agriculture, West Virginia Conservation Agency, and West Virginia Department of Environmental Protection contracted with Tetra Tech to develop a comprehensive database that can be used by multiple individuals in West Virginia to store collected agricultural BMP data. This data will include both NRCS and FSA data collected under an existing 1619 agreement as well as any non-cost share data that is acquired each year.

The West Virginia Department of Agriculture will take the lead on the maintenance and support of the database as well as the QA of the data and annual submittal to EPA via the NEIEN. West Virginia Department of Agriculture plans to enter into an annual agreement with Tetra Tech of ongoing maintenance and support of the agricultural database. Individuals from multiple agencies and nonprofits will have the ability to collect and enter data. This data can be entered in one record at a time or as a larger batch. The database is designed to allow queries to assist in determining if BMPs are "expiring" and need to be re-verified. The user's guide is included as Appendix C.

For stormwater BMPs, the "WV Stormwater BMP Database" was completed by TetraTech for WVDEP in 2013. This database was used for the stormwater BMPs in 2012 as a test; Tetra Tech acquired the data from DEP's ERIS database, DEP staff checked it for accuracy, and TetraTech submitted the xml file to NEIEN. For 2013 and 2014 Progress, the WV Stormwater BMP Database was used to generate an "xml" file. One of WV's 2015 milestones in the stormwater sector is to "work with DEP ITO and/or Tetra Tech to incorporate new stormwater performance standards and retrofits into BMP and land use change database."

Data review and verification process (also see Group D, below):

By early November, the PBC will review for accuracy and completeness, 10% of the new entries in the WV Stormwater BMP database, limiting this review to the fields that are relevant to the Chesapeake Bay Program requirements. The SS will perform a review for accuracy and completeness on 10% of the new entries in the NPS BMP Database. In both cases, if substantial (>10%) errors or omissions are detected, a full review of all entries will be performed in order to ensure accuracy and inform a better procedure for the following year. Duplicates of BMPs reported by non-profits and partners other than DEP will be avoided by the SS or PBC by looking at a map (in WVDEP's Stormwater BMP Database) of projects being reported for the progress year and investigating whether any that are within ~500 ft. of each other are truly different projects.

Regarding agricultural BMPs, by early November, the PBC will contact WVDA and WVCA staff with specific requests to review a certain sample of the data they provided. Specifically, the WV Nutrient Management Coordinator will be tasked with reviewing a subset of the nutrient management data provided by WVDA. BMPs that are installed both through USDA programs and through programs administered by WVCA are not in danger of being counted

twice on the same acres, because the Watershed Program Coordinator checks with USDA field office staff to be sure the producers don't already have a USDA contract for the same practice.

At this time, with the exception of BMPs entered for the Phase 6 model calibration, all BMPs transmitted from WV through NEIEN to scenario builder use the BMP Event Status Code "Implemented," but we recognize that we can and will begin to use other codes such as "Implemented with verification by State agency" and "Exceeded or out of life span."

For 2015 Progress, West Virginia will not report any un-inspected stormwater BMPs.

Reporting data to EPA:

The PBC uses Node Client Lite software to submit "NPS BMP Database" xml files through WVDEP's node to the National Environmental Information Exchange Network (NEIEN). Beginning with the 2013 BMP Progress submission, an additional xml file generated by the "WV Stormwater BMP Database" was submitted in this manner. When WVDA's agriculture BMP database becomes operational, it is anticipated that a third separate xml file will be submitted annually for WV's Progress. WVDA will submit a "NPS BMP Database" xml file through WVDEP's node to the National Environmental Information Exchange Network (NEIEN).


National Environmental Information Exchange Network (NEIEN):

Beginning with the 2010 Progress submission, we supplied these data to the CBP through NEIEN using the nonpoint source BMP schema instead of through an Excel workbook. Beginning with the 2011 Progress submission, our database incorporated "components" elements of BMPs, which allowed us to specify land uses on which practices occurred. So far, West Virginia has been using a "full refresh" approach, where previous NEIEN submissions are overwritten by re-submitting the same data again, sometimes with slight modifications based on new knowledge.

To ensure our entries are in the proper format, we work with DEP's Information Technology staff to assign the most recent NPS BMPs codes for NEIEN input tables. The most recent version is the NEIEN Chesapeake Node Codes List - Version 2015.3 (Oct. 2015), accessed at http://webservices.chesapeakebay.net/schemas/.

To ensure our entries use the proper titles of BMPs and measurement names, we refer to the "NEIEN NPS BMP CBP data flow Appendix A", which is often updated and posted at the website above. Included here as Appendix D is a table based on that NEIEN Appendix, "Custom_111215_neien_nps_bmp_cbp_data_flow_appendixA.pdf", but cropped and annotated for WV's use.

Work-flow diagram of the data management structure



- *SS checks 10% of new records before finalizing xml file from database
- **PBC checks 10% of new records before finalizing xml file from database

Cumulative versus annual:

Measurements of "annual" BMPs submitted through NEIEN are considered to represent the number on the ground during that progress year. In contrast, measurements of "cumulative" BMPs submitted through NEIEN should be added to the cumulative total of BMPs from the previous year's submission. The CBP's Scenario Builder team maintains a list of each type of BMP that WV submits, in the file "AnnCumulBMPsWV.xlsx"

Reasonableness of each BMP's implementation level:

Reports are circulated to lead staff in various sectors so they can review the final totals and/or subsets of the data for reasonableness. Errors in units or other database-related errors may be revealed during the Progress Review period, when the CBP modeling team provides NEIEN reports and schedules review meetings with the PBC and other staff to discuss BMP levels that seem too high or too low.

Other Inputs Provided to the Chesapeake Bay Watershed Model

Acres of Harvested Forest

By law, all timber harvest operations are required to notify the WV Division of Forestry. The notifications include, among other items, acreage to be harvested, what type of harvest, location, and time period. Data from the notifications are entered into the Logging Operation Notification, Inspection and Enforcement (LONIE) system. The system was developed by the Appalachian Hardwood Center at West Virginia University. The LONIE system can be queried to report on a number of different requests and compile them as an Excel spreadsheet. For acreage reporting, we use job start dates only to avoid double counting. WVDOF reports these acres to WVDEP staff when CBP issues the data call, around August.

Permitted Construction Acres

Concurrently disturbed acres for each Chesapeake Bay watershed county in WV are recorded monthly. This data is pulled directly from ERIS, WVDEP's in-house database for permits. We report the total acres of disturbance permitted under the Construction Stormwater General Permit for each county at the end of that month.

Land Use Change (conversion to developed lands)

In the process of reviewing registrations under the Construction Stormwater General Permit, WVDEP Construction Stormwater staff will track location, developed area, and pre- and post-construction land use in the Chesapeake Bay watershed. At a minimum, the post construction land uses are field verified for construction sites that incorporate post-construction BMPs, which require in-field verification regardless. Feasibility of pre- and post-construction land uses and disturbances reported on permit applications is evaluated by estimating land uses in field and comparing them to permit values. If significant discrepancies are discovered, pre- and post-construction land uses are estimated through Google Earth historical imagery and in-field observations.

Number of Septic Inspections or Permits (as an estimate of number of new septic tanks)

Source of data: 8 county health departments

<u>Procedure used to compile data:</u> WVDEP staff calls each health department, and the appropriate personnel (sanitarian or other staff member) reports the number of inspections they conducted in the previous calendar year. If they do not have this number and are unwilling to tally it, we ask for the number of permits issued.

<u>Data analysis:</u> Number is summed by county. <u>Checks for accuracy:</u> <u>Units:</u> number of systems



GROUP D. DATA REVIEW, VALIDATION AND VERIFICATION

WEST VIRGINIA'S VERIFICATION PROGRAM FOR NONPOINT SOURCE BMPS

Introduction

Nutrient and sediment pollution from states surrounding the Chesapeake Bay have had a substantial impact on water quality in the Bay. These states—one of which is West Virginia—have joined together to develop strategies to reduce the nutrient and sediment loading each contributes to the Bay watershed. Previously, each state developed a strategy, known as a Watershed Implementation Plan (WIP) to reduce the flow of pollutants to the Chesapeake Bay waters. Many of the nutrient reduction strategies outlined for West Virginia are in place and data is routinely collected and submitted to the Chesapeake Bay Program. To ensure that the state is meeting its nutrient reduction requirements, all data used to assess load reductions must undergo verification and validation.

This section of the QAPP describes the strategies utilized by West Virginia agencies to verify that practices that are reported to the Chesapeake Bay Program are in place and functioning as intended. It also describes how the agencies ensure the accuracy of data collection and reporting methods used to measure the efficiency of nutrient attenuation practices implemented in the state.

The following paragraph from Strengthening Verification of Best Management Practices Implemented in the Chesapeake Bay Watershed: A Basinwide Framework (http://www.chesapeakebay.net/documents/CBP%20BMP%20Verification%20Framework Oct2014 Final No %20appendices.pdf) frames this effort.

"The Bay Program partners must view verification as the means to strengthen our confidence in local implementation efforts. The Bay Program partners must have confidence that these reported practices are actually being implemented, are functioning and are preventing and reducing pollution runoff to local streams, groundwater and the Bay. The implementation of the verification protocols described here will not only increase public certainty in the reported practices, but it will help ensure those practices are operating in the intended ways to reduce nutrient and sediment pollutant loads to local streams, groundwater and Bay tidal waters. The Bay Program partners want to make sure all jurisdictions are fully accounting for all nutrient and sediment pollutant reduction actions taken across the watershed. For example, we know partners are under accounting the non-cost shared practices that agricultural producers are implementing without government funding. Furthermore, verifying what's on the ground and is functioning gives everyone confidence that Bay Program partners will achieve the expected nitrogen, phosphorus and sediment pollution reductions over time."

With this in mind, West Virginia's objective is to collect and report annual, agricultural Best Management Practice implementation data to EPA for inclusion in the Chesapeake Bay Watershed Model (CBWM) for annual progress evaluations. The aim is to count as accurately as possible the number and types of BMPs being implemented in the eight-county Potomac Basin of West Virginia. One reason is to obtain credit for and document in one place the worthy water quality improvement work carried out by multiple public and private entities in West Virginia. Another reason is so that the CBWM will reflect reality as closely as possible, and any assessments made by using the model will be as accurate as possible.

Funding for the Verification Program will come from various sources including State Agency funding and Funds from EPA's Chesapeake Bay Regulatory and Accountability Program (CBRAP) Grant.

West Virginia will continue collecting and reporting annual practices and will ramp up the verification of past practices over the next two years, making refinements to the program based on funding, staff availability, producer willingness to participate, and other programmatic constraints.

Verification Principles

PRINCIPLE 1: PRACTICE REPORTING

Verification is required for practices, treatments, and technologies reported for nitrogen, phosphorus, and/or sediment pollutant load reduction credit through the Chesapeake Bay Program (CBP) partnership.

Verification protocols may reflect differing tools and timelines for measurement, as appropriate, for a specific BMP. For example:

- A permit (e.g., MS4) may establish periodic inspections for a regulatory BMP;
- A contract may govern examinations of a cost-shared structural (e.g., manure storage structure) or annual (e.g., cover crops) BMPs; or
- A statistical sampling may best define measurement for non-cost shared structural, annual and/or management BMPs.

Verification protocols will ensure that under normal operating conditions:

- Structural practices are properly designed, installed, and functionally maintained to ensure that they are achieving the expected nitrogen, phosphorus, and sediment pollutant load reductions reviewed and approved to by the CBP Partnership;
- Practices, including annual practices, meet the CBP Partnership's implementation and management definitions;
- Practices are consistent with or functionally equivalent to established practice definitions and/or standards;
- Practices are not double counted; and
- Practices are currently functional at the time of seeking credit and not removed from the landscape.

For verified practices not consistent with, nor fully or partially functionally equivalent to, established practice definitions and/or standards, partners and stakeholders can seek CBP Partnership approval for crediting through the established CBP Partnership's BMP review protocol.

Any practice, treatment, and technology (or partial or full equivalency) approved by the CBP Partnership that is properly tracked, verified, and reported will be incorporated into the CBP Partnership's models and credited in the accounting of progress toward the jurisdictions' milestones and in the interpretation of observed trends in monitoring data.

PRINCIPLE 2: SCIENTIFIC RIGOR

Verification of practices assure effective implementation through scientifically rigorous and defensible, professionally established and accepted sampling, inspection, and certification protocols regardless of funding source (cost share versus non-cost share), source sector (agriculture, urban, etc.), and jurisdiction (state, local). A method and schedule for confirmations to account for implementation progress over time will help ensure scientific rigor. Verification shall allow for varying methods of data collection that balance scientific rigor with cost-effectiveness and the significance of, or priority, placed upon the practice in achieving pollution reduction.

PRINCIPLE 3: PUBLIC CONFIDENCE

Verification protocols incorporate transparency in both the processes of verification and tracking and reporting of the underlying data. Levels of transparency will vary depending upon source sector,

acknowledging existing legal limitations and the need to respect individual confidentiality to ensure access to non-cost shared practice data.

PRINCIPLE 4: ADAPTIVE MANAGEMENT

Advancements in Practice Reporting and Scientific Rigor, as described above, are integral to assuring desired long-term outcomes while reducing the uncertainty found in natural systems and human behaviors. Verification protocols will recognize existing funding and allow for reasonable levels of flexibility in the allocation or targeting of those funds. Funding shortfalls and process improvements will be identified and acted upon when feasible.

PRINCIPLE 5: SECTOR EQUITY

Each jurisdiction's program should strive to achieve equity in the measurement of functionality and effectiveness of the implemented BMPs among and across the source sectors.

Strategies for the following six sectors are described in subsequent chapters:

- 1. Agriculture
- 2. Forestry
- 3. Stormwater
- 4. Stream restoration
- 5. Wetland restoration

D.1. AGRICULTURE

D.1.1 West Virginia's Agriculture Verification Program Development Team

West Virginia Department of Agriculture (WVDA) – Matt Monroe, Assistant Director - Environmental Programs will assist in overseeing West Virginia's Verification Program. Cindy Shreve is the WVDA Agriculture Outreach Specialist and will be directly overseeing West Virginia's Verification Database and Annual Submittal of agricultural data to EPA's Chesapeake Bay Program. Andy Yost, WVDA's Environmental Technician, is West Virginia's representative on the Chesapeake Bay Agriculture Workgroup. Ashley Davey-Karlson and Natasha Keplinger are certified Nutrient Management Planners. Johnny Halterman is a CAFO Specialist who will assist in writing Nutrient Management Plans and will assist in field verification efforts.

West Virginia Conservation Agency (WVCA) – Carla Hardy serves as the Watershed Program Coordinator and oversees data collection for the agency including litter transport from private vendors and other grantand state-funded agricultural BMP programs. Barbara Elliott, Watershed Specialist, assists with the submission of agricultural BMP data from the Agricultural Enhancement Program (AgEP) in the Eastern Panhandle Conservation District. Ben Heavner, Conservation Specialist in the Potomac Valley assists with the agricultural BMP data collection for the AgEP Program within the Potomac Valley Conservation District.

West Virginia Division of Forestry (WVDOF) – **Herb Peddicord**, Chesapeake Watershed Forester, collects and reports forest buffer plantings, tree planting, forest harvesting BMPs, and forest conservation data. He participates in the Chesapeake Bay Program's Forestry Workgroup.

WVU Extension – Tom Basden is a WVU Extension Specialist, Nutrient Management and Extension Clinical Associate Professor.

West Virginia Department of Environmental Protection (WVDEP) – Alana Hartman, Potomac Basin Coordinator (PBC) works with all sectors in implementation of the State's WIP and assists with annual data

submittal to the Bay Program. **Teresa Koon**, Assistant Director for Water and Waste Management is a technical contact on this project. **David Montali** is a Technical Analyst Sr. in the Division of Water and Waste Management and is a technical contact on this project.

USDA Natural Resources Conservation Service (NRCS) – **Bill O'Donnell** is the Assistant State Conservationist – Programs. Bill will assist in collection and interpretation of USDA NRCS data and will assist with providing USDA NRCS data to State Agencies for inclusion in the annual submittal to the Bay Program.

USDA Farm Service Agency (FSA) – Mike Taylor supports the collection and interpretation of FSA data.

D.1.2 Verification Methods and Procedures (Cost Shared Practices)

Currently, NRCS cost-share programs have been the major driver of agriculture projects in the Chesapeake Bay watershed of West Virginia.

Annually, West Virginia submits data from all available sources including Federal and State Agencies. All BMPs submitted annually will comply with current Federal Program Standards except for programs which do not currently have Federal Standards such as manure transport. All BMPs in **Table 1**, except nutrient management and a portion of manure transport, are cost shared practices as well. NRCS standards and specifications are described in the National Planning Procedures Handbook (NPPH) http://directives.sc.egov.usda.gov/OpenNonWebContent.aspx?content=36483.wba.

West Virginia will rely solely on Federal Verification Programs already in place until each BMP has reached the end of its lifespan, see **Table 1**. After each BMP's lifespan has expired, State Agencies and NGOs will be 100% responsible for ongoing verification of the following practices each year until the practices can no longer be credited. For more detail, see **Table 2**.

BMPs that have been approved by the Chesapeake Bay Program for modeled credit are listed in Table 1.

Table 1: West Virginia Agriculture BMPs for Priority Verification

WIP Priority	BMP Name / Grouping	BMP Type	Method	Lifespan
High	Pasture Fencing	Structural	Visual	20
High	Grass Buffer	Structural / Agronomic	Visual	5
High	AWMS	Structural	Visual	15
High	Barnyard Runoff Control	Structural	Visual	15
High	Composters	Structural	Visual	15
High	Nutrient Management	Management	Paperwork Review	1 Year NRCS, 3 Year State
High	Conservation Till	Annual	Visual	1
High	Cover Crops	Annual	Visual	1
Medium	Manure Transport	Annual	Paperwork Review	1
Medium	Precision Rotational Grazing/Prescribed	Management	Paperwork	1 (Most are for 3

	Grazing		Review	Years)
Medium	Pasture Alternative Watering/Watering Facility	Structural	Visual	20
High	Stream Restoration	Structural	Visual	20
Medium	Wetland Restoration	Structural	Visual	15

High Priority BMPs were emphasized in the Phase II WIP because they achieve significant nutrient and sediment reductions, are supported by state and federal cost-share programs, and are local priorities. For example, Animal Waste Management alone achieves 22.3% of the phosphorus and 14% of the nitrogen reductions prescribed for the agriculture sector in the Phase II WIP (Verification Guidance Appendix P).

Agriculture BMP Types (see Table 1) are described in Section D.1.12.



Table 2: West Virginia Agriculture BMP Program Design (Table 8 in the guidelines)

			Initial Inspection (and throughout lifespan period)			Follow Up Check (Post-lifespan)							
WIP Priority	BMP Name / Grouping	BMP Type	Method	Frequency	Who Inspects	Documentation	Standard	Follow Up	Statistical Sub- Sample	Response if Problem	Lifespan	Data QA, Recording and Reporting	Adjusted Lifespan
												Toolkit/PRS;	
												WVCA	
												Electronic;	
								WVDA		Refer to		WVDA	
				1 time post		Written Notes		WVCA		Technical		Electronic +	
				construction		and Electronic		WVDOF		Resource		new	_
High	Pasture Fencing	Structural	Visual	and as needed	NRCS and WVCA	Files	Federal	NGO et.al.	5%	or Sunset	20	database	
												Toolkit/PRS;	
												WVCA	
												Electronic;	
										Refer to		WVDA	
		6				Written Notes		WVDA		Technical		Electronic +	
112.1	O D . #	Structural /	N.C1	CREP, WVDOF	ND CC /EC A	and Electronic	F. d l	WVCA	Aerial	Resource	_	new	
High	Grass Buffer	Agronomic	Visual	protocols	NRCS/FSA	Files	Federal	NGO et.al.	Coverage	or Sunset	5	database	
												Toolkit/PRS;	
												WVCA Electronic;	
										Refer to		WVDA	
				1 time post		Written Notes		WVDA		Technical		Electronic +	
				construction		and Electronic		WVCA		Resource		new	
High	AWMS	Structural	Visual	and as needed	NRCS	Files	Federal	NGO et.al.	5%	or Sunset	15	database	
	7.10	ot. dotar ar	7.544.	and as needed	111100		. cac.a.		370	or surisce		Toolkit/PRS;	_
												WVCA	
												Electronic;	
										Refer to		WVDA	
				1 time post		Written Notes		WVDA		Technical		Electronic +	
	Barnyard Runoff			construction		and Electronic		WVCA		Resource		new	
High	Control	Structural	Visual	and as needed	NRCS	Files	Federal	NGO et.al.	5%	or Sunset	15	database	
												Toolkit/PRS;	
												WVCA	
												Electronic;	
										Refer to		WVDA	
				1 time post		Written Notes		WVDA		Technical		Electronic +	
				construction		and Electronic		WVCA		Resource		new	
High	Composters	Structural	Visual	and as needed	NRCS	Files	Federal	NGO et.al.	5%	or Sunset	15	database	
				NRCS every							1 year		
				year, State 1		Written Notes				Refer to	NRCS, 3	WVDA	
	Nutrient		Paperwork	time every 3		and Electronic	Federal /	WVDA	4000/	Technical	year	electronic -	
High	Management	Management	Review	years	NRCS/WVDA/WVCA	Files	State	WVCA	100%	Resource	state	ag database	

												Toolkit/PRS;	
												WVCA	
												Electronic;	
												WVDA	
				_		Written Notes		WVDA				Electronic +	
				Once post		and Electronic		WVCA				new	
High	Conservation Till	Annual	Visual	practice	NRCS	Files	Federal	NGO et.al.	N/A	N/A	1	database	
												Toolkit/PRS;	
												WVCA	
												Electronic;	
												WVDA	
						Written Notes		WVDA				Electronic +	
				Once post		and Electronic	Federal /	WVCA				new	
High	Cover Crops	Annual	Visual	practice	NRCS WVCA	Files	State	NGO et.al.	N/A	N/A	1	database	
							Federal /					NRCS	
						Written Notes	State /					toolkit/PRS;	
			Paperwork	Once post		and Electronic	Individual					WVCA	
Medium	Manure Transport	Annual	Review	practice	WVDA WVCA NRCS	Files	Producer		N/A	N/A	1	electronic	
												Toolkit/PRS;	
												WVCA	
												Electronic;	
	Precision											WVDA	
	Rotational			Once per year		Written Notes		WVDA			1 (most	Electronic +	
	Grazing/Prescribed		Paperwork	for three		and Electronic		WVCA			are for 3	new	
Medium	Grazing	Management	Review	years	NRCS	Files	Federal	NGO et.al.	5%	N/A	years)	database	
												Toolkit/PRS;	
				1 time post								WVCA	
				construction								Electronic;	
				and as needed						Refer to		WVDA	
	Pasture Alternative			(319 once per		Written Notes		WVDA		Technical		Electronic +	
	Watering/Watering			year for 5		and Electronic		WVCA		Resource		new	
Medium	Facility	Structural	Visual	years)	NRCS WVCA	Files	Federal	NGO et.al.	5%	or Sunset	20	database	
				WVCA once									
				during build,									
				then annually								Toolkit/PRS;	
				5 years, NRCS								WVCA	
				1 time post								Electronic;	
				construction						Refer to		WVDA	
				(CORPS		Written Notes	Federal /			Technical		Electronic +	
				requirement	NRCS WVCA (319	and Electronic	State (PE	WVCA		Resource		new	
High	Stream Restoration	Structural	Visual	also	grants NGOs)	Files	signature)	NGO	5%	or Sunset	20	database	
				1 time post						Will be		Toolkit/PRS;	
				construction						corrected		WVCA	
				(easements				WVCA		if Federal		Electronic;	
				every year)		Written Notes		NRCS		Easement;		WVDA	
				140/04		and Electronic	Federal /	Easement	1	l if not		Flootropic	
	Wetland Restoration	Structural	Visual	WVCA annually for	NRCS WVCA	Files	NGO	NGO	5%	if not, refer to	15	Electronic + new	

Ī			life of contract			Technical	database	
						Resource		



D.1.3 Resource Improvement (non-cost shared) BMPs

Resource Improvement Best Management Practices (RI) are non-cost shared BMPs that are typically financed by the operator or other non-public entity or source and may or may not meet the practice standards associated with federal and state cost-share programs. West Virginia is planning to collect Resource Improvement (RI) BMP data during farm visits and begin working with Chesapeake Bay Program staff to get model credit for these practices. We will refer to the Resource Improvement Practice Definitions and Verification Visual Indicators Report, http://www.chesapeakebay.net/documents/RI Report 5 8-8-14.pdf), which specifies that "Jurisdictions will utilize approved AgWG recommended quality assurance methods and frequency for spot-checking all non-cost shared and RI practices per The Chesapeake Bay Program Partnership Agricultural Workgroup's Agricultural BMP Verification Guidance."

D.1.4 Geographic Scale

While all BMP data will be collected at the site specific scale including latitude and longitude, West Virginia will only be reporting information to the Bay Program at the county level.

D.1.5 Federal Agency Verification Protocol (USDA, NRCS, & FSA)

Upon installation of new Best Management Practices, Federal Agencies verify that every practice was installed according to existing standards. After installation, NRCS maintains a 5% check on each practice (5% of fence, 5% of structures, etc.). For more information on Conservation Technical Assistance (CTA), see Subpart C – Providing Conservation Technical Assistance

http://directives.sc.egov.usda.gov/RollupViewer.aspx?hid=17131 . If an inspection reveals that an installed BMP does not meet its relevant standard, the producer will bring it up to standard. This would trigger a recheck.

Practices implemented as NRCS Conservation Technical Assistance (CTA) projects did not receive cost-share from USDA. CTA project data generally receives a lower level of QA/QC than data for other practices. CTA practices are included in conservation plans, but have not previously been reported by most states.

Initial inspections of Conservation Reserve Program/Conservation Reserve Enhancement Program (CRP/CREP) projects are mostly visual field inspections completed by the agency, however, landowners are given the option of self-reporting. Next, a two year status report is completed and then projects are spot checked according to an established protocol, which is described in the FSA Handbook - Agricultural Resource Conservation Program, Part 17: Compliance and Spot Checks http://www.fsa.usda.gov/Internet/FSA_File/2-crp_r05_a21.pdf. There are no other requirements for annual reporting. When participants re-enlist in CREP, this prompts a new inspection.

WV USDA NRCS has discussed the possibility of sharing, with the West Virginia Department of Agriculture (WVDA) under a 1619 Agreement, all agricultural data from their Performance Results System (PRS System) back to 2004. This includes latitudes and longitudes of practices which will greatly assist other agencies with future verification as practice lifespans expire. USDA data prior to 2004 will be very difficult to collect. This will have to be done manually with staff visiting county field offices to verify data by hard copy.

D.1.6 State Agency / Non-Governmental Organizations Protocol

After practices expire and are no longer being reviewed by Federal Agencies, State Agencies will take over and follow the same protocol as Federal Agencies employing a 5% verification rate for the following High and Medium Priority Best Management Practices after their lifespan expires. This effectiveness of this methodology will be evaluated and modified if necessary. For acronyms, refer to guide immediately below this list.

- Pasture Fencing (FI)
- Grass Buffer (FI)

- AWMS (FI & RS)
- Barnyard Runoff Control (FI)
- Composters (FI & RS)
- Nutrient Management (FR)
- Conservation Till (FR, TS, AS)
- Cover Crops (FR, TS, AS)
- Manure Transport (FR)
- Precision Rotational Grazing/Prescribed Grazing (FR & AS)
- Pasture Alternative Watering/Watering Facility (FI & RS)
- Stream Restoration (FI)
- Wetland Restoration (FI)

Farm Inventory (FI)

A survey or listing of physical BMPs completed by certified, trained technical staff, or by the producer. The survey or listing is based on physical inspection. The reliability of the information and the level of verification depends upon the intensity and frequency of the survey, the training of the person completing the survey, and whether the person completing the survey must certify to its accuracy with penalties for false information.

Office/Farm Records (FR)

An evaluation of paperwork on record at the conservation district office or the farm operation itself rather than an on-site inspection of physical BMPs. Records alone are not considered an adequate method for verification, but can be a critical complement to other methods, especially when associated with non-visual assessment BMPs.

Transect Survey (TS)

An inspection of a statistical-based sampling of BMPs. A transect survey is appropriate for a single year visual assessment of practices such as tillage management. The reliability of this method is based on the sampling and inspection methods and the training and independence of the inspectors. Transect surveys as a visual verification method are not considered an adequate method for verifying non-visual BMPs, or multi-year visual BMPs which require direct inspection, office/farm records, or certified training and engineering.

Agency-sponsored Surveys (AS)

A survey of a statistical sampling of farms. Limitations on the reliability of data are similar to those for farm inventory and office/farm records. Periodic surveys and associated reports published by the National Agricultural Statistics Service (NASS), Conservation Effects Assessment Program (CEAP) and Natural Resources Inventory (NRI) are examples of this type of survey.

Remote Sensing (RS)

A science-based review of images or photographic signatures verified through aerial photography, satellite imagery, or similar methods to identify physical practices on the landscape. This method may involve site-by-site imaging or statistical sampling. Implementing a sufficient land-based sampling validation protocol is necessary for ensuring the analysis of the remote images or photographic signatures are calibrated to actual conditions.

Data to be collected during inspections:

• Organization who collected data

- Farm/Site Name
- County
- BMP Name
- BMP Details (varies by BMP, i.e. Cover Crop Type, Planting Date, Number of Animals etc.)
- Lat/Long
- Units
- Farm/Tract/Field
- Progress Year
- BMP Status
- Date of Collection
- Date of Implementation
- BMP Lifespan
- Adjusted Lifespan (for future verification)
- Prior Land Use
- Post Land Use
- Cost Shared (yes/no)
- Meets NRCS Standards (yes/no)
- Photos or other documents to attach (optional)

After original practice lifespans have expired, a percentage of practices must be verified to be credited, and will then have adjusted lifespans applied to each practice based on the type of practice (i.e. structural, etc.).

D.1.7 Adjusted Lifespans

10 YEARS

- AWMS
- Composters
- Pasture Alternative Watering/Watering Facility
- Stream Restoration*
- Wetland Restoration*

5 YEARS

- Pasture Fencing
- Barnyard Runoff Control

3 YEARS

Grass Buffer

1 YEAR

- Nutrient Management
- Conservation Till
- Cover Crops
- Manure Transport
- Precision Rotational Grazing/Prescribed Grazing

^{*}BMPs covered under Section D.4 Stream Restoration and Section D.5 Wetland Restoration

D.1.8 Programmatic Constraint

West Virginia's Verification Program is based on voluntary principles and will work to verify agricultural practices on farms whose owners are willing to share information with Federal and State Agencies and Non-Governmental Organizations. Producers have a strong history of working with state agencies' programs and technical assistance and these one-on-one interactions will continue to provide opportunities to confirm existence and function of BMPs. Some of these programs include cover crops, nutrient management, manure and soil tests, and lime and grazing programs. Just a few examples of employees that are working one-on-one with farmers on these programs are WVCA's Chesapeake Bay Coordinator, Conservation Specialists, the Eastern Panhandle Conservation District's Outreach Specialist, WVDA's CAFO Specialist and Nutrient Management Specialists.

D.1.9 Verification Training Program

Upon approval of West Virginia's Verification Program, West Virginia will begin to assemble and train the "West Virginia Agriculture Verification Program Implementation Team". These individuals, who are already professionals in the conservation field, will lead the State effort in tracking, reporting, and verification of agricultural BMPs. These individuals will be required to participate in a training session to become fully certified in West Virginia to verify and report agricultural BMPs.

These individuals will be required to:

Attend a one day training course which will be sponsored by the West Virginia Conservation Agency (WVCA), the West Virginia Department of Agriculture (WVDA), the USDA Natural Resources Conservation Service (NRCS), and Farm Service Agency (FSA). This one day training session will provide all attendees the knowledge to determine NRCS and FSA practice names and specifications. During this training, a professional previously trained in NRCS Best Management Practices will review attendees' work after they have documented a pre-determined number of practices. West Virginia is considering holding this one day training session at the WVU Reymann Memorial Farm in Wardensville, WV, where several Best Management Practices have been implemented.

A future training program for non-professionals (those who are not well versed in conservation programs) will be developed over the next two years. It is anticipated that non-professionals will be able to assist in verifying a subset of the priority practices, for which data are simpler to collect, such as animal waste structures and composters.

D.1.10 Verification Pilot Project

West Virginia will begin a verification pilot project shortly after the Verification Program has been approved by EPA. This pilot project will include three certified individuals representing the West Virginia Department of Agriculture, West Virginia Conservation Agency, and a Conservation District. This team will be tasked with collecting detailed information on a minimum of three BMPs. These three individuals will then log in to the Agriculture BMP Database and enter required information.

The three test BMPS will utilize the following verification techniques (one each):

- Farm Inventory (FI)
- Remote Sensing (RS)
- Review of Farm Records (FR)

State and Federal Agency personnel will then review data collected and entered into the database for accuracy. If the review shows that there are any shortcomings in data collected, then retraining by Federal and State agency staff will commence. This pilot project will be completed by June 30, 2016.

D.1.11 Communications Strategy

The West Virginia Department of Agriculture and West Virginia Conservation Agency plan to do a joint outreach campaign beginning this summer to help the public become aware of the State's Verification Program.

Avenues for outreach may include:

- Newspapers
- WVDA Market Bulletin
- WV Poultry Association
- Farm Bureau

To encourage voluntary participation in the State's Verification Program, WVDA's Agriculture Outreach Specialist has developed a one page flyer to be distributed to agricultural producers via Conservation District Staff, Integrator Service Techs, Nutrient Management Planners, and possibly at County Fairs, farm supply stores and stockyards.

D.1.12 Agriculture BMP Types

The agriculture BMPs are organized into four separate BMP categories, and each is described in the following sections.

- Structural
- Structural/Agronomic
- Management
- Annual

Note: Stream restoration and wetland restoration are discussed in Sections D.4 and D.5.

Definitions below are from CASTSourceData 8-24-2015.xlsx downloaded from http://casttool.org/Documentation.aspx, and from *Developing best management practice definitions and effectiveness estimates for nitrogen, phosphorus and sediment in the Chesapeake Bay watershed*" December 2009, by Dr. Thomas Simpson and Sarah Weammert, University of Maryland Mid-Atlantic Water Program http://archive.chesapeakebay.net/pubs/BMP ASSESSMENT REPORT.pdf. In some cases, more detailed definitions are provided in Group B.

D.2 Structural BMPS

Structural BMPs include:

1) Pasture Fencing: Stream access control with fencing involves excluding a strip of land with fencing along the stream corridor to provide protection from livestock. The fenced areas may be planted with trees or grass, or left to natural plant succession, and can be of various widths. This BMP excludes animals from streams. It incorporates both alternative watering and installation of fencing that eliminates livestock access to narrow strips of land along stream.

- 2) **Alternative Waste Management Systems:** Practices designed for proper handling, storage, and utilization of wastes generated from confined animal operations.
- 3) **Barnyard Runoff Containment:** Includes the installation of practices to control runoff from barnyard areas. This includes practices such as roof runoff control, diversion of clean water from entering the barnyard and control of runoff from barnyard areas.
- 4) Composters: A physical structure and process for disposing of deceased animals. Composted material is combined with poultry litter and land applied using nutrient management plan recommendations. Mortality composters involve composting routine mortality in a designed, on-farm facility, with subsequent land application of the compost. This prevents the necessity to bury dead animals that could result in nutrient leachate, or rendering of dead animals for processing into animal feeds or incineration. Mortality composting can be, and is, applied to various species including poultry, swine and dairy calves.
- 5) Pasture Alternative Watering/Watering Facility: This BMP requires the use of alternative drinking water sources away from streams to reduce the time livestock spends near and in streams and on streambanks which reduce direct manure deposition to streambeds and banks and also reduce erosion and nutrient deposition to riparian areas. Alternative watering facilities typically involve the use of permanent or portable livestock water troughs placed away from the stream corridor. The source of water supplied to the facilities can be from any source including pipelines, spring developments, water wells, or ponds. In-stream watering facilities such as stream crossings or access points are not considered in this definition.

D.2.1 BMP verification

West Virginia's structural BMPs are driven by cost-share and non-cost-share programs. Five percent (5%) of structural BMPs will be inspected, based upon current NRCS protocols. 1-5 above, each will be inspected one time post construction. If not up to standard, the producer is required to bring the practice up to standard and NRCS conducts a follow up inspection. If cost shared under West Virginia's Section 319 program, structural practices will be inspected once per year for 5 years. The inspection method will be visual and will be conducted by the funder, which could be NRCS, WVDA, or WVCA. These staff members will be trained as outlined in 2.1.6. The staff members will ensure that each structural BMP meets the Federal standards. Information will be recorded in WVDA's database, spreadsheets, and written files.

The inspection process will be documented in and checked against this QAPP. Results will be reported to USEPA and/or the public by county.

D.2.2 BMP validation

The WVDA will prevent double-counting by performing a database/paper check of an adequate statistical sample.

D.2.3 BMP performance

Agriculture group indicated that this is not applicable

D.3 Structural/Agronomic BMPS

This grouping of BMPs includes:

• **Grass Buffers:** Grass buffers are grass plantings between fields and rivers and streams. They are linear strips of vegetation along rivers and streams, helping to filter nutrients, sediment, and other pollutants carried in runoff. Min width = 35', recommended 100'.

D.3.1 BMP verification

West Virginia's Structural/Agronomic BMPs are driven by cost-share and non-cost-share programs. Five percent (5%) of Structural/Agronomic BMPs will be inspected based upon current NRCS protocols and/or aerial coverage and will all be reviewed annually. The verification is decided by CREP, WVCA, WVDOF, and NGO protocols. The Structural/Agronomic BMPs described above will be inspected according to the protocols listed below. Details on verification strategy for each agency are included in Section D.1.5.

Grass Buffer - CREP, WVDOF protocols

The inspection method will be visual and will be conducted by NRCS, WVCA, WVDOF, or NGO depending on the BMP and/or funder. These staff members will be trained as outlined in Section D.1.90. The staff members will ensure that each structural BMP meets the Federal standards. Information will be recorded in written notes and an electronic form. The inspection process will be documented in and checked against this QAPP. Results will be reported to USEPA and/or public by county.

D.3.2 BMP validation

The WVDA will prevent double-counting by performing a database/paper check of an adequate statistical sample. Additional checks for accuracy are defined by BMP in Group B of this QAPP.

D.3.3 BMP performance

Agriculture group indicated that this is not applicable

D.4 Management BMPs

- **Precision Rotational Grazing:** This practice utilizes a range of pasture management and grazing techniques to improve the quality and quantity of the forages grown on pastures and reduce the impact of animal travel lanes, animal concentration areas or other degraded areas.
- Nutrient Management: Application of nutrients to croplands [although WVDA also keeps track of
 nutrient management plans' pasture and hay acreage, as well, so these can be reported separately].
 Details type, rate, timing, and placement of nutrients for each crop. Soil, plant tissue, manure
 and/or sludge tests used to assure optimal application. Revised every 2-3 years.

D.4.1 BMP verification

Management BMPs are driven by cost-share and non-cost-share programs. These BMPs are inspected through paperwork reviews. The Management BMPs will be inspected as follows:

- One hundred percent (100%) of the Nutrient Management BMPs funded by NRCS will be inspected
 annually, and state funded plans will be inspected by the state one time every 3 years (this is driven by
 the need to update the plan).
- Five percent (5%) of the Precision Rotational Grazing BMPs will be inspected once a year for 3 years.

Nutrient Management Plans that are reported as part of West Virginia's annual progress are revised at a minimum of every three years. This process includes an initial face-to-face meeting with producers, collection of soil samples and writing of a revised plan utilizing RUSLE2 and P-Index taking into account current farming practices. Certified nutrient management planners then meet again face-to-face with producers to deliver and discuss the plan. A portion of producers also request nutrient management plan changes during the life of their plan. These mid-plan changes include crop changes with fertilizer recommendations and nutrient loss risk assessment.

The inspection method will be paperwork-based and will be conducted by the funder, which could be NRCS, WVDA, NGO, or WVCA. These staff members will be trained as outlined in 2.1.6. The staff members will ensure that each management BMP meets the Federal and/or State standards. Information will be recorded in written notes and electronic files. The inspection process will be documented in and checked against this QAPP. Results will be reported to USEPA and/or public by county.

D.4.2 BMP validation

The WVDA will prevent double-counting by performing a database/paper check of an adequate statistical sample.

D.4.3 BMP performance

Agriculture group indicated that this is not applicable

D.5 Annual BMPs

- Manure Transport: Transport of excess manure in or out of a county. Manure may be of any type—
 poultry, dairy, or any of the animal categories. Transport should only be reported for county to
 county transport.
- **Cover Crops:** Non-harvested winter cereal cover crops, including wheat, rye and barley, designed for nutrient removal.
- Conservation Till: Conservation tillage involves planting and growing crops with minimal disturbance of the surface soil. Conservation tillage requires two components, (a) a minimum 30% residue coverage at the time of planting and (b) a non-inversion tillage method.

D.5.1 BMP verification

BMPs in the annual category are driven by cost-share and non-cost-share programs. Annual BMPs are inspected through visual reviews except for manure transport, which is inspected through a paperwork review. All Annual BMPs are inspected one time after the practice occurs. The inspection method will be visual and will be conducted by the funder, which could be NRCS, WVDA, or WVCA according to the funder's protocol (See Section D.1.5). These staff members will be trained as outlined in Section D.1.9. The staff members will ensure that each structural BMP meets the federal, state, or individual standards. Information will be recorded in written notes and electronic files. The inspection process will be documented in and checked against this QAPP. Results will be reported to USEPA and/or the public by county.

Cost shared litter transfer is tracked and verified utilizing a series of forms which verify litter type, analysis, origin, updated compliance of nutrient management plan, volume and receiving farm address along with certified weigh tickets on the trucking.

D.5.2 BMP validation

The WVDA will prevent double-counting by performing a database/paper check of an adequate statistical sample.

D.5.3 BMP performance

Agriculture group indicated that this is not applicable.

D.6 Lower "priority" verification protocols

The following BMPs are not included in this version of the QAPP, but will have verification protocols developed by the dates listed:

- Loafing Lot Management, June 30, 2016
- Land Retirement, June 30, 2017
- Horse Pasture Management, June 30, 2017



Table 3: Summary of Agricultural BMP verification program

A. Program Component	B. Program Elements	C.1 Structural BMPs Verification Program	C.2 Structural/ Agronomic BMPs Verification Program	C.3 Management BMPs Verification Program	C.4 Annual BMPs Verification Program
	1. What was the driver for BMP installation?	Cost-share and Non-Cost- Share	Cost-share and Non-Cost- Share	Cost-share and Non-Cost- Share	Cost-share and Non- Cost-Share
	2. How many BMPs will be inspected?	Percentage - 5%	Percentage - 5%	100% Nutrient Management, 5% Precision Rotational	N/A
	3. How is inspection frequency and location determined?	Based upon current protocols	Based upon current protocols	Based upon current protocols	Based upon current protocols
i. BMP Verification	4. How often are BMPs/groups of BMPs inspected?	1 time post construction and as needed (EXCEPT FOR Pasture Alternative Water - 1 time post construction and as needed (319 once per year for 5 years)	Grass Buffer - CREP, WVDOF protocols(DEFINE)	Nutrient management - NRCS every year, State 1 time every 3 years; Precision Rotational Grazing- once per year for three years	Once post practice
	5. What is the method of inspection?	Visual	Visual	Paperwork Review	Visual and Paperwork Review for Manure Transport
	6. Who will conduct the inspection and is he/she certified/trained?	NRCS, WVCA, WVDA	NRCS, WVCA, WVDA, NGO	NRCS, WVDA WVCA NGO et.al. All nutrient management planners in the state of WV are certified.	NRCS, WVDA WVCA NGO et.al.

	7. What needs to be recorded for each inspection?	If it meets Federal Standards	If meets Federal standards	If it meets Federal/State standards	If meeting Federal/State/Individual Producer standards
	8. Is execution of the inspection process documented in and checked against an updated quality assurance (QA) plan?	Yes	Yes	Yes	Yes
	9. How is collected data recorded?	Written notes and electronic files			
	10. At what resolution are results reported to EPA and/or the public?	By county	By county	By county	By county
	11. What is the QA/QC process to prevent double-counting or counting of BMPs no longer in place?	Database/paper check of adequate statistical sample	Database/paper check of adequate statistical sample	Database/paper check of adequate statistical sample	Database/paper check of adequate statistical sample
ii. BMP Data Validation	12. What is the method used to validate state's ability to collect and report correct data?	Database/paper check of adequate statistical sample	Database/paper check of adequate statistical sample	Database/paper check of adequate statistical sample	Database/paper check of adequate statistical sample
	13. If data is provided by external independent party or industry, what method is used to	Database/paper check of adequate statistical sample	Database/paper check of adequate statistical sample	Database/paper check of adequate statistical sample	Database/paper check of adequate statistical sample

	provide adequate QA for acceptance by the Chesapeake Bay Program? 14. Who conducts data validation?	WVDA	WVDA	WVDA	WVDA
iii. BMP Performance	15. What is the process to collect data to assess BMP performance and confirm consistency with the Chesapeake Bay Program's approved BMP efficiencies?	N/A	N/A	N/A	N/A
	16. Who collects BMP effectiveness data?	N/A	N/A	N/A	N/A

D.2. FORESTRY

West Virginia's Forestry Verification Program Development Team:

West Virginia Department of Agriculture (WVDA) – Matt Monroe, Assistant Director - Environmental Programs will help to coordinate the verification of Riparian Forest Buffers and Tree Planting on Agricultural land uses West Virginia's Verification Program.

West Virginia Conservation Agency (WVCA) – **Carla Hardy** serves as the Watershed Program Coordinator and oversees data collection for the agency including Riparian Forest Buffers and other BMPs implemented with Clean Water Act Section 319 projects.

West Virginia Division of Forestry (WVDOF) – Herb Peddicord, Chesapeake Watershed Forester, collects and reports forest buffer plantings, tree planting, forest harvesting BMPs, and forest conservation data. He participates in the Chesapeake Bay Program's Forestry Workgroup. CREP Forester (hiring in process) whose area includes Grant, Mineral, Hampshire, Hardy and Pendleton Counties. The person in this position will help to design CREP plantings, so will help to conduct verification activities on these sites. LOA Foresters and LSCA Foresters are involved in these protocols.

USDA Natural Resources Conservation Service (NRCS) – **Bill O'Donnell** is the Assistant State Conservationist – Programs. Bill will assist in collection and interpretation of USDA NRCS data and will assist with providing USDA NRCS data to State Agencies for inclusion in the annual submittal to the Bay Program. **NRCS Forester** (hiring in process) is a joint position with WVDOF. Most likely, this position will cover Mineral and Hampshire Counties. The person in this position will help to design CREP plantings, so will help to conduct verification activities on these sites.

USDA Farm Service Agency (FSA) – Mike Taylor supports the collection and interpretation of FSA data.

Cacapon Institute – Frank Rodgers, Executive Director, will help with verification of Expanded Tree Canopy and Urban Riparian Forest Buffers. Cacapon Institute is the WVDEP Bay Program partner endorsed to represent WV urban forestry issues to the CBP Forestry Work Group, **Katherine Cooper**, BMP Tracking Specialist, will coordinate with WVDOF Chesapeake Watershed Forester to help track, report, and verify urban and non-farm-bill Tree Planting projects.

Alliance for the Chesapeake Bay – CREP Forester (hiring in process) whose area includes Berkeley, Jefferson, and Morgan Counties. The person in this position will help to design CREP plantings, so will help to conduct verification activities on these sites.

Forests cover the majority of the landscape in each Bay state. Protection of forested lands and restoration of trees in priority areas, such as riparian forest buffers (RFBs) along streams and shorelines, are vital for Bay watershed water quality and ecological health. The CBP Executive Council adopted an ambitious, science-based RFB goal in 2007 as part of the Forest Conservation Directive. Riparian forest buffers planted on agricultural land are one of the BMPs on which the states are most relying to achieve Bay water quality goals in their Phase II Watershed Implementation Plans. In addition to RFBs, other forestry BMPs play an increasingly important role, especially in the urban sector.

Forests are not generally pollution sources. Instead, they absorb and use nutrients (greatly reducing nutrients from airborne sources, for example) and retain and use sediment, thus aiding pollution prevention. Four of the five Forestry BMPs covered by this guidance are types of tree planting designed to improve environmental and water quality conditions in currently nonforested areas, including tree planting in riparian

areas. These tree planting practices apply to agricultural and urban landscapes. The forest harvesting BMPs are the only BMPs applied specifically to current forest landscapes at this time.

Generally speaking, forest planting BMPs (riparian forest buffers and tree planting) are intended to last for a very long time. After verifying that buffer and tree planting projects have been installed and surviving according to plans, and after performing site inspection and maintenance during the initial growth period or until considered established), forest BMPs will become easier to verify by aerial photography and inexpensive to maintain over the long term compared with other types of BMPs. Once the tree planting is established, the principal remaining concern is whether effectiveness of buffers will be undermined by concentrated flow or channelization circumventing the benefits of the buffer.

The six forestry BMPs for which verification guidance is presented are:

- agricultural riparian forest buffers
- agricultural tree planting
- expanded tree canopy
- urban riparian forest buffers
- forest harvesting BMPs
- forest conservation

Because of similarities in how the two agricultural BMPs are implemented, and how the urban forestry BMPs are implemented, they are grouped accordingly. The intensity of verification efforts is intended to be in direct proportion to contribution that a BMP makes to overall TMDL pollutant reduction in West Virginia's Watershed Implementation Plan.

Table 4: West Virginia Forestry BMP Program Design (Table 8 in the guidelines)

			Initial Inspecti	on (and throughout li	fespan period)		Follov	w Up Check (Post	-lifespan)			
WIP Priority	BMP Name	Method	Frequency	Who Inspects	Documentation	Standard	Follow Up	Statistical Sub-	Response if Problem	Lifespan	Data QA, Recording and Reporting	Adjusted Lifespan
Low	Forest Harvesting BMPs	Visual Inspection	100% Initial inspection and 100% final Reclamation	WVDOF LSCA foresters	Timber Harvest inspection reports	State	Additional inspections probable during the operation	100%	Work with loggers to address concerns – verbal warnings & Compliance orders. If Severe – have regulatory action (fines).	Life of the Notification	Database – GIS polygons provided at parcel level to WVDOF BMP db. (LONIE)	Beyond notification only if problems exist
Low	Forest Conservation BMPs	Visual	100% after Conservation. WVDOF receives aerial Photo to verify.	Managing agency	Electronic files maintained by the managing organization. WVDOF maintains historical record to prevent double counting	State/ Federal	Vary depending on Managing agency policy					
Medium	Expanded Tree Canopy		100% receive		Written Notes		WVCA		Refer to Technical			
High	Urban Riparian Forest Buffers	Visual	initial inspection	WVDOF WVCA NGO	and Electronic Files	Federal	WVDOF NGO et al.	Visual	Resource or Sunset	15	Toolkit/DDC:	
High	Forest Buffer	Visual	100% receive initial inspection	NRCS FSA WVDOF WVCA NGO	Written Notes and Electronic Files	Federal	WVDA WVCA WVDOF NGO et.al.	Visual	Refer to Technical Resource or Sunset	15	Toolkit/PRS; WVCA Electronic; WVDA Electronic + new database; WVDOF electronic	

								Refer to			
					Written Notes			Technical		Toolkit/PRS;	
			Once post		and Electronic		Aerial	Resource or		WVDOF	
Medium	Tree Planting	Visual	•	NRCS WVDOF	Files	Federal	Coverage	Sunset	15	electronic	



D.2.1 Forest Harvesting BMPs

Forest Harvest BMPs Description: Forest harvesting practices are a suite of BMPs that minimize the environmental impacts of logging, including road building and site preparation. These practices can greatly reduce the suspended sediments and other pollutants that can enter waterways as a result of timber operations. The CB model currently assumes an average of 1% of forest is harvested in any given year, unless more accurate data are supplied by the state. The modeled pollution load from forest harvesting is reduced based on the annual number of acres of forest harvesting BMPs reported.

Current procedure: All States have adopted recommended BMPs for timber harvesting and forest management activities (also called Silvicultural BMPs) that have the potential to impact water quality. These water quality BMPs have common elements although they may vary from state-to-state and their use is site dependent. For the purposes of monitoring, WV harvest BMPs are grouped by area of concern such as:

- Roads and timber loading areas
- Stream crossings
- Stream Management Zones or Riparian areas

D.2.1.1 BMP verification

WV's Logging and Sediment Control Act (LSCA) (WV Code 19-1B-12) requires all timber harvest operations to notify the WV Division of Forestry (WVDOF). Additionally, timber operators must complete an initial BMP course and refresher courses every 3 years.

All BMPs associated with registered timber harvest operations on public and private land will be inspected at least three times according to DOF policy. WV law mandates only a final inspection for reclamation. It depends upon whether all LSCA positions are filled, whether additional inspections are completed.

Trained WVDOF LCSA Foresters will conduct inspections. Timber operators also receive training on BMPs, and must refer to the BMP manual. WVDOF LCSA Foresters will record whether BMPs are in place, meet prescribed standards, and are functioning as designed. If any of these are lacking, it will be recorded.

Table 5: Prescribed standards by Forest Harvesting BMP type

General Forest Harvesting BMPs	Haul/skid Roads and timber loading areas	Streamside Management Zones (wetlands managed same way)	Stream Crossings
Reclamation on all areas after harvest is complete.	Road surface and grades, proximity to streams, good drainage practices including culvert size/waterbars. Landings, location and water control structures.	Landing and roads offsets. No equipment allowed except for crossing at 90 degrees with water structures. Seeding and mulching after construction	Water structures standardized, seeding and mulching after construction

Enforcement is triggered by inadequacies in the following categories: license, logging certification, notification, signage, muddy water, operating in a stream, skid/haul road (see Table 5), condition of County/State road, tops in stream, job not reclaimed. The law empowers the WVDOF to issue compliance orders to correct problems and, when necessary, to suspend a logging operation until specified conditions are made to bring the operation into compliance with the law.

The inspecting agency does have a BMP manual, but there is no QA plan in place to check against.

The collected data is recorded in the LONIE (Logging Operation Notification, Investigation and Enforcement) database. The following information is digitally entered in the LONIE database: First visit: "Notification Form;" Second and subsequent visits: "Investigation Form;" Final visit: "Final Inspection Form." If problems are found with the BMPs during the process, "Compliance Orders" and hard-copy "Tickets" are issued, and "Suspensions" and "Suspension Releases" are used as needed.

The acres of forest registered as timber operations are aggregated by county and entered into the NEIEN (National Environmental Information Exchange Network) for annual progress reporting.

D.2.1.2 BMP validation

By law, all timber harvest operations are required to notify the WVDOF prior to beginning operations. The notifications include, among other items, acreage to be harvested, what type of harvest, location, and time period. Data from the notifications are entered into the LONIE system. The system was developed by the Appalachian Hardwood Center at West Virginia University.

The procedure used to compile data is the LONIE system, which can be queried to report on a number of different requests and compile them as an Excel spreadsheet. For acreage reporting, we use job start dates only to avoid double counting. WVDOF reports acres to WVDEP staff.

Ninety eight percent (98%) of the registered acres with BMPs applied are reported. The rationale for this is that occasionally, we do have illegal logging activity that is discovered after the fact and does not get reported. We do not track these because there are others that we never discover. 2% is an estimate of unknown illegal activity that may or may not have BMPs applied. Therefore, the WVDOF adds this 2% to the total number of known harvest acreage.

The process to prevent double counting is basic. First, we are certain of not double-counting because only unique close-out dates are queried. Second, there is a database check of the query to ensure that the same tract of harvested timber was not reported by two or more harvest companies.

WVDOF is the regulatory agency that will conduct the data validation. They employ three LSCA foresters. Staff includes supervisor of LCSA foresters and the Assistant State Forester. These positions are fully staffed.

D.2.1.3 BMP performance

Assessment of BMP performance and consistency with the Chesapeake Bay Program's approved BMP efficiency will be conducted by the Region 1 LSCA Specialist.

The BMP manual is revised at least every 5 years by a committee including university researchers, WVDEP, and industry representatives. Also, Federal (USFS) Fernow Research Forest provides recent information through committee networks. WVDOF staff participate in Chesapeake Bay Program Office (CBPO) Forestry Workgroup.

The WVDOF will collect BMP effectiveness data.

D.2.2 Forest Conservation BMPs

There are currently many agencies coordinating land conservation in the West Virginia Potomac drain counties. The WVDOF works with the Forest Legacy Program. Other NGO's involved include: Potomac Conservancy, Cacapon & Lost River Land Trust, Land Trust of the Eastern Panhandle, Nature Conservancy, and Conservation Fund. Also each county has a Farmland Protection Board. In addition, other land is

protected through programs such as the American Battlefield Protection Plan and The Outdoor Heritage Conservation Fund.

D.2.2.1 BMP verification

The 2007 Forest Conservation directive is the driver for BMP installation. Inspections will be completed by the managing organization. Inspections will occur one time after conservation, and additional inspections will vary depending on the agency. The number of acres of forestland conserved will be inspected. The first inspection will be completed through aerial coverage and the method of subsequent year inspections will be determined by the controlling agency.

WVDOF staff contacts the region's land trusts and other local organizations involved in conserving land, e.g. county farmland protection agencies, to determine the number of acres conserved in each county. WVDOF attempts to track location of acres reported, or a property name, so they will not be double counted in the future. WVDOF staff will also conduct aerial coverage analyses.

Data will be maintained by the managing organization. Information recorded describing each conservation project and QA varies by managing organization.

The collected data, acres of forestland conserved, is recorded by county in an excel spreadsheet by WVDOF. This information is currently reported annually by the WVDOF to the US Forest Service.

Forest Conservation acreage is expected in perpetuity.

D.2.2.2 BMP validation

The WVDOF staff will contact the region's land trusts and other local organization to verify.

The location of acres reported, and/or property names are recorded so that acres will not be double counted. The region is small therefore, if an unreasonably large number of acres in any of those categories are reported by agencies, the locations could be questioned.

D.2.2.3 BMP performance

WVDOF staff will collect the data to assess the BMP performance and confirm consistency with the Chesapeake Bay Program approved BMP efficiencies by contacting the region's land trusts and other local organizations involved in conserving land, e.g. county farmland protection agencies, to determine acreages to report in this category.

D.2.3 Expanded Tree Canopy

Expanding tree canopy involves increasing the overall percent of tree cover in a geographically defined locality on developed land. Credit is applied according to the number of new acres (net gain) of tree cover, i.e., amount of canopy expansion. If trees are not planted in a contiguous area, such as for street trees, then number of trees can be converted to acres using the following conversion factor: 100 trees = 1 acre of new tree cover. All tree planting data is aggregated and submitted to the state by a locality for further aggregation to the CB model per land-river segment.

D.2.3.1 BMP verification

BMP installation was/is driven by the Forest Restoration Strategy.

All tree canopy expansion areas will be inspected. Every 5 years, a locality should re-assess the tree canopy in its defined boundaries to show that there has not been a decrease in overall canopy.

Cacapon Institute, in cooperation with the WV Chesapeake Bay Forester and WV Urban & Community Forestry Council, will determine frequency and locations to be inspected. WV Bay Program aggregates all BMP reporting through the WVDEP. Any Tree Canopy Expansion will be evaluated for each municipality reporting tree plantings. (Note: The CBP Forestry Workgroup is working on an Urban Tree Canopy land cover map for the entire Bay Watershed that could be completed as early as 2018. Thereafter, every five years, a new UTC land cover map will be produced. The verification method discussed here and in the riparian forest section are intended to be stop-gap measures to ensure verification interim, prior to the improved verification anticipated under the Forestry Work Group's plan.)

This is important especially since tree canopy losses may occur despite good policies and practices for urban forestry. Ongoing problems for tree canopy are the expansion of invasive pests such as emerald ash borer, required tree trimming for electrical reliability standards, and natural aging of trees.

Tree canopy will be assessed every two years by Cacapon Institute using iTree Canopy or similar human-eye interpretation of aerial imagery. iTree Canopy produces a statistical assessment of land cover and can be used to evaluate aerial imagery. Similar tools are available in Arc GIS. Statistical assessment does NOT map tree canopy, it projects the likelihood of land cover change over time. Expanded Tree Canopy will cover only developed lands, not forest, agriculture, or riparian areas. "Developed lands" are determined by the Chesapeake Bay Program and the GIS shapefiles are available from CBP. Riparian areas will be clipped, or removed, from the study area using CBP shapefiles for HUD stream data sets by setting 35' riparian buffers aside. (These will be assessed separately – see Urban Riparian Forest Buffers below).

The method of inspection is as follows. iTree Canopy type surveys utilize NAIP (National Agriculture Inventory Program) <2 meter resolution natural color aerial imagery for human-eye land cover interpretation. Land cover will be assessed using the USDA Forest Service-University of Vermont 7-land cover sets: canopy, green space, bare soil, water, building, road/railroad, and transportation-other (impervious). From this classification of points, a statistical estimate of the amount or percent cover in each cover class can be calculated along with an estimate of uncertainty of the estimate (standard error (SE)). iTree explains this as follows:

"To illustrate how this is done, let us assume 1,000 points have been interpreted and classified within a city as either "tree" or "non-tree" as a means to ascertain the tree cover within that city, and 330 points were classified as "tree". To calculate the percent tree cover and SE, let:

```
N = total number of sampled points (i.e., 1,000)

n = total number of points classified as tree (i.e., 330), and

p = n/N (i.e., 330/1,000 = 0.33)

q = 1 - p (i.e., 1 - 0.33 = 0.67)"
```

To ensure a rigorous assessment/analysis a Standard Error (SE) of >90 (i.e. +/- 5%) is desirable.

```
Standard Error (SE) = \sqrt{(pq/N)} (i.e., \sqrt{(0.33 \times 0.67 / 1,000)} = 0.0149)
```

Using iTree Canopy in the most recent NAIP a set of data points will be established. These can be compared to NAIP imagery from six years prior (NAIP is collected on odd-numbered years). The analysis will show, statistically speaking, if Tree Canopy is expanding or declining.

Cacapon Institute has been conducting iTree Canopy inventories since 2006. iTree Canopy is provided by the USDA Forest Service. WVU and Shepherd University graduate and undergraduate students, and WVDEP or WVDOF personnel, even volunteers may assist in the analysis but the iTree Canopy report will be managed and produced by Cacapon Institute for the WVDOF and WVDEP. Cacapon Institute is the WVDEP Bay

Program partner endorsed to represent WV urban forestry issues to the CBP Forestry Work Group. WVDEP and WVDOF will have oversight.

In addition to two-year iTree Canopy statistical analysis there will be annual inspection of new plantings. Since the Expanded Tree Canopy goal, ultimately, is measured by iTree Canopy type statistical analysis, the annual tree inspections are not a final conclusion. However, annual, on-the-ground, inspections are crucial to detecting early problems with tree establishment or mortality. The iTree statistical analysis is not intended as a management tool and does not provide insight into site-specific challenges. Therefore, annual inspection is required. As the number of tree planting sites increases a random sampling regiment will be required. Annual inspection of every site newer than three years is required. Once a site has been in place for four or more years it should be moved into an inspection routine of random sites (i.e., only 20% of sites >4 years old are physically inspected).

Table 6: Data to record for expanded tree canopy projects

Nov. Dlautings	Noticed Decemberation Avecs	Valuatam Assas
New Plantings	Natural Regeneration Areas	Voluntary Acres
For new plantings, the following		Like natural regeneration,
information should be collected:		voluntary planting on private land
 Date of planting 		will present increased tree
2. Location	Natural regeneration will show in	canopy in the iTree Canopy
Number of trees by:	the iTree Canopy assessment. On	assessment.
a. Species	the ground verification is not	Volunteers should be encouraged
b. Stock size (i.e., tree size at	required.	to report private land plantings.
time of planting)	However, if areas are delineated	WV is adopting a SMART Tool
Anticipated management regime	and intentionally set aside for	type of online volunteer
(e.g., care will be weekly watering	natural regeneration they should	reporting mechanism.
and care , monthly, annually, or	be inspected annually and the	Volunteer, self-reported,
"plant-and-forget")	regeneration documented with	plantings should be inspected on
Urban tree canopy plantings can be	photographs.	a random basis based on
credited once planting is confirmed.		resources available. A rate of
Plantings that fail must be replanted		20% inspections of self-reported
(no additional credit) or removed		volunteer plantings is a minimum
from the NEIEN database.		if credit is claimed.

The Expanded Tree Canopy data for urban and developed lands will be collected by Cacapon Institute in partnership with the WVDOF and reported to the WVDEP who will, in turn, report the information to the EPA Chesapeake Bay Program.

D.2.3.2 BMP validation

To provide accountability, state forestry agencies regularly spot-check a subset of a locality/urban forest partner BMP project files and/or 5-year assessments of net gain for accuracy and thoroughness.

This may also entail site visits to tree planting sites on record.

The state oversight process needs to be transparent and publicly accessible so that NGOs, watershed groups and other stakeholders can be confident that BMP implementation is real. Improvements on reporting are suggested. The state forestry agency should coordinate with the state MS4 oversight program, where local partners are implementing tree planting BMPs regulated by that program.

Cacapon Institute's work will be validated by the WV Urban & Community Forestry Council; the WV State Urban Forester, and WV Chesapeake Bay Forester. Cacapon Institute will maintain a public and accessible program under oversight from WVDOF, WVDEP, and the Bay Forestry Workgroup.

D.2.3.3 BMP performance

Cacapon Institute, with WVDOF and WVDEP Bay Program Partners will collect data and assess BMP performance. WVDEP, as state lead in BMP reporting, will ensure the BMP inspection process conforms to, and is consistent with, the Chesapeake Bay Program's approved BMP efficiencies.

D.2.4 Urban Riparian Forest Buffers

Urban forest buffers are described as an area of trees at least 35 feet wide on one side of a stream, usually accompanied by trees, shrubs and other vegetation that is adjacent to a body of water. An urban riparian forest buffer is any riparian buffer not in an agriculture or forest setting—it is on developed land.

D.2.4.1 BMP verification

Assessment of total urban forest buffer cover in a locality will be completed every 5 years to ascertain that there is not a net loss of urban buffer. iTree Canopy will be used to assess the urban riparian forest buffers (see Expanded Tree Canopy verification method above).

The inspection will be completed by an urban forest partner. The partner would be endorsed by WVDOF, which provides oversight and support with training, tools, etc. In turn, urban forest partners can provide outreach and technical assistance on urban tree planting, tree care, and other issues that arise.

The urban forest partner should maintain information at a local level of each new urban riparian forest buffer.

- For new plantings, data to be recorded should include:
 - location (lat/long) and name of property
 - o acres planted (if appropriate) and width,
 - o and date(s) planted.
- For natural regeneration acres, data to be recorded should include:
 - location,
 - acres of treatment,
 - o width, and
 - o date started.

Naturally regenerating urban buffers are reported after 4 years of establishment if there are 100 or more live native trees per acre. For this practice, iTree Canopy data points would be located in the riparian area of a given locality. Other software may be equally useful in demonstrating there has not been a loss of buffer. If a loss of urban buffer in a locality is detected, the credits received over that 5-year period will be decreased by the same amount.

D.2.4.2 BMP validation

To provide accountability, state forestry agencies will regularly spot-check a locality/urban forest partner BMP project files on urban forest buffer establishment and/or 5-year assessments of net gain for accuracy and thoroughness. This may also entail site visits to buffer sites on record.

The state oversight process needs to be transparent and publicly accessible so that NGOs, watershed groups and other stakeholders can be confident that BMP implementation is real. An oversight report should be communicated with the locality/urban forest partner to underscore what is being done well and what needs improvement.

D.2.4.3 BMP performance

None at this time.

D.2.5 Riparian Forest Buffers

Riparian forest buffers on agricultural land uses are implemented through the Farm Service Agency's Conservation Reserve Enhancement (CREP) Program, Natural Resources Conservation Service's EQIP Program, Chesapeake Bay Program Implementation Funding, Clean Water Act Section 319 grants, and other programs.

Forest Buffer: Agricultural riparian forest buffers are linear wooded areas along rivers, stream and shorelines. Forest buffers help filter nutrients, sediments, and other pollutants from runoff as well as remove nutrients from groundwater. The recommended buffer width for agricultural riparian forest buffers is 100 feet, with a 35 feet minimum width required. min width = 35', recommended 100' ... defined as having a vegetative cover of 60% or greater (SB 8.4.9).

D.2.5.1 BMP verification

Federally cost-shared projects are verified according to agency procedures referenced in the agriculture section D.1, above. Currently, FSA or NRCS staff may also alert WVDOF staff to verify condition/needs of projects that were previously implemented, when needs arise. Factors to inspect will include dominance of invasive species, concentrated flow paths, survival rate (70% with natural regeneration, or 60% canopy cover) and presence of three-zone forest structure (ground cover, mid-story, and over-story levels).

Initial Inspection:

CP22 projects reported to NEIEN from WV are considered to consist of fencing and riparian forest buffers, unless otherwise recorded on the reporting form. In order to appear on this reporting form, the initial visual inspection would have already occurred. Personnel conducting the initial visual inspection could be WVDOF foresters, CREP foresters, NRCS forester, or the Chesapeake Bay Watershed Forester. Projects funded through the other sources will be visually inspected after being planted and before being reported to NEIEN.

Follow-up Inspection(s):

A second inspection will be performed on 100% of riparian buffer plantings within the first 4 years. A third inspection will occur on at least a 10% subsample of the projects between years 5-10. Within the last 2-3 years of the end of CREP contracts (10 or 15 years,) sites up for contract renewal or voluntary retention of the buffer will receive another inspection. Non-farm-bill projects will follow the same protocol. WVDOF's Chesapeake Watershed Forester will track verification inspections of projects implemented with Chesapeake

The inspection dates and results will be recorded through written records and electronic documentation. CREP Foresters will track verification activities for all CREP buffer projects. The WVDOF Chesapeake Watershed Forester will coordinate the tracking of verification efforts for all non-farm-bill funded projects.

D.2.5.2 BMP validation

Riparian Buffer projects that are discovered to be no longer in place will be coded as "retired" in the annual NEIEN BMP Progress submission. See section B for avoidance of double-counting of this BMP.

The Chesapeake Bay Program will be creating and updating a high-resolution

D.2.5.3 BMP performance

None at this time.

D.2.6 Tree Planting (Agricultural)

Tree Planting: (Row Crop): Any tree plantings on any site except those along rivers and streams that have already been counted in a forested buffer. Tree plantings do not include reforestation of areas that were recently harvested. Targets land that is highly erodible or identified as a critical resource area. Density should be sufficient to produce forest-like cover over time. CRP planting given as an example (SB 8.4.4).

D.2.6.1 BMP verification

Similar to the urban tree planting section above there needs to be annual inspection of new plantings. Annual, on-the-ground, inspections are crucial to detecting early problems with tree establishment or mortality. As reporting improves and the number of tree planting sites increases a random sampling regiment will be required. Annual inspection of every site newer than three years is required. Once a site has been in place for four or more years it should be moved into an inspection routine of random sites (i.e., only 20% of sites >4 years old are physically inspected).

Tree planting data that does not fall under urban and developed lands will be collected by WV Bay program partners to include Cacapon Institute and WVDOF and reported to the WVDEP who will, in turn, report the information to the EPA Chesapeake Bay Program.

D.2.5.2 BMP validation

To provide accountability, state forestry agencies will regularly spot-check a subset of tree planting BMP project files and/or 5-year assessments of net gain for accuracy and thoroughness. This may also entail site visits to tree planting sites on record.

BMP collection data will be validated by the Cacapon Institute and WVDEP. They will maintain a public and accessible program.

D.2.5.3 BMP performance

The WVDOF and WVDEP Bay Program Partners will collect data and assess BMP performance. WVDEP, as state lead in BMP reporting, will ensure the BMP inspection process conforms to, and is consistent with, the Chesapeake Bay Program's approved BMP efficiencies

Table 7: Verification strategies for forestry sector BMPs

A. Program Component	B. Program Elements	Forest harvesting BMPs	Forest conservation	Expanded tree canopy	Urban riparian forest buffers
	1. What was the driver for BMP installation?	Regulation	Forest Conservation directive	Forest Restoration Strategy	
	2. How many BMPs will be inspected?	All registered timber harvest operations will be inspected	All	All	All
i. BMP Verification	3. How is inspection frequency and location determined?	All are inspected at least once due to law. If all inspector positions are filled, additional inspections will be completed	All are inspected at the time it enters a conservation agreement. Depending on the managing agency's capacity and policies, some are inspected on additional occasions	Determined by Cacapon Institute in collaboration with the WV Chesapeake Bay Forester and WV Urban & Community Forestry Council, will follow Forestry Workgroup guidance when it is completed	All assessments are completed every 5 years. Naturally regenerating buffers are reported after 4 years of establishment
	4. How often are BMPs/groups of BMPs inspected?	At least once following reclamation, and possibly up to 3 times during the duration of harvest operations	At least once at the time the conservation agreement begins. Additional inspections vary in frequency	Localities re-assess their tree canopy cover every 5 years. All new plantings are inspected annually, Cacapon Institute performs an aerial imagery review every 2 years	All assessments are completed every 5 years
	5. What is the method of inspection?	Field visual	Aerial coverage review, some field inspections by managing organizations	Field inspection of new plantings. iTree Canopy statistical assessment by Cacapon Institute	iTree Canopy. See Section D.2.3.1, above

6. Who will condinspection and incertified/trained	s he/she Foresters	Managing organization staff and/or WVDOF staff WVDOF staff are trained	Cacapon Institute staff with assistance from WVU and Shepherd University graduate and undergraduate students. They are all trained.	Urban Forest Partners, who would be endorsed and trained by WVDOF
7. What needs to recorded for each inspection?		Acres and location or property name	iTree Canopy reports include a statistical estimate of the amount or percent of cover in a variety of land cover categories (see Section D.2.3.1, above) For new plantings date, location, and number of trees by species and stock are reported	New plantings: location, property name, acres planted, width of buffer, date planted Natural regeneration: location, acres of treatment, width, date started
8. Is execution of inspection procedure documented in checked against updated quality assurance (QA)	agency does have a BMP manual an	No	No	No
9. How is collect recorded?	Led data Logging Operation Notification, Investigation, and Enforcement (LONIE) database	WVDOF staff collect acreages in conservation from all managing organizations	Database and spreadsheets	iTree Canopy
10. At what reso are results repo EPA and/or the	rted to	County		

	11. What is the QA/QC process to prevent double-counting or counting of BMPs no longer in place?	Database query	Acreages are reported for a specific location or property name. Only one acreage value will be counted per location	WVDOF staff spot-check of partner agency project files	WVDOF staff spot-check of partner agency project files
ii. BMP Data	12. What is the method used to validate state's ability to collect and report correct data?	Database query	Data review	Data review	Data review
Validation	13. If data is provided by external independent party or industry, what method is used to provide adequate QA for acceptance by the Chesapeake Bay Program?	NA	Data review	Cacapon Institute will maintain and collect all data, and WVDOF and WVDEP will provide oversight and will review data submitted	WVDOF staff spot-check of partner agency project files
	14. Who conducts data validation?	WV Division of Forestry	WV Division of Forestry with support from managing organizations	WV Division of Forestry, the Bay Forestry Workgroup	WV Division of Forestry
iii. BMP Performance	15. What is the process to collect data to assess BMP performance and confirm consistency with the Chesapeake Bay Program's approved BMP efficiencies?	WV Division of Forestry staff inspectors will collect data during field inspections at the outset of reclamation	WV Division of Forestry staff will perform a data review and seek confirmation of accuracy of conservation easements in place from managing organizations	Cacapon Institute, with oversight from WVDOF and WVDEP, will collect data and assess performance	
Chambre	16. Who collects BMP effectiveness data?	WV Division of Forestry staff	WV Division of Forestry staff	Cacapon Institute	

Note: for agricultural tree planting and riparian forest buffers' verification strategies in tabular form, see the "Structural/Agronomic" column of Table 3, which is in section D.3.

D.3. STORMWATER

Stormwater runoff is one of the most significant contributors of sediment and nutrients to waterways in developed areas. Stormwater best management practices (BMPs) are implemented to promote reuse, evapotranspiration, infiltration, and/or intercept, filter, and treat surface runoff prior to discharging the runoff at a controlled rate to reduce environmental impacts on receiving waters. Stormwater managed by strategies covered in this chapter includes runoff from developed land uses identified in the Chesapeake Bay Watershed Model (CBWM). For the Phase 6 CBWM, this includes impervious surfaces, such as parking lots, rooftops, or roads; pervious surfaces, such as turf, tree canopy, or open space; and construction areas. A wide variety of BMPs are applied in stormwater management. Some examples include urban filter strips, rain gardens, bioswales, vegetated roofs, and permeable pavement.

The WV BMP Verification Guidance document follows closely the recommendations provided by the Urban Stormwater Workgroup (USWG) and the Chesapeake Bay Program (CBP). To enable consistency across the Bay watershed, definitions, wording, and procedures were, by reference or verbatim, developed through the Chesapeake Bay Program efforts. For example, modified excerpts from the CBP Urban Stormwater Workgroup's BMP Verification Guidance identify the needs, goals, and methods of urban BMP verification in West Virginia quite well.

Definitions of stormwater BMPs as described in the CBP Urban Stormwater Workgroup's BMP Verification Guidance document are listed in Group B, above.

Urban BMPs: In this context, they are defined as stormwater practices for which definitions and removal rates have been developed and approved through the Bay Program BMP review protocol (WQGIT, 2010). These urban BMPs fall into four broad categories:

- 1. *Traditional stormwater BMPs* that were historically installed through a local stormwater plan review process in response to state stormwater requirements (primarily stormwater treatment (ST) practices as defined by Stormwater Performance Standards Expert Panel report (SPSEP, 2012)).
- 2. New runoff reduction BMPs that will be implemented in the future to meet new state stormwater performance standards that typically go through a local stormwater review process (primarily runoff reduction (RR) practices as defined by SPSEP, 2012).
- 3. *Non-structural or operational BMPs* that are typically applied by a municipal agency (e.g., street sweeping, urban nutrient management, illicit discharge elimination).
- 4. *Restoration BMPs* installed by localities to treat existing impervious cover (e.g., stormwater retrofits and stream restoration).

Verified regulated and semi-regulated structural urban BMPs have a ten (10) year life time and will be removed from the list of reported BMPs through NEIEN at the end of the tenth year. The ten year life time can be renewed by inspecting BMPs for integrity and performance prior to the expiration date. If an expired BMP is inspected, it can be added again to the BMP reporting list. Verified voluntary BMPs expire after five years, but their life time can be renewed through integrity inspections. If the manufacturer or engineer designing the BMP assigns a shorter life span, then verification is required within the shorter life span.

BMPs currently suggested by WVDEP for managing runoff in regulated areas include:

- Bioretention practices
- Bioswales
- Dry Detention Ponds
- Dry Extended Detention (ED) Basins

- Filtering Practices and Stormwater Filters
- Hydrodynamic Structures
- Infiltration Trenches and Basins
- Permeable Pavement and Pavers
- Riparian Forest Buffer
- Riparian Grass Buffer
- Urban Growth Reduction
- Urban Impervious Surface Reduction
- Urban Nutrient Management
- Urban Stream Restoration
- Urban Street Sweeping
- Urban Tree Canopy
- Urban Forest Planting
- Vegetated Open Channels
- Vegetated Roofs
- Wet Ponds
- Wetlands

In addition to these BMPs there are a number of practices being evaluated and approved by the Chesapeake Bay program. Notwithstanding permit, ordinance, or legal requirements, stormwater BMPs approved by the U.S. EPA, Chesapeake Bay Program, or CBP member state/District environmental protection agency may be used to achieve Chesapeake Bay TMDL pollutant load reduction goals through runoff reduction and/or stormwater treatment.

The Chesapeake Bay Program and its partners have developed new Stormwater performance standards for a number of BMPs, including many of the ones mentioned above. Guidelines and training resources for new, redevelopment, and retrofit projects are located at: http://chesapeakestormwater.net/bay-stormwater-workgroup/performance-standards/

Performance and reporting requirements for the purpose of crediting BMPs as part of the Chesapeake Bay Program are explained in detail for a number of BMPs. Chesapeake Bay approved guidelines, links to the expert panel reports, and training resources for urban stormwater management can be found at: http://chesapeakestormwater.net/bay-stormwater/urban-stormwater-workgroup/

For the purpose of verification protocol, Stormwater BMPs have been grouped into the following four categories for the development of verification strategies:

- Regulated (MS4 Communities) BMPs
- Semi-Regulated BMPs
- Non-regulated BMPs
- Legacy BMPs

Currently, inspections of stormwater management projects are completed by state agency, trained third parties, and/or inspectors from MS4 municipalities. However, a consistent training program is currently being developed which will provide a population of qualified inspectors who can relieve the burden of inspection from public agencies. WV partners are working together with Blue Ridge Community and Technical College on developing certificate/certification programs that include inspection and verification aspects of Stormwater Management. Our goal is to have a certification program approved by EPA/CBP that is accepted not only in WV but also surrounding states.

Table 8: West Virginia Stormwater BMP Program Design (Table 8 in the guidelines)

		Initial Inspection (and throughout lifespan period)				Follow Up Check (Post-lifespan)					
WIP Priority	BMP Name / Grouping	Method	Frequency	Who Inspects	Documentation	Standard	Follow Up	Statistical Sub- Sample	Response if Problem	Lifespan	Data QA, Recording and Reporting
								MS4 NA;	Fix within		
								others	6 months		
	Performance		1 time post	MS4/third	Written notes		MS4/third	80%	or remove		
	Standard BMPs		construction	party/NGO and/or	and electronic		party and/or	confidence	from		
High	(Table B4)	Visual	and as needed	WV DEP	files	State	WV DEP	level	database	10 years	Database
								MS4 NA;			
								others			
	Enhanced Erosion		Once at		Written notes			80%			
	and Sediment		minimum and	MS4/third party	and electronic			confidence		Duration of	
High	Control	Visual	as needed	and/or WV DEP	files	State	NA	level		construction	Database
								MS4 NA;			
								others			
	Construction				Written notes			80%			
	Nutrient		Once during	MS4/third party	and electronic			confidence		Duration of	
High	Management	Paperwork	construction	and/or WV DEP	files	State	NA	level		construction	Database
								MS4 NA;	Fix within		
								others	6 months		
				MS4/third	Written notes		MS4/third	80%	or remove		
			Once after	party/NGO and/or	and electronic		party and/or	confidence	from		
Medium	Urban Filter Strips	Visual	implementation	WV DEP	files	State	WV DEP	level	database	10 years	Database
								MS4 NA;	Fix within		
							MS4/third	others	6 months		
				MS4/third	Written notes		party/NGO	80%	or remove		
	Urban SW Retrofit		Once after	party/NGO and/or	and electronic	_	and/or WV	confidence	from		_
Low	Projects	Visual	implementation	WV DEP	files	State	DEP	level	database	10 years	Database
								MS4 NA;	Fix within	61 . 645	
	Hydrodynamic		4.13		***************************************			others	6 months	Shorter of 10	
	Structures		1 time post	NACA (Albindura	Written notes		NACA /Hhis d	80%	or remove	years or	
Low	(proprietary	Visual	construction	MS4/third party	and electronic	Ctata	MS4/third	confidence	from	manufacturer	Databass
Low	devices)	Visual	and as needed	and/or WV DEP	files	State	party	level	database	recommendation	Database
								MS4 NA; others			
				NACA/thind	Writton not			otners 80%	Domous		
	Urban Nutrient		Once after	MS4/third party/NGO and/or	Written notes		MCA/third	80% confidence	Removal		
Low	Urban Nutrient	Danorwork	implementation	WV DEP	and electronic files	State	MS4/third party/NGO	level	from database	2 years	Database
LOW	Management	Paperwork	implementation	VV V DEP	illes	State	party/NGO	MS4 NA;	Fix within	3 years	Database
			1 time post		Written notes		MS4/third	others	6 months		
	Extended Dry		construction	MS4/third party	and electronic		party and/or	80%	or remove		
Low	Detention Ponds	Visual	and as needed	and/or WV DEP	files	State	WV DEP	confidence	from	20 years	Database
LUVV	Determion Folius	Visuai	and as needed	ana/or WV DLF	IIIC3	Jiaic	WW DLI	connuence	110111	20 years	Database

					ı						
								level	database		
								MS4 NA;	Fix within		
								others	6 months		
			1 time post		Written notes		MS4/third	80%	or remove		
	Dry Detention		construction	MS4/third party	and electronic		party and/or	confidence	from		
Low	Ponds	Visual	and as needed	and/or WV DEP	files	State	WV DEP	level	database	20 years	Database
								MS4 NA;	Fix within		
								others	6 months		
			1 time post	MS4/third	Written notes		MS4/third	80%	or remove		
	Urban Stream		construction	party/NGO and/or	and electronic		party and/or	confidence	from		
Low	Restoration	Visual	and as needed	WV DEP	files	State	WV DEP	level	database	10 years	Database
								MS4 NA;			
								others			
				MS4/third	Written notes			80%			
	Illicit Discharge		Pre- and post	party/NGO and/or	and electronic			confidence			
Low	Detection	Visual	elimination	WV DEP	files	State		level			Database
								MS4 NA;			
								others			
				MS4/third	Written notes		MS4/third	80%	Remove		
				party/NGO and/or	and electronic		party and/or	confidence	from		
Low	Street Sweeping	Paperwork	Annual	WV DEP	files	State	WV DEP	level	database	1 year	Database
								MS4 NA;	Fix within		
	Urban BMPs							others	6 months	Shorter of 10	
	approved by CBP			MS4/third	Written notes			80%	or remove	years or	
	or other CBP		Once and as	party/NGO and/or	and electronic		MS4/third	confidence	from	CBP/state	
Low	states	Visual	needed	WV DEP	files	State	party	level	database	recommendation	Database
							MS4/third		Fix within		
				MS4/third			party/NGOs/		6 months		
			Once post	party/NGO/	Written notes		homeowner	80%	or remove		
			construction	homeowner and/or	and electronic		and/or WV	confidence	from		
Low	Homeowner BMPs	Visual	and as needed	WV DEP	files	State	DEP	level	database	5 years	Database

D.3.1 Regulated BMPs (MS4s)

Regulated BMPs include any BMP that is installed in a jurisdiction that has a Phase 2 (also Phase 1 if ever applicable in WV) Municipal Separate Storm Sewer System (MS4) permit. These permits establish a requirement that a locality has a BMP maintenance program and the capacity to inspect all of their BMPs once every permit cycle (5 years). In addition, MS4 communities have an annual BMP reporting requirement, and provide aggregate information to the WVDEP on the number and type of BMPs that are installed during the reporting period. These BMPs are a high priority in meeting pollutant load reduction goals.

Most WV MS4s are still in the process of implementing permit requirements. As of 2015, BMPs listed on NPDES Construction Stormwater General Permits, implemented within MS4 boundaries, and reported to CBP are inspected and verified by WVDEP staff as semi-regulated BMPs. Once an MS4 is in compliance, and their ordinance/protocols/staff/reporting are in place and have been deemed acceptable by WVDEP (Permitting, Environmental Enforcement, Watershed Improvement Branch), then MS4s will inspect and report their regulated BMPs according to this section D.3.1.

D.3.1.1 BMP verification

BMPs constructed within MS4 communities as part of an ordinance or permit requirement will be validated according to the existing/developing MS4 inspection and maintenance framework. Protocols specific to each BMP may vary somewhat, but in general, designated personnel from the MS4 permitted community will review engineering documents prior to construction and will inspect each BMP within the permittee's jurisdictional boundary upon its completion to ensure that it is fully functional. MS4 communities may delegate the initial inspection to the BMP designer or a trained third party. Follow-up inspections will be completed for each BMP every permit cycle (five year permit cycles, Part II.C.7.e)16)(s)(i) 2014 WV MS4 permit) following its installation to ensure that it has been properly maintained and is still operational. Visual inspections will be used to confirm that the BMP still exists, is adequately maintained, and is operating as designed. The framework developed by the Chesapeake Stormwater Network will be utilized to guide inspections (CSN, 2013). Maintenance will be completed in accordance with CBP recommendations and current research findings.

MS4 permittees are responsible for adequate training of inspectors. Taking advantage of training opportunities provided by third parties approved by WVDEP and the CBP is encouraged. It is anticipated that educational institutions such as the Blue Ridge Community and Technical College will provide certificate/certification programs in the near future. In the meantime, training opportunities provided by WVDEP are available to MS4s upon request covering various aspects of meeting MS4 permit requirements, including a three-hour training session for inspectors.

The initial verification inspection should confirm feasibility that reported BMP parameters (impervious/pervious acres treated) are accurate.

Complete inspection reports shall include:

- 1. Facility type,
- 2. Inspection date,
- 3. Name and signature of inspector,
- 4. GIS location and nearest street address,
- 5. Management practice ownership information (name, address, phone number, fax, and email),
- 6. A description of the stormwater BMP condition including the quality of: vegetation and soils; inlet and outlet channels and structures; embankments, slopes, and safety benches; spillways, weirs, and other control structures; and sediment and debris accumulation in storage and forebay areas as well as in and around inlet and outlet structures,

- 7. Photographic documentation of all critical stormwater BMP components, and
- 8. Specific maintenance items or violations that need to be corrected by the owner/operator along with deadlines and re-inspection dates.

BMP data reported to WVDEP is listed in the CBP WV Tracking spreadsheet and includes:

- 1. Responsible Party
- 2. Project/site name
- 3. BMP type/names (bioretention, permeable pavement, etc.)
- 4. Project type (new/re development, retrofit, new, converted, enhanced, restored)
- 5. Units (dependent on BMP, usually acres)
- 6. Total units treated
- 7. Location (lat/long)
- 8. Location type (BMP center, inlet, outlet; project center)
- 9. Date installed and date inspected
- 10. Performance standard/Runoff depth managed (usually 1 inch capture)
- 11. Predominant method for managing runoff (stormwater treatment or runoff reduction)
- 12. Runoff storage volume
- 13. Impervious acres treated
- 14. Pervious acres treated
- 15. Turf
- 16. Tree canopy
- 17. Open space
- 18. Other acres treated (forest, crop, hay, etc. if applicable)
- 19. Practice duration/lifetime (if different from standard listed in QAPP)

All MS4 communities provide reports describing BMP inspections in their jurisdictions to the WVDEP on an annual basis. WVDEP has a quality assurance plan (Standard Operating Procedures for Managing Nonpoint Source BMP Data) in place, which is assessed regularly for compliance with the CBP requirements and amended as needed. All data reported to WVDEP is listed in the CBP WV Tracking spreadsheet, which is maintained in a database and GIS platform at WVDEP. Structural BMP data is submitted to USEPA at a site specific resolution. Non-structural BMP data is summarized and reported at the County level.

D.3.1.2 BMP validation

Data for reported regulated BMPs is validated by the WVDEP staff stormwater BMP database administrator. Because all BMPs are field verified upon installation, quality assurance and quality control is limited to an annual database review of 10% of new BMPs. If discrepancies are found for greater than 10% of entries, data will be reviewed for all entries. Additionally, BMPs located within 200 feet of each other will be reviewed to avoid double counting.

Data collected by a third party and submitted to WVDEP are also spot checked in-field. To meet CPB quality assurance requirements data are spot checked by WVDEP staff and data are compared to data from similar communities. If discrepancies are identified, 10% of all submitted records will be reviewed and field verified. Should there be an error rate greater than 10% of those records reviewed, a thorough review of the data collection process and all records will be completed.

D.3.1.3 BMP performance

Inspection of all BMPs is required at least once every permit cycle (5 years) as part of MS4 permit requirements. If a BMP does not pass inspection, the responsible jurisdiction must notify WVDEP so that the

BMP Event Status Result Code in the WV Stormwater BMP database will be changed to FAIL. Subsequent rehabilitation of failed BMPs and passing of the inspection will allow the responsible jurisdiction to request from WVDEP that the status in the WV Stormwater BMP database is changed to PASS. If at any time a BMP is not functional, it must be fixed/updated within six months or otherwise must be removed from the credit reporting submission file. For BMPs within MS4s that have not implemented adequate ordinances, staff, and protocols, WVDEP will treat CBP reported BMPs as semi-regulated until the local jurisdiction is able to properly inspect, verify, and report BMPs and their performance.

D.3.2 Semi-regulated BMPs

The semi-regulated category includes any BMP that is installed locally under a state construction general permit (CGP) or local ordinance outside of a MS4 community. CGP Erosion and Sediment Control (ESC) BMPs are inspected at least once during the construction phase by WVDEP Environmental Enforcement (EE) staff through field verification. CGP post-construction BMPs in the Chesapeake Bay watershed are currently verified by WVDEP Watershed Improvement Branch (formerly NPS) staff after EE approves the Notice of Termination for CGP projects.

Adoption of stormwater ordinances by local governments outside MS4 areas increases BMP implementation. While permit applicant must sign an agreement that they will maintain the BMP, some non-MS4 communities do not have an inspection program to enforce BMP implementation and maintenance. These communities rely on WVDEP or third parties to complete inspections. Semi-regulated post-construction BMPs are of medium priority in achieving pollutant load reduction goals.

D.3.2.1 BMP verification

Currently, all semi-regulated post-construction BMPs identified on state CGPs CB Addendum (see WVDEP, 2015a) are inspected by WVDEP staff by field visual inspection. Semi-regulated BMPs located in MS4s are also regulated BMPs and should be included in the MS4 inspection and reporting requirements. It is anticipated that MS4s will eventually perform all post-construction BMP inspections inside their jurisdiction, at which point WVDEP will discontinue post-construction BMP inspections in such areas.

All CGP reported post-construction BMPs are inspected upon completion of installation, and it is recommended that all BMPs are re-verified at least toward the end of the prescribed credit duration of the BMP (usually 10 years). Semi-regulated post-construction BMPs outside MS4 areas, but within local jurisdictional boundaries where a robust local inspection program exists, may eventually be verified by the local jurisdiction or their designated third party instead.

The party responsible for verification of semi-regulated BMPs may elect to reduce the scope of their visual inspections by sub-sampling a representative fraction of their local BMPs and applying the results to their entire population of BMPs that are credited in the CBWM. The sub-sampling method must be designed to have at least an 80% confidence level that the BMPs are reported accurately. The party responsible may choose from several well accepted approaches to determining the sample size. These include using a census for a small population of BMPs, imitating a sample size of similar studies, using published tables, and/or applying formulas to calculate a sample size. The Statistical Sampling Approach for Initial and Follow Up Verification (http://www.chesapeakebay.net/channel-files/21226/sampling-approach-8-8-2014-draft.pdf) and the Sample Size Estimation for BMP Verification

(http://www.chesapeakebay.net/channel files/21226/binomial sample size calculation post 2014-09-11.pdf) can be used as guides.

Information that should be documented during inspections and reported to WVDEP is listed in Section D.3.1.1. Data can be reported to WVDEP using the CB WV Tracking spreadsheet. At a minimum, data reported must include the following items:

- 1. Project type/category (new/re development, retrofit (new, converted, enhanced, restored))
- 2. BMP name(s)
- 3. Predominant method for managing runoff (stormwater treatment or runoff reduction)
- 4. Volume of water treated at a site
- 5. Impervious acres treated by the practice(s)
- 6. Total site acres treated by the practice(s)
- 7. Location (lat/long)
- 8. Date installed
- 9. Date inspected
- 10. Practice duration (if different from QAPP, 10 years for most urban BMPs)

WVDEP has a quality assurance plan in place, which is assessed regularly for compliance with the CBP requirements and amended as needed. All data reported to WVDEP is listed in the CBP WV Tracking spreadsheet, which is maintained in a database and GIS platform at WVDEP. Data is submitted to USEPA at a site specific resolution for structural BMPs, and at a county level for non-structural BMPs.

In the future, for BMPs in rural counties (population <30,000 outside MS4 communities), WVDEP/third party may conduct a sub-sample statistical analysis to verify BMPs reported within several non-MS4 communities, and apply the results to reported BMP data in other comparable non-MS4s.

If WVDEP, a local government, or third party fails to perform verification inspections, it will not receive pollutant reduction credits. If a BMP passes inspection, the credit life time can be renewed. If a BMP does not pass inspection it will be removed from the credit reporting submission. Inoperable BMPs may be fixed/updated and, after passing inspection, may be reported again with a new credit life time. If at any time a BMP is not functional, it must be fixed/updated within six months or otherwise must be removed from the credit reporting submission file.

WVDEP Standard Post Construction Stormwater BMP Evaluation and Extended Post Construction BMP Evaluation forms are included in attachments L and M.

D.3.2.2 BMP validation

Data for semi-regulated BMPs is validated by the WVDEP staff stormwater BMP database administrator. Because all BMPs are field verified upon installation, quality assurance and quality control is limited to database review of 10% of new BMPs. If discrepancies are found for greater than 10% of entries, data will be reviewed for all entries. Additionally, all BMPs located within 200 feet of each other will be review to avoid double counting.

Data collected by a third party and submitted to WVDEP is also spot checked in-field. To meet CPB quality assurance requirements data are spot checked by WVDEP staff and data are compared to data from similar communities. If discrepancies are identified, 10% of all submitted records will be reviewed and field verified. Should there be an error rate greater than 10% in those records reviewed, a thorough review of the data collection process and all records will be completed.

D.3.2.3 BMP performance

WVDEP staff, local government, and trained third party partners will assess BMP performance through visual field assessments and review of calculated efficiency data for 10% of all BMPs. If a BMP passes inspection, the credit life time can be renewed. If a BMP does not pass inspection, the responsible jurisdiction must notify WVDEP so that the BMP Event Status Result Code in the WV Stormwater BMP database will be changed to FAIL. Subsequent rehabilitation of failed BMPs and passing of the inspection will allow the responsible jurisdiction to request from WVDEP that the status in the WV Stormwater BMP database is

changed to PASS. If at any time a BMP is not functional, it must be fixed/updated within six months or otherwise must be removed from the credit reporting submission file.

D.3.3 Non-regulatory BMPs

Non-regulatory BMPs are those that are voluntarily installed in a community that were not triggered by an explicit MS4 requirement or stormwater regulation. Examples might include rain gardens built by homeowners or demonstration BMPs constructed through grants. The credit duration for homeowner BMPs is 5 years. The credit can be renewed based on verification that the practice still exists and is working. The basic premise is to simplify the landowner BMP reporting process while still retaining a high degree of verification rigor through the process described below. Non-regulatory BMPs present a low priority in achieving pollutant load reduction goals.

D.3.3.1 BMP Verification

Non-regulated BMPs are installed voluntarily often by private landowners. The actual installation of each BMP should be field-verified by the local government or a third party if possible. Homeowner submitted BMP data will require validation by spot checking it against typical default values for the practice. If an appropriately trained individual is not available during all stages of the construction process, pictures of the various construction stages should be provided by the installer or homeowner. Dimensions and materials used should be documented.

For re-verification after 5 years, local governments or designated third parties may opt to use the subsampling approach outlined above (Section D.3.1.1). Alternatively, they may request homeowners to submit digital photos to confirm their practices, with the final decision on BMP condition made by the locality.

Information that should be documented during inspections is listed in Section D.3.1.1.

Localities or third party inspectors can aggregate individual homeowner BMP data into a single practice at the county level, which is then reported to the state without any specific geographic location data (apart from the river-basin segment in which it occurred). To receive credit, local governments or a designated third party must maintain records for each individual homeowner BMP, including contact information and geographic information (lat/long or street address). Usage of a tracking tool is encouraged to identify voluntary BMPs. Cacapon Institute is currently developing a tracking and reporting tool located at http://www.cacaponinstitute.org/BMPS/What BMP.htm for voluntary BMPs. Data can be reported to WVDEP using the CB WV Tracking spreadsheet. At a minimum, data reported should include

- Project type/category (new/re development, retrofit (new, converted, enhanced, restored))
- 2. BMP name(s)
- 3. Predominant method for managing runoff (stormwater treatment or runoff reduction)
- 4. Performance standard (1 inch capture preferred)
- 5. Volume of water treated by the practice(s)
- 6. Impervious acres treated by the practice(s)
- 7. Total site acres treated by the practice(s)
- 8. Location (lat/long)
- 9. Date installed
- 10. Date inspected
- 11. Practice duration (5 years for most voluntary structural BMPs)

D.3.3.2 BMP validation

Data for non-regulatory BMPs is validated by the WVDEP staff stormwater BMP database administrator. Because all BMPs are field verified upon installation, quality assurance and quality control is limited to database review of 10% of new BMPs. If discrepancies are found for greater than 10% of reviewed entries,

data will be reviewed for all entries. Additionally, all BMPs located within 200 feet of each other will be review to avoid double counting.

Data collected by a third party and submitted to WVDEP is also spot checked in-field. To meet CPB quality assurance requirements data are spot checked by WVDEP staff in accordance with CBP recommendations. If discrepancies are identified, 10% of all submitted records will be reviewed and field verified. Should there be an error greater than 10% in those records reviewed a review of the data collection process and records will be completed.

D.3.3.3 BMP performance

WVDEP staff and trained third party partners will assess BMP performance through visual field assessments and review of calculated efficiency data for 10% of all BMPs. If a BMP passes inspection, the credit life time can be renewed. If a BMP does not pass inspection it will be removed from the credit reporting submission. Inoperable/subpar BMPs may be fixed/updated and, after passing inspection, may be reported again with a new credit life time. If at any time a BMP is functional, it must be fixed/updated within six months or otherwise must be removed from the credit reporting submission file.

D.3.4 Legacy BMPs

The legacy BMPs category includes the population of urban BMPs in a community that the state has reported to EPA for inclusion into any past version of the CBWM for sediment or nutrient reduction credit within the previous two decades. Legacy BMPs fall into three categories:

- 1. Actual BMPs with a geographic address
- 2. Actual BMPs that lack a specific geographic address
- 3. *Estimated BMPs* that were projected based on some assumed level of development activity and compliance with state stormwater regulations.

WVDEP's has cleaned up its state BMP database so that all entries are actual BMPs with a geographic address that can be subject to inspection verification. Localities may benefit from examining their BMP inventory because it is likely they will discover BMPs that were installed in the past but were never reported to the state for credit in the CBWM. They may also find cost-effective retrofit opportunities involving BMP conversion, enhancement or restoration.

MS4 communities should seek to assess their entire BMP population within two MS4 permit cycles using the methods outlined in the Stormwater Performance Standards Expert Panel report (SPSEP, 2012). The burden of assessing legacy BMPs could be sharply reduced if the most problematic older BMPs were targeted first.

An example of a strategy that could be followed by an MS4 community to assess its functional BMP population is as follows:

- Assess all pre-2000 BMPs during the first permit cycle, and focus on pre-1990 BMPs in the first two years
 of that cycle.
- Initially sub-sample their population of BMPs by type and year installed to look for problematic BMP types and design eras, and then focus inspection efforts on the problem BMPs in future years.
- Focus initial efforts to confirm whether estimated BMPs actually exist, and what their current condition is.

Table 9: Stormwater sector verification strategy

Program Component	Program Elements	Regulated BMPs	Semi-regulated BMPs	Non-regulated BMPs
i. BMP Verification	1. What was the driver for BMP installation?	Regulations, Permit requirements	Regulations, permit requirements	Voluntary
	2. How many BMPs will be inspected?	Inspection of all BMPs (construction and post-construction) is strongly encouraged. All regulated BMPs are inspected in accordance with the MS4 permit requirements. Currently, this means that all BMPs are inspected. For CBP reporting purposes, a jurisdiction/designated third party may develop a sub sampling protocol for semiand non-regulated BMPs in accordance with current CBP recommendations if a statistical analysis seems applicable. Any such sub sampling protocol must be approved by WVDEP prior to implementation. Sub sampling results must have an 80% confidence level. This does not relieve the permittee of any MS4 requirements.	Inspection of all BMPs (construction and post-construction) is strongly encouraged. A jurisdiction/designated third party may develop a sub sampling protocol for semi regulated BMPs in accordance with current CBP recommendations if a statistical analysis seems applicable. Any such sub sampling protocol must be approved by WVDEP prior to implementation. Sub sampling results must have an 80% confidence level.	Inspection of all post-construction BMPs is strongly encouraged. A jurisdiction/designated third party may develop a sub sampling protocol for non- regulated BMPs in accordance with current CBP recommendations if a statistical analysis seems applicable. Any such sub sampling protocol must be approved by WVDEP prior to implementation. Sub sampling results must have an 80% confidence level.
	3. How is inspection frequency and location determined?	MS4 permit requirements, CBP USWG guidance, expert panel reports, and peer reviewed research findings. Current MS4s are required to inspect every BMP at least once every five years (one permit cycle)	CBP USWG guidance, expert panel reports, and peer reviewed research findings. Currently all BMPs are inspected at least once every ten years.	CBP USWG guidance, expert panel reports, and peer reviewed research findings. All non-regulated BMPs are inspected at least once every five years.
	4. How often are BMPs/groups of BMPs inspected?	Inspections occur at the completion of construction and again within 5 years. MS4s are required to inspect every BMP at least once during every permit cycle (5 years)	Inspections occur at the completion of construction and again within 10 years	Upon completion and again within 5 years
	5. What is the method of inspection?	Field visual.	Field visual.	Field visual.

6. Who will conduct the inspection and is he/she certified/trained?	MS4 permittees/designated third parties inspect regulated BMPs installed within their jurisdictional boundaries that are part of permit/ordinance requirements. MS4s may also assign the initial verification inspection responsibility to the BMP designer. WVDEP provides trainings that serve as a temporary certification using training materials that are in line with CBP recommendations. Certification/certificate program development through Community College education is currently in progress.	WVDEP conducts inspections on semi-regulated (post-)construction BMPs identified on NPDES stormwater construction permits in the CB watershed that are not located within MS4 boundaries (for CB watershed all but Berkeley County). Until MS4s inspect and report BMPs adequately, WVDEP performs inspections inside MS4 boundaries as well. CGP ESCs are inspected by WVDEP EE at least once during the construction phase. Post construction BMPs are inspected by the WVDEP Watershed Improvement Branch after implementation is complete. WVDEP provides trainings that serve as a temporary certification using training materials that are in line with CBP recommendations. Certification/certificate program development through Community College education is currently in progress.	In collaboration with the local authority, trained third parties, local governments, and WVDEP will conduct inspections of non-regulated BMPs not being captured through permitting/ordinance processes. WVDEP provides trainings that serve as a temporary certification using training materials that are in line with CBP recommendations. Certification/certificate program development through Community College education is currently in progress.
7. What needs to be recorded for each inspection?	An appropriate inspection form, which may vary for different BMPs, is used. Information that should be documented during inspections and reported to WVDEP is listed in Section D.3.1.1.	An appropriate inspection form, which varies for different BMPs, is used. Information that should be documented during inspections and reported to WVDEP is listed in Section D.3.1.1.	An appropriate inspection form, which varies for different BMPs, is used. Information that should be documented during inspections and reported to WVDEP is listed in Section D.3.1.1.
8. Is execution of the inspection process documented in and checked against an updated quality assurance (QA) plan?	QA plan in place, program checked and amended to ensure compliance The QA is described in the Standard Operating Procedures for Managing Nonpoint Source BMP Data document.	QA plan in place, program checked and amended to ensure compliance	QA plan in place, program checked and amended to ensure compliance
9. How is collected data recorded?	Spreadsheet, database, and GIS platform maintained by WVDEP for inspections performed by WVDEP. MS4s maintain their own records through the use of spreadsheets, database, and/or GIS.	Spreadsheet, database, and GIS platform maintained by WVDEP. Potential third party spreadsheet/database/GIS maintenance in accordance with CBP recommendations.	Spreadsheet, database, and GIS platform maintained by WVDEP, local government, and/or third party. WVDEP only maintains limited data. Detailed information for each individual BMP is maintained on the

				local level by the county or a third party.
	10. At what resolution are results reported to EPA and/or the public?	Site specific (GPS) for structural BMPs if possible. MS4 jurisdiction at a minimum. County for non-structural BMPs	County at minimum. Site specific (GPS) for structural BMPs when possible. County for non-structural BMPs	County at minimum. Site specific when possible.
ii. BMP Validation	11. What is the QA/QC process to prevent double-counting or counting of BMPs no longer in place?	Considering all BMPs should have been field verified in the first place, the QA/QC is limited to a database review of 10% of new BMPs. If discrepancies exceed 10%, all data will be reviewed. The stormwater BMP data base administrator will also review entries within 200 feet of each other to prevent double counting.	Considering all BMPs should have been field verified in the first place, the QA/QC is limited to a database review of 10% of new BMPs. If discrepancies exceed 10%, all data will be reviewed. The stormwater BMP data base administrator will also review entries within 200 feet of each other to prevent double counting.	Considering all BMPs should have been field verified in the first place, the QA/QC is limited to a database review of 10% of new BMPs. If discrepancies exceed 10%, all data will be reviewed. For BMPs reported with lat/long, the stormwater BMP data base administrator or designated third party will also review entries within 200 feet of each other to prevent double counting.
	12. What is the method used to validate state's ability to collect and report correct data?	Database review of 10% of new BMPs. See Standard Operating Procedures for Managing Nonpoint Source BMP Data (QAPP) for details.	Database review of 10% of new BMPs. See QAPP for details.	Database review of 10% of new BMPs. See QAPP for details.
	13. If data is provided by external independent party or industry, what method is used to provide adequate QA for acceptance by the Chesapeake Bay Program?	Review of data collection procedures. Comparison to data from similar jurisdictions/communities. Spot check by WVDEP and/or trained partners. If discrepancies are identified, review and field verify 10% of submitted records. Error >10% during that review triggers thorough review of data and process.	Review of data collection procedures. Comparison to data from similar jurisdictions/communities. Spot check by WVDEP and/or trained partners. If discrepancies are identified, review and field verify 10% of submitted records. Error >10% during that review triggers thorough review of data and process.	Review of data collection procedures. Comparison to data from similar jurisdictions/communities. Spot check by WVDEP and/or trained partners. If discrepancies are identified, review and field verify 10% of submitted records. Error >10% during that review triggers thorough review of data and process.
	14. Who conducts data validation?	WVDEP	WVDEP	WVDEP
iii. BMP	15. What is the	Visual field assessment and review of specs of	Visual field assessment and review of specs of	Visual field assessment and review of

Perforn	mance	process to collect data to assess BMP performance and confirm consistency with the Chesapeake Bay Program's approved BMP	10% of BMPs.	10% of BMPs.	specs of 10% of BMPs.
		efficiencies? 16. Who collects BMP effectiveness data?	WVDEP and trained partners.	WVDEP and trained partners.	WVDEP and trained partners.

Note: Legacy BMPs are not included in this table because at this time a verification strategy is not in place. Recommendations for accounting for these BMPs in the future are discussed in Section 3.4.

D.4. STREAM RESTORATION

Erosion of streambanks contributes excess nutrients and sediment to surface waters; therefore, returning stream reaches with erosion problems to more natural conditions through stream restoration projects alleviates the contribution of these pollutants to surface waters by eroding streambanks. Stream restoration projects are implemented in both urban and rural, undeveloped areas and are a component of West Virginia's strategy for meeting nutrient reduction goals in the Chesapeake Bay watershed. Verification of these projects is necessary to confirm that each project is functional and working to remove sediment and nutrients from waterways in which they are constructed.

Stream restoration projects are regulated by a suite of permits, including National Pollutant Discharge Elimination System (NPDES) Construction Stormwater permits, U.S. Army Corps of Engineers (USACE) permits, and West Virginia Department of Natural Resources permits. These permits have requirements for field monitoring and reporting. These inspections focus on ensuring that the restoration projects were installed properly and on their long-term integrity and functionality.

Table 10: West Virginia Stream Restoration BMP Program Design (Table 8 in the guidelines)

				Initial Inspection (a	and throughout lif	espan period)		Follow Up	Check (Pos	t-lifespan)			
WIP Priority	BMP Name	BMP Type	Method	Frequency	Who Inspects	Documentation	Standard	Follow Up	Statistical Sub- Sample	Response if Problem	Lifespan	Data QA, Recording and Reporting	Adjusted Lifespan
1.10.10		<u> </u>	<u> </u>	WVCA once during				<u></u>	<u> </u>			<u></u>	
				build, then annually									
				as required under									
				permitting; NRCS 1									
				time post								TII-:+/DDC	
				construction and as								Toolkit/PRS;	
				required under								WVCA	
				permitting. Then all						D-f+-		Electronic;	
				projects will be						Refer to		WVDA	
				inspected on a 5 year		Written Notes	Federal /			Technical		Electronic +	
				•	(319 grants	and Electronic	State (PE	WVCA		Resource		new	
High	Stream Restoration	Structural	Visual	ensure functionality.	NGOs)	Files	signature)	NGO	5%	or Sunset	20	database	

D.4.1 BMP verification

USACE permits require that all stream restoration projects be inspected during the first five years following completion of construction. Inspections are carried out by West Virginia Conservation Agency (WVCA) or NRCS staff, depending upon how the project is funded. Each restoration project may have different specific monitoring requirements; however, there are consistencies that are useful for verification. These consistencies are listed below:

- All permits require as-built drawings of the completed project, with structures, cross-sections, and photo points labeled.
- Permanent cross-sections to be utilized during field inspections, must be installed at a frequency of two cross-sections per 1,000 linear feet and should consist of approximately 50% riffle and 50% pools.
- Longitudinal profiles should be surveyed through cross-sectional reaches, and should include a complete riffle-pool sequence upstream and downstream of the cross-section.
- All reports should include information regarding the stability of stream banks and structures. Some
 projects require simple water quality information, EPA habitat assessments and vegetative sampling
 results to be included in reports.

For state funded projects, to comply with these permit conditions, WVCA staff install permanent cross-sections with capped rebar located at the beginning and end of each cross-section. Staff also install a capped rebar to represent the "0" station for every longitudinal profile required; this keeps the starting point consistent year to year. Information regarding the stability of structures is obtained from a simple visual inspection to look for any deficiencies or evidence of erosion or piping. The stability of banks will come from the cross-sections, photo points and Bank Erosion Hazard Index (BEHI) surveys to estimate sediment loss. Some permits, mainly those related to mitigation projects, require more information: bank height ratios, depositional patterns, and information gathered through detailed surveys.

For NRCS funded projects, the site is inspected once following construction and as USACE permits require. The sites then fall into the 5% inspection protocol established for cost shared programs.

All of the above information is collected and reported for the required five years set forth by the USACE. When the five year period is over, and the project has met the intended goals, there is no other work required. The responsible Corp district will either release the permittee or require corrective measures and additional monitoring until the project is stable.

Non-governmental Organizations (NGOs) such as Trout Unlimited, when contracted to carry out stream restoration projects for NRCS programs, are directed to follow the "Stream Visual Assessment Protocol Version 2" methodology (USDA NRCS National Biology Handbook Subpart B—Conservation Planning, Part 614). This is a tool for qualitatively evaluating the condition of aquatic ecosystems associated with wadeable streams. While the protocol does not require users to be experts in aquatic ecology, it does require they read the protocol's user guidance thoroughly before beginning an assessment. The SVAP2 works best when users first identify local stream reference conditions that can effectively provide a standard for comparison. SVAP2 was developed to provide more comprehensive descriptions of several scoring elements, namely, channel condition, hydrological alteration, riparian area conditions, and fish habitat complexity. Information relevant to ecological processes and functions of stream/riparian ecosystems is incorporated.

Monitoring is the actual part of verification which can be used to determine if the project is functioning as designed. If it is not functioning as designed, then the monitoring data may be used to identify factors responsible such as improper construction or the need for maintenance (Stream Restoration BMP)

Verification Guidance

http://www.chesapeakebay.net/documents/Appendix%20B%20Stream%20Restoration%20BMP%20verification%20Guidance.pdf). Once a project has gone through the monitoring cycle with no major failures, it is likely that it will be successful over a long period of time. West Virginia plans to adopt a follow-up strategy that includes:

- Reporting of site conditions with attention paid to stability of stream banks, in-stream structures and project specific goals as they relate to stream functionality. This we ould be satisfied with a visual inspections, simple surveying or a combination of the two.
 - o Project specific goals may be, but are not limited to:
 - Minimal to no aggradation or degredation of the stream bed. Pebble counts would be required to verify.
 - Reduce erosion/bank stabilization. A completed BEHI survey comparing erosion rates from preconstruction to current year, and cross-section surveys would be required.
 - Create or enhance Riparian vegetation. Completion of an appropriate vegetative sampling program would be required.
 - Improve water Chemistry. Simple water quality testing required.
 - Habitat improvement: Rapid Habitat assessments or any appropriate "inventory".
 - Improve Macroinvertebrate population and species composition. Benthic surveys.
 - Restore proper Dimension, pattern and profile. Full stream survey and classification
- If the project appears to be unstable, or there is an area of concern, an appropriate survey should be conducted to determine the site functionality. This would be accomplished through BEHI or resurvey of cross-sections and longitudinal profile.
- If the project is found to be deficient, corrective measures should be recommended that will allow any credit to be retained.

WVCA is committed to leading the verification process after the contract and permitting limits have expired. A WVCA stream technician will coordinate with NRCS, TU, WVCA and all other applicable partners to ensure stream restoration projects have been entered into the West Virginia Department of Agriculture's BMP database with all construction specifics. The representative will then develop an inspection schedule and coordinate with the respective lead construction agency on the project to carry out the accepted verification protocol on a rotating 5 year cycle ensuring all projects are still functioning as designed.

D.4.2 BMP validation

Data describing stream restoration projects is reviewed by the WVDEP staff state data contact as it is received from each reporting agency. The total number of projects is small enough that the data contact is easily able to review all data received to detect any instances of misinformation reporting or project double counting. WVDEP staff run annual progress reports and compare the results to reports from previous years. If any anomalies are noticed, the state data contact will investigate the source of the issue. Additionally, Trout Unlimited is in the process of developing a database that will document the specific funding source for each project entered. This system will help identify any instances of double counting. Note that TU only documents projects that TU installs, coordinates, or in which it is otherwise involved.

D.4.3 BMP performance

None at this time.

Table 11: Stream restoration BMP verification strategy

Program	Program Elements	WV's strategy
Component i. BMP	What was the driver for BMP installation?	Permit
Verification	2. How many BMPs will be inspected?	All state and NRCS funded projects
Verification	3. How is inspection frequency and location determined?	All are inspected during the first five years following installation, as required by USACE
	3. How is inspection frequency and location determined:	permits
	4. How often are BMPs/groups of BMPs inspected?	WVCA once during build, then annually as required under permitting; NRCS 1 time
	The first of the same of Branch and Properties	post construction and as required under permitting. Then all projects will be
		inspected on a 5 year rotating schedule to ensure functionality.
	5. What is the method of inspection?	Field visual
	6. Who will conduct the inspection and is he/she certified/trained?	West Virginia Conservation Agency staff if state funded.
		NRCS staff if federally funded.
	7. What needs to be recorded for each inspection?	Information describing the stability of stream banks and structures for all. Some
		require simple water quality information, EPA habitat assessments, and vegetative
		sampling. Some permits, usually related to mitigation projects, require bank height
		ratios, depositional patterns, and detailed survey data are reported.
	8. Is execution of the inspection process documented in and	No
	checked against an updated quality assurance (QA) plan?	MAYDA databasa iffa danalla familia da ana animalia na da
	9. How is collected data recorded?	WVDA database if federally funded on agriculture land. Excel spreadsheet and written report for state funded projects
	10. At what resolution are results reported to EPA and/or the	Site specific for state funded.
	public?	County level for federally funded cost shared practice.
ii. BMP	11. What is the QA/QC process to prevent double-counting or	The number of projects is relatively small. All are inspected during the first five years
Validation	counting of BMPs no longer in place?	following installation. None are double counted and should a project become
7 4.1.44 (1011	ocarraing or 21th of the temperature	dysfunctional, it will be discovered during the inspection and documented on the
		report.
	12. What is the method used to validate state's ability to collect	The state data contact (WVDEP staff) reviews all data upon submission. The total
	and report correct data?	number of projects is small enough that the data contact would notice incorrect
		information.
		WVDEP runs reports for annual progress and compares them to reports from previous
		years. Any anomalies are investigated.
	13. If data is provided by external independent party or industry,	See above.
	what method is used to provide adequate QA for acceptance by	
	the Chesapeake Bay Program?	WAYDED was a selected as a sel
iii. BMP	14. Who conducts data validation?	WVDEP, non-regulatory state agency
Performance	15. What is the process to collect data to assess BMP performance and confirm consistency with the Chesapeake Bay Program's	
renormance	approved BMP efficiencies?	
	16. Who collects BMP effectiveness data?	
	TO. WHIO CONCERS DIVIT CITECTIVENESS data:	

D.5. WETLAND RESTORATION

Excess nutrients are held in place by vegetation in functional wetlands, thus attenuating the flow of sediments and nutrients to downstream waterways. Wetland restoration projects re-establish the natural hydraulic condition in a field that existed prior to the installation of subsurface or surface drainage. Projects may include restoration, creation and enhancement acreage. Restored wetlands may be any wetland classification including forested, scrub-shrub or emergent marsh (SB 8.4.11).

Currently, most wetland restoration projects in West Virginia's Chesapeake Bay watershed are implemented by Trout Unlimited (TU) and Natural Resources Conservation Service (NRCS) through NRCS cost-share programs.

The major federal financial assistance programs for wetland projects include (excerpted from the Wetlands BMP Verification Guidance):

- Wetland Reserve Easements (WRE): formerly the Wetlands Reserve Program, to be implemented under the 2014 Farm Bill under the Agricultural Conservation Easement Program): Under WRE, the NRCS provides technical and financial assistance to landowners for voluntary wetland protection, restoration, and enhancement projects on privately owned property. WRE projects require a specific monitoring regime throughout the lifespan of the project, as discussed in more detail in a later section. These projects are either maintained in perpetuity or under a 30-year easement contract depending on the selected enrollment option.
- Conservation Reserve Program (CRP): The CRP is administered by the Farm Service Agency (FSA) and is a private lands conservation program. Under the CRP, farmers who enroll in the program agree to take environmentally sensitive land out of agricultural production and plant species that support improvement of environmental health and quality. The contracts for agricultural land enrolled in CRP are 10 to 15 years in length with the long-term goal of re-establishing valuable land cover to assist in water quality improvement, soil erosion prevention, and reduction of wildlife habitat loss. Wetland buffers and wetland restoration are practices included in the CRP.
- Conservation Reserve Enhancement Program (CREP): CREP is also administered by the FSA and is a state-federal partnership implemented under the authority of the CRP. As such, the CREP serves a similar purpose and contract length as described for CRP above. Under CREP, high-priority conservation issues identified by state, local, or tribal governments are targeted with incentive payments.
- Environmental Quality Incentives Program (EQIP): EQIP is a voluntary program providing technical and financial assistance to agricultural producers for planning and implementing conservation practices. This assistance is administered via contracts with a maximum 10- year term. The purpose of EQIP differs from other financial assistance programs in that it is typically focused on wildlife habitat benefits.

NRCS reports acres of restored wetland by county to the state data contact (WVDEP staff) using Toolkit. Toolkit is the primary conservation planning tool used by NRCS and affiliates and is used for conservation planning and design, layout, and evaluation of approved conservation practices. Trout Unlimited staff enter information for individual practices into an electronic database and submit data at the county level to the state data contact. Note that TU only documents projects that TU installs, coordinates, or in which it is otherwise involved.

Some wetlands will result from hydrologically reconnecting a stream to its floodplain as part of a stream restoration project, as described in the Wetlands BMP Verification Guidance, http://www.chesapeakebay.net/documents/Appendix%20B%20Wetlands%20BMP%20verification%20guidan

<u>ce.pdf</u>. These cases generally will be tracked and verified under Protocol 3 of the Stream Restoration BMP (Schueler and Stack 2013).

West Virginia does not report wetland *rehabilitation* projects for BMP credit. We distinguish between wetland increases due to voluntary projects versus those constructed as compensation from regulated losses; wetland restoration or creation projects implemented for compensatory mitigation do not receive BMP credit. Any wetland restoration projects designed to address stormwater in MS4 communities are not included in this section, but would fall under the Regulated BMPs category discussed in the Stormwater section, D.3.1. West Virginia has only non-tidal wetlands.



Table 12: West Virginia Wetland BMP Program Design (Table 8 in the guidelines)

				Initial Inspecti	on (and throughout li	fespan period)		Follow Up	Check (Post	t-lifespan)			
WIP								Follow Up	Statistical Sub-	Response		Data QA, Recording and	Adjusted
<u>Priority</u>	BMP Name	BMP Type	Method	Frequency	Who Inspects	Documentation	<u>Standard</u>	Inspection	<u>Sample</u>	<u>if Problem</u>	<u>Lifespan</u>	Reporting	<u>Lifespan</u>
										Will be			
				1 time post						corrected		Toolkit/PRS;	İ
				construction						if federal		WVCA	
				(easements						easement;		Electronic;	
				every year)				WVCA		if not,		WVDA	
				WVCA		Written Notes		NRCS		refer to		Electronic +	İ
	Wetland			annually for		and Electronic	Federal /	Easement		Technical		new	
Medium	Restoration	Structural	Visual	life of contract	NRCS, WVCA, NGO	Files	NGO	NGO	5%	Resource	15	database	

D.5.1 BMP verification

All projects are field inspected at the time of project completion. In addition, Trout Unlimited provides landowners the opportunity to have wetland restoration projects inspected periodically to ensure that they are still functional. A few wetland restoration projects have been completed as part of a conservation easement held by the Potomac Conservancy; these wetlands are required to be inspected annually.

Inspection and maintenance frameworks are routinely performed as part of state and federal agricultural financial assistance programs (adapted from the Wetlands BMP Verification Guidance):

- WRE projects are monitored annually for three years, followed by an ownership review in the fourth year, then three years of remote sensing review. Onsite monitoring should occur every five years after that. Monitoring may be more frequent if there are violations or if compatible uses of the wetland have been approved. Note that rehabilitation projects in existing wetlands do not receive nutrient or sediment reduction credit at this time.
- **CRP/CREP** projects are verified for correct installation. Annual monitoring is required for 10% of contracts. A fully implemented project is not subject to further status reviews, but a project that is not successful or has a problem may be monitored for two more years. All of these projects are implemented on private lands where landowners typically inspect the sites a few times throughout the year. Landowners contact NRCS regarding any problems noted during these inspections.
- Projects reported by NRCS/FSA fall under spot checking in the NRCS/FSA protocols (see section D.1.5), while grant-funded projects follow guidance similar to those listed in the guidance document.
- Permits issued by USACE require background information as part of the permit application process including: location, waterway, detailed project description, wetland delineation, impacts, baseline data on resource, proposed improvements, concept plans, onsite and aerial photos, description/documentation for net increases in aquatic resources functions and services, maintenance plan, and monitoring plan. However, as noted above, wetland restoration or creation projects implemented for compensatory mitigation do not receive BMP credit.

Trout Unlimited, NRCS, and Partners for Fish and Wildlife provide staff who has completed wetlands courses or other training courses offered by the US Forest Service to complete inspections of wetlands restoration projects. Inspectors record at least the acreage, location, and functionality of each restoration site and in some cases additional information such as hydrology, presence of wetlands plant species, and soil type is documented.

As stated in the Wetlands BMP Verification Guidance, sites should be visited after construction and planting to ensure the project was completed as designed; that the structures (if any) are operating properly; that there is a predominance of native wetland vegetation; and hydrology is as planned. For wetland restoration projects, it will also be noted that the project is on hydric soil.

The presence of hydric soil indicators such as decomposed plant material, bluish gray or gray color at 10-12" below ground surface, dark and dull soil, and hydrogen sulfide odor can be difficult to detect in the first years following a project. Field indicators of periodic inundation or soil saturation listed in the Wetlands BMP Verification Guidance could potentially be used:

- Standing or flowing water
- Waterlogged soil
- Water marks on trees
- Drift lines (piles of debris oriented in the direction of water movement)
- Debris lodged in trees
- Thin layers of sediment deposited on leaves or other objects

Currently, there is not a quality assurance plan followed by all data collection agencies, however, the NRCS does have an established protocol for documentation of wetlands restoration projects. NRCS staff has provided Appendix E, which is their annual monitoring form for all programs. Trout Unlimited employs methods outlined in The USACE Wetland Delineation Manual (1987) http://el.erdc.usace.army.mil/elpubs/pdf/wlman87.pdf, and The Interim Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Eastern Mountains and Piedmont Region (2012) http://www.usace.army.mil/Portals/2/docs/civilworks/regulatory/reg_supp/EMP_Piedmont_v2b.pdf . This method is only used on TU's mitigation project work. Potomac Conservancy's easement monitoring reports include if there is a wetland on an easement; its geographic location and location on the property; its acreage if known, and any general observations from the site visit (such as invasive species, unique species, exceptional or poor areas, etc.). If a mitigation company is involved, Potomac Conservancy contacts them if there are observations of concern and provides them with the annual reports. We also report any observations to the landowners and provide them with best management resources or helpful contact information. They steward wetland conservation easements the same as other easements - with basic monitoring and enforcement to ensure the terms of the deed of easement are upheld. They do not monitor for wetland management or restoration, such as recording information from wells. The WVDEP data contact does not require projects to be certified at this time.

D.5.2 BMP validation

Data describing wetland restoration projects is reviewed by the WVDEP staff state data contact as it is received from each reporting agency. The total number of projects is small enough that the data contact is easily able to review all data received to detect any instances of misinformation reporting or project double counting. WVDEP staff run annual progress reports and compare the results to reports from previous years. If any anomalies are noticed, the state data contact will investigate the source of the issue. Additionally, Trout Unlimited is in the process of developing a database that will document the specific funding source for each project entered. This system will help identify any instances of double counting. Again, note that TU only documents projects that TU installs, coordinates, or in which it is otherwise involved.

D.5.3 BMP performance

State agency staff routinely participate in CBP Wetland Working Group meetings and will follow their guidance to assess wetland restoration project performance and efficiencies.

D.5.4 Answers to wetlands evaluation questions listed on page 52 of the BMP Verification Panel's August 7, 2015 report to the Partnership

- Q. 1. Were a combination of site assessments and groundwater flow equations used to determine the changes in surface ponding?
- A.1. Uncertain
- Q.2. Were remote sensing technologies used to determine the area of effect?
- A.2. Uncertain
- Q.3. For rehabilitation projects, were hydraulic models of stream flow used in combination with topographic data to determine the area of effect? Was validation completed through site visits during storm flow?
- A.3. N/A
- Q.4. Were appropriate field indicators used to check for periodic soil saturation or inundation? Does the program use the suggested checklist for field verification?

- A.4. The paragraph beginning "Currently there is not..." describes the checklists of the installing agencies.
- Q.5. Are post-construction site visits mentioned and do they check for the following: predominance of native wetland vegetation; was the project completed as designed; that the hydrology is as planned; and that structures are operating properly?
- A.5. Yes, for the most part, according to the methods described by the installing agencies.
- Q.6. Will the installing agency provide a post-construction certification?
- A.6. As stated above, "The WVDEP data contact does not require projects to be certified at this time."
- Q.7. Does the verification program use the monitoring requirements for financial assistance programs? Which ones?
- A.7. Yes: WRE, CRP, CREP, and EQIP, if the wetland projects were implemented through those programs.
- Q.8. Will a project file be maintained by the installing agency for each restoration project installed?
- A.8. Yes, for the federal agencies and according to Potomac Conservancy's methods described above.
- Q.9. Is onsite monitoring required within three years following construction? Is aerial imagery used for remote observation of long-term monitoring of wetland BMPs?
- A.9. This varies as described above and in Table 13.i.4. None of the installing agencies identified aerial imagery as the inspection method.

Table 13: Wetland restoration BMP verification strategy


Program Component	Program Elements	WV's strategy
i. BMP	1. What was the driver for BMP installation?	Cost-share
Verification	2. How many BMPs will be inspected?	All are inspected at the time of project completion. Some are inspected in the following years.
	3. How is inspection frequency and location determined?	Projects inspected on more occasions than at the time of completion are chosen due to landowner willingness and enrollment in a conservation easement program, which requires annual inspections.
	4. How often are BMPs/groups of BMPs inspected?	All are inspected when project construction is completed. Willing landowners participating in Trout Unlimited restoration projects are inspected one or more times following completion and projects that are part of Potomac Conservancy conservation easements are inspected annually.
	5. What is the method of inspection?	Field visual
	6. Who will conduct the inspection and is he/she certified/trained?	Trout Unlimited, NRCS, Potomac Conservancy, or Partners for Fish and Wildlife staff perform inspections. All have completed wetlands training courses or other trainings offered by the US Forest Service.
	7. What needs to be recorded for each inspection?	At a minimum functionality, acreage, and location are documented. In some cases hydrology, presence of wetlands plant species, and soil type are recorded.
	8. Is execution of the inspection process documented in and checked against an updated quality assurance (QA) plan?	No universal plan for inspectors from all agencies. NRCS inspectors follow a plan developed by that agency.
	9. How is collected data recorded?	Toolkit for NRCS data. Electronic database for Trout Unlimited
	10. At what resolution are results reported to EPA and/or the public?	NRCS: Acres of restored wetland operations are requested by/reported to state data contact by county and entered into NEIEN for annual progress reporting. Trout Unlimited: Individual practices are entered but only county (not lat/long) is
		known by the state data contact.
ii. BMP Validation	11. What is the QA/QC process to prevent double-counting or counting of BMPs no longer in place?	State data contact reviews all data as it is submitted, and due to the low number of total projects will be able to notice any double counting.
		TU is developing a database that will list funding source and assist in identification of double-counted projects.
	12. What is the method used to validate state's ability to collect and report correct data?	The state data contact (WVDEP staff) reviews all data upon submission. The total number of projects is small enough that the data contact would notice incorrect
		information. WVDEP runs reports for annual progress and compares them to reports from previous
	13. If data is provided by external independent party or industry,	years. Any anomalies are investigated. See above.
	what method is used to provide adequate QA for acceptance by the Chesapeake Bay Program?	See above.
	14. Who conducts data validation?	WVDEP, non-regulatory state agency
iii. BMP	15. What is the process to collect data to assess BMP	State agency staff participate in the CBP Wetland Workgroup and will follow their
Performance	performance and confirm consistency with the Chesapeake Bay Program's approved BMP efficiencies?	guidance.
	16. Who collects BMP effectiveness data?	None at this time. (Assuming on-site analytical data collection)

D.6. SEPTIC SYSTEM BMPs

In the Chesapeake Bay Watershed Model, conventional onsite systems are the baseline condition for which nitrogen reducing BMPs are applied. Additionally, "BMP credit" may be given for systems that are assimilated by POTWs.

D.6.1. De-Nitrifying Septic Systems

Conventional systems make up the vast majority of existing West Virginia onsite systems. No denitrification BMPs have been reported since the TMDL was issued. As represented in the Phase 5.3.2 watershed model, existing onsite systems contribute only a small portion of the overall West Virginia nitrogen load to the Bay. West Virginia annually tracks and reports new onsite system installations. Specific requests for this information are made to the County Health Departments and their responses are documented and reported. As demonstrated in the following chart, the annual numbers of new installations since TMDL issuance are small and trends are not increasing.



The cost of denitrification BMP systems is high relative to the resulting pollution reduction benefit. For those reasons, the West Virginia Watershed Implementation Plan did not emphasize implementation of such BMPs. Nor does West Virginia anticipate they will be necessary to attain nitrogen reduction targets. If a shift from the current philosophy occurs in Phase 3 WIP development, then this program component will be revised to include verification protocols that are consistent with the recommendations of Onsite Wastewater Treatment Expert Panel.

D.6.2. Connections to Public Sewer

West Virginia annually tracks and reports onsite systems that are assimilated by POTWs. Specific requests for this information are made to the POTWs and their responses are documented and reported. No changes are anticipated as the reported numbers have been small and the information is straightforward and results from local public records.

D.6.3. Septic System Pumping

West Virginia also annually tracks and reports conventional system pump-outs. Specific requests for this information are made to commercial service providers and their responses are documented and reported. This is a labor intensive process and the associated nitrogen reduction model credit is negligible. It is implemented primarily to stress the importance of onsite system maintenance. No changes are anticipated to this protocol.

D.7. BMPs owned or operated by Federal agencies, facilities and landowners

During the 2-year refinement period for the Nonpoint Source QAPP, the same verification protocols in previous sections of this document will be applied to practices owned or operated by Federal agencies, facilities and landowners. This will identify any special situations that warrant additional procedures. These procedures are low priority for West Virginia because the BMPs tracked on these properties represent a small proportion of our implementation progress overall. The following are the practices we have tracked or are considering adding to our historic BMP inventory.

The US Fish and Wildlife Service submits a table of BMPs annually to the jurisdictions. So far in West Virginia, Chesapeake Bay approved BMPs have included the following, all of which are at National Conservation Training Center in Jefferson County:

BMP	Year(s) reported	Total Amount
Tree Planting, widen and connect forest	2009, 2010, 2012	4.8 acres
Land Retirement (Hay to perm. wildlife cover)	2011	40 acres
Widen riparian buffers	2011, 2012	2.4 acres
Barnyard Runoff Control, controlled flows, stabilized	2013	1.0 acres

The Veterans Administration Medical Center has planted trees.

The Monongahela National Forest staff submits a letter to WVDEP periodically, stating which BMPs have been installed on U.S. Forest Service lands; forest harvesting BMPs are captured as described in the Forestry BMP section of the QAPP.

ВМР	Year(s) reported	Total Amount
Livestock Exclusion Fence @ Smoke Hole Champ grazing allotment, Grant County	2013	8 acres
Allotments no longer grazed & removed from MNF grazing allotment system, Pendleton Co.	We are exploring adding to history as land retirement, pasture.	223 acres

Federally owned facilities that have had stormwater BMPs installed as part of new construction activities would have been reported through the WVDEP stormwater permitting system and will be verified in accordance with the semi-regulated section of the QAPP.

TABLE 14. MAPPING OF JURISDICTION BMP VERIFICATION PROTOCOL COMPONENTS TO THE RELEVANT QAPP SECTIONS (SUGGESTED IN APPENDIX Q OF VERIFICATION FRAMEWORK)

	BMP Verification Component	QAPP Section
1	BMPs Collected	
	Type (structural, management, annual, etc.)	Agriculture: Table 1 &2
		Stormwater: Table 8
		Stream Restoration: Table 10
		Wetland Restoration: Table 12
	BMP Funding/Cost shared (federal, state, NGO, non-cost	Agriculture: D.1.2 & Table 3
	shared)	Forestry: Table 7
		Stormwater: Table 9
		Stream Restoration: Table 11
		Wetland Restoration: Table 13
	Distinct state standards/specifications	Group B, definitions & source of
		data
		Agriculture: also D.1.5, D.1.6
	Matching CBP BMP definition/efficiencies	All sectors: Group B, definitions;
		Group D within sector sections
2	Method/System of Verification/Assessment	
	Description of methods/systems to be used	All sectors: Group D
		Agriculture: Table 1 &2
		Forestry: Table 4
		Stormwater: Table 8
		Stream Restoration: Table 10
		Wetland Restoration: Table 12
	Documentation of procedures used to verify BMPs	Group D (see table of contents)
	Instruction Manual for system users	Agriculture: Appendix C
3	Who will Complete the Verification	
	Qualification requirements	
	Training requirements	Group A; also Agriculture: D.1.9
	Certification requirements	Group A, also Agriculture. D.1.9
	CEU follow-up training requirements in the future	
4	Documentation of Verification Finding	
	Date of installation	
	Location (lat/long) if applicable	Group D
	Level of reporting (watershed, HUC, county, etc.)	
	Units (number, acres, length, etc.) needed for NEIEN	Group B; also Appendix D
	Ownership (public, private)	
	Documentation:	Croup D
	Pictures, Worksheets, Electronic Tool, Aerial Photos,	Group D
	Maps, other, report generator	
5	How Often Reviewed (Cycle of review)	

	1-2 years, 5 years, 10 years, other	All sectors: Group D
		Agriculture: Table 1 &2
		Forestry: Table 4
		Stormwater: Table 8
		Stream Restoration: Table 10
		Wetland Restoration: Table 12
6	Independent Verification of Finding	
	Is this a requirement?	Group D
	Internal Independent, External Independent	C. 50 P D
	BMP Data Validation	QAPP Section
7	Quality Assurance/Spot Checking	
	Who-qualifications/training/certification	Group A, Group C
	Method to select BMP for follow-up check	
	Method to select the # of BMPs to review	
	Other	
8	Data Entry of BMP Implementation	
	What is the system?	Group C
	Who enters data? (training/certification)	
	Does the system connect to NEIEN?	
	System in place to prevent double-counting	Group C; also Group B under
		individual BMP descriptions; also
		see "validation" in Group D (see
		Table of Cont.)
9	External Provided Data Validation Meeting CBP	
	Partnership Guidance	
	Method to validate data	Group C; also see "validation" in
	Who will validate data (training/certification)?	Group D (see Table of Cont.);
		Agriculture: Table 3
		•
		Forestry: Table 7
		Forestry: Table 7
		Forestry: Table 7 Stormwater: Table 9
10	Historic Data Verification	Forestry: Table 7 Stormwater: Table 9 Stream Restoration: Table 11 Wetland Restoration: Table 13
10	Historic Data Verification System to re-certify or remove	Forestry: Table 7 Stormwater: Table 9 Stream Restoration: Table 11 Wetland Restoration: Table 13 Generally same as regular annual
10	System to re-certify or remove	Forestry: Table 7 Stormwater: Table 9 Stream Restoration: Table 11 Wetland Restoration: Table 13 Generally same as regular annual progress BMPs
10		Forestry: Table 7 Stormwater: Table 9 Stream Restoration: Table 11 Wetland Restoration: Table 13 Generally same as regular annual progress BMPs Generally same as regular annual
10	System to re-certify or remove Who will verify historic data (training/certification)?	Forestry: Table 7 Stormwater: Table 9 Stream Restoration: Table 11 Wetland Restoration: Table 13 Generally same as regular annual progress BMPs Generally same as regular annual progress BMPs
10	System to re-certify or remove Who will verify historic data (training/certification)? Documentation of action	Forestry: Table 7 Stormwater: Table 9 Stream Restoration: Table 11 Wetland Restoration: Table 13 Generally same as regular annual progress BMPs Generally same as regular annual
10	System to re-certify or remove Who will verify historic data (training/certification)?	Forestry: Table 7 Stormwater: Table 9 Stream Restoration: Table 11 Wetland Restoration: Table 13 Generally same as regular annual progress BMPs Generally same as regular annual progress BMPs
10	System to re-certify or remove Who will verify historic data (training/certification)? Documentation of action	Forestry: Table 7 Stormwater: Table 9 Stream Restoration: Table 11 Wetland Restoration: Table 13 Generally same as regular annual progress BMPs Generally same as regular annual progress BMPs Generally same as regular annual progress BMPs Group B Agriculture: Table 3
	System to re-certify or remove Who will verify historic data (training/certification)? Documentation of action BMP Performance	Forestry: Table 7 Stormwater: Table 9 Stream Restoration: Table 11 Wetland Restoration: Table 13 Generally same as regular annual progress BMPs Generally same as regular annual progress BMPs Group B Agriculture: Table 3 Forestry: Table 7
	System to re-certify or remove Who will verify historic data (training/certification)? Documentation of action BMP Performance Does state collect data to address BMP Performance? System used to collect BMP performance data	Forestry: Table 7 Stormwater: Table 9 Stream Restoration: Table 11 Wetland Restoration: Table 13 Generally same as regular annual progress BMPs Generally same as regular annual progress BMPs Group B Agriculture: Table 3 Forestry: Table 7 Stormwater: Table 9
	System to re-certify or remove Who will verify historic data (training/certification)? Documentation of action BMP Performance Does state collect data to address BMP Performance?	Forestry: Table 7 Stormwater: Table 9 Stream Restoration: Table 11 Wetland Restoration: Table 13 Generally same as regular annual progress BMPs Generally same as regular annual progress BMPs Group B Agriculture: Table 3 Forestry: Table 7

REFERENCES

Center for Watershed Protection. 2009. Technical Report: Stormwater BMPs in Virginia's James River Basin – An Assessment of Field Conditions and Programs. Center for Watershed Protection. Ellicott City, MD

Chesapeake Bay Partners Verification Review Panel (CBP-VRP). 2013. Verification Guidance and Recommendations to Six Source Sector Workgroups, the BMP Verification Committee and the Seven Watershed Jurisdictions. November 19, 2013.

Chesapeake Stormwater Network (CSN). 2013. Bioretention Illustrated: A Visual Guide for Constructing, Inspecting, Maintaining and Verifying the Practice. Ellicott City, MD. http://chesapeakestormwater.net/wp-content/uploads/downloads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-ILLUSTRATED-040113.pdf).

Schueler, T. and B. Stack (May 13, 2013) Recommendations of the Expert Panel to Define Removal Rates for Individual Stream Restoration Projects,

http://www.chesapeakebay.net/documents/Stream Panel Report Final 08282014 Appendices A G.pdf

Stormwater Performance Standards Expert Panel (SPSEP). 2012. Recommendations of the expert panel to define removal rates for new state stormwater performance standards. Approved by Chesapeake Bay Water Quality Goal Implementation Team. Annapolis, MD.

www.chesapeakebay.net/.../Final_CBP_Approved_Expert_Panel_Report_on_ Stormwater_Performance_Standards_SHORT.pdf

Water Quality Goal Implementation Team (WQGIT). 2010. Protocol for the development, review and approval of loading and effectiveness estimates for nutrient and sediment controls in the Chesapeake Bay Watershed Model. US EPA Chesapeake Bay Program. Annapolis, MD.

West Virginia Department of Environmental Protection. 2015a. Stormwater Program. Construction General Permit. http://www.dep.wv.gov/WWE/Programs/stormwater/csw/Documents/bay%20addendum%20form%20may%20201 2.pdf

West Virginia Department of Environmental Protection. 2014 Stormwater Program. MS4 permit. http://www.dep.wv.gov/WWE/Programs/stormwater/MS4/permits/Documents/MS4%20GP%202014.pdf

Williams, B. and E. Brown. 2012. Adaptive Management: The U.S. Department of Interior Applications Guide. Adaptive Management Working Group. USDOI. Washington, DC.

Appendix A: 2011 BMP Reporting Worksheet.xls County or Municipality: ___ Person completing form: _____ Date _____ BMP = Best Management Practice Please note the specific location of each BMP in as many cases as possible! Use another page if necessary. **Developed Lands** Reporting Briefly list, describe, or tally BMPs installed January 1-Dec 31, 2011 Units **BMPs** Are these streets swept at least 24 Street Sweeping lbs collected times per year? Y: Wet Ponds and Wetlands management: especially on developments/projects less than one acre acres treated Post-construction stormwater Dry Extended Detention Ponds (typical stormw ater acres treated management dry ponds) Infiltration Practices acres treated Filtering Practices acres treated Impervious Surface Reduction/Non Structural acres Practices Tree Planting (on nonacres agricultural lands) Riparian Forest Buffers (on acres non-agricultural lands) Riparian Grass Buffers (on acres non-agricultural lands) Wetland Restoration (on nonacres agricultural lands) Stream Restoration (on nonlinear feet agricultural lands) Nutrient Management (soil testing to avoid over-fertilization, acres e.g. on park land or golf course) Other (units?) Does your city/town or county have a stormwater management ordinance? Y: ____ N:____ If "No", are you interested in funding to support the development of such an ordinance for your council/commission to consider? Y: ___ N:__

Thank you!

Appendix B: Description of "Aggregated NRCS and FSA data for Annual Progress Reporting" Information provided via email by Olivia Devereux 11/4/15.

Data included: There are spreadsheets of NRCS Land BMPs, NRCS Animal BMPs, and FSA BMPs. NRCS Conservation Technical Assistance (CTA) are included just for your information. All FSA and NRCS practices are included. Not all FSA and NRCS practices provide a water quality benefit or are accepted by the Chesapeake Bay Program for the Annual Progress Report.

In the NRCS data, livestock and land BMPs are included in the data sets where present in the NRCS source data. Where not present, those fields are listed as null. In some cases, there were several instances of the BMP not meeting the privacy protection criteria if the animal type or land use was considered and the data were not releasable. Should you prefer that the land use or animal type be considered differently for purposes of aggregation, please let me know and I can provide the data differently or give you an idea how much drops out to protect producer privacy. Forest buffers and other ag practices on forest and land practices applied to water are not included. These are listed on the PracticesNotIncluded sheet, per your request. Where practice 313-Waste Storage Facility was greater than 3 for the same customer, contract, and year, then the number was set to 1. In some cases, the original number was 313, the practice code. In others, it appeared to be the number of square feet (such as 160,602) rather than the count of facilities. There were no changes in the 2015 data, only the prior years. This indicates that the data entry issue has been rectified.

In the FSA data, there are two columns of implementation: Practice Acres and Expired Acreage. The practice acres are the total acres implemented and includes re-enrolled acres. Since historical data is rarely removed, including the re-enrollment would result in double-counting. The expired acreage is the amount per contract, not practice. Subtracting the expired acreage for a contract from the total acres per practice may result in a negative amount, since multiple practices can be in the contract.

Data Notes: These NRCS data were taken from the National Planning and Agreements Database (NPAD). NPAD pulls data from Toolkit, ProTracts, NEST, SCIMS, IDEA and PRS. NRCS has made changes to its databases over the past year, and will continue to make changes for next year. On August 22, 2015, NRCS migrated to NPAD 3.0 and released Toolkit 8.0. With this change, there was a move from plan-based to land-based conservation. For a given area of ground, NRCS applies practices to mitigate resource concerns (such as erosion, water quality, etc.) – scheduled over a time dimension. In the past, NRCS created a plan, and drew a new set of land units for each plan – often on top of each other. Now, there is one land unit with potentially many plans. However, we are only including in this report the applied, or implemented, practice. This way, you do not see the multiple plans. Currently, NRCS supplies a latitude/longitude for the centroid of a practice. Because of the stacked land units, the data are not correlated by land unit id. A future iteration in NPAD will address a particular resource concern on a given land unit. This will address the issue of component practices being reported as individual BMPs, rather than part of a single BMP. We will explore using the land unit rather than the practice centroid for future years.

The CSP practices are stored differently than previous years. One CSP enhancement practice can cover many land units. If any of those land units fall within the Chesapeake Bay boundary, the CSP practice is included here. The practice was assigned a lat/long for the centroid of the practice, and that centroid may not fall within a county (FIPS) that overlaps the Chesapeake Bay Watershed. Likewise, the centroid may fall within a Chesapeake Bay county and located outside the watershed.

NRCS did a heavy general cleanup and removed a number of what they identified as "false positives". You may see this change in your data when comparing to previous years.

Practices marked as applied and reported in PRS are included. Self-certified (farmer certified) practices do not have a report applied amount or date and are not included.

Data Source: NRCS data were provided by David Butler in the Colorado central data office. FSA data were provided by Barbara Clark in the Kansas City, Missouri central data office.

Aggregation for Producer Privacy: The rules specified by USDA and agreed to by USGS are that data may be shared only when each practice is reported by five or more producers. Otherwise, individual producers potentially could be

identified and this would violate producer confidentiality. Where there were five or more producers reporting a practice in a county, then the data are provided at the county scale. Where there were less than five producers reporting a practice in a county, then the data are provided at the state scale. You may see some data aggregated at both the county and state scale. In these cases, it was possible to aggregate county level data in some places, but not in others. For instance, there could be some counties where there were many producers implementing a practice. In other counties, the practice was less popular. In the counties where the practice was less popular, a few of the counties were aggregated to the state scale. There were some practices where there were less than five producers reporting that practice in the state. These data cannot be shared in unaggregated form and are not included.

Geographic Scale: Practices are included for the entire county for all counties that are in the Chesapeake Bay Watershed for your state. There are some counties that have only a portion in the Chesapeake Bay Watershed. When you report to NEIEN, indicate that you are reporting for "state" and do not specify "CBWS-only" since the entire county is included. By providing the data at the county scale, there were fewer practices that had to be aggregated to the state scale and fewer that were not able to be reported at all. Scenario Builder apportions the BMPs throughout the entire county which typically results in less uncredited amount.

Timeframe: The data are provided by year of practice installation. FSA data are for 2005 through 2015. NRCS data are for 2006 through 2015 The year is for the Chesapeake Bay Program progress reporting year of July 1 through June 30. The Chesapeake Bay Program will use the total for 2015for annual practices. For cumulative practices, the Chesapeake Bay Program sums the 2015 number with 2014, 2013, 2012, 2011, 2010 and the history. The history is in the Bay Program's data system, not NEIEN. NEIEN stores data from 2010 forward and revisions may be made to these data at any time. While resubmissions for these prior years do not change the published progress review for prior years, it can change the amount implemented for this year's progress review.

CTA: The NRCS Conservation Technical Assistance (CTA) data are included solely for your information. Conservation Technical Assistance is <u>any</u> practice that: is recommended by NRCS, meets NRCS technical standards, and is not funded by USDA. Those practices implemented as CTA did not receive cost-share from USDA. Because the CTA practices are not under contract, it is not known if the practice was maintained, re-reported in other years, or what entity may have provided funding. Where another entity provided funding, it is likely that the funding entity included the CTA practice in their reporting.

FSA and NRCS overlap: For practices that FSA cost-shares, but NRCS provides technical assistance, the practices are included in the FSA data and are not included in the NRCS data. The overlap only occurs for some CRP practices. These practices were identified by NRCS using the FSA Handbook for Agricultural Resource Conservation Program for state and county offices (2-CRP (Revision 5) 8/7/2013). The section referenced begins on page 555.

Duplication with state data: The practices included here may have received funding from other sources as well as NRCS or FSA. Now that you have these NRCS and FSA data, please double check to make sure there is no risk of duplication. There are likely practices that you may not have previously reported and may want to check the unit conversions in NEIEN. Sometimes those unit conversions use assumptions that are state specific. In addition, program names are not included in these data, but are available upon request. Program names can be an indicator of the amount of each practice that also received state funding.

WV Ag BMP Database

User Guide for Version 1
March 2015



Contents

<u>1.</u>	<u>lr</u>	ntroduction	.103
<u>1</u>	.1.	About this Guide	.103
<u>1</u>	.2.	Getting Started	.103
	<u>R</u>	equest an Account	.103
	<u>R</u>	lequirements	.103
	L	ogging In	.103
	0	Overall Screen Structure	.104
	<u>P</u>	<u>ermissions</u>	.105
<u>1</u>	.3.	Screen Conventions	.106
	<u>D</u>	Pata Grids	.106
	<u>D</u>	Pata Value Validations	.107
		orm Controls	
		con Conventions	
<u>2.</u>	<u>lr</u>	nstructions	.111
<u>2</u>	.1.	Home Page	.111
2	.2.	BMPs & Submissions.	.112
	<u>S</u>	<u>ubmissions</u>	.113
		IMPs.	
2	.1.		.120
2	.2.		.120
2	.3.	Upload Data	.120
2	. <u>4.</u>	Contacts & Organizations	.121
	N	Manage Contacts	.121
	0	Organization	.123
2	. <u>.5.</u>		
2	.6.	Adhoc Search	.126
2		Generate NEIN XML	.128
	.3.		.129
<u>3.</u>		dministration	.130
_		Mange Users	
		Manage BMP Names	
		Manage Lookups	.133
		Manage Settings	.135

Figures

Figure 1.2.1 A basic username and password is needed for login	104
Figure 1.2.2. Screen region names	105
Figure 1.3.1 Conventions in data grids	106
Figure 1.3.2 Delete record warning	106
Figure 1.3.3 Sorting data grid values	107
Figure 1.3.4 Sorting data grid values, the other way	107
Figure 1.3.5 Form controls (date fields)	
Figure 1.3.6 Form controls (single-select)	
Figure 1.3.7 Form controls (multi-select)	
Figure 1.3.8 Form controls (Auto-complete)	
Figure 2.1.1 Home Page	
Figure 2.1.2 Home Page (contd)	
Figure 2.2.1 Submission Listings	
Figure 2.2.2 BMPs Listing Screen	
<u>Figure 2.2.3 BMPs Detail Screen – BMP General Information</u>	
Figure 2.2.4 BMPs Detail Screen - Nutrient Management and Cover Crops, Pasture Management & Tillage	
Figure 2.2.5 BMPs Detail Screen – Buffers & Tree Planting and Waste Management	117
<u>Figure 2.2.6 BMPs Detail Screen – Measures and Financial Measures</u> .	
<u>Figure 2.2.7 BMPs Detail Screen – Measures Detail popup</u>	
<u>Figure 2.2.8 BMPs Detail Screen – Financial Measures Detail popup</u>	
Figure 2.2.9 BMPs Detail Screen – Verifications and Document Attachments	120
Figure 2.3.1 Upload Data Screen	
Figure 2.4.1 Contact Search Screen	122
Figure 2.4.2 Contact Detail Screen	
Figure 2.4.1 Organization Search Screen	
Figure 2.4.2 Organization Detail Screen	124
Figure 2.5.1 Sites Search Screen	125
Figure 2.5.2 Sites Detail Screen	126
Figure 2.6.1 Adhoc Search Screen.	
Figure 2.6.2 Adhoc Search Screen (with query).	128
Figure 2.7.1 XML Generation Screen	129
Figure 3.1 User administrator screen	130
Figure 3.2 Add New User screen	131
Figure 3.3 Manage BMP Names administrator screen	
Figure 3.4 Add BMP Name Detail Popup	133
Figure 3.5 Look search screen	134
Figure 3.6 Look detail popup	
Figure 3.7 Notification Setting screen	

Introduction

About this Guide

Welcome to Agricultural BMP Database System for the state of West Virginia. This online database serves as a means of reporting and tracking Best Management Practices (BMPs). The use of this tool will allow for a more streamlined approach for generating reports needed for agricultural BMP assessment and monitoring purposes. Additionally, this database is used to submit data for inclusion to the National Environmental Information Exchange Network (NEIEN). Individual organizations are responsible for entering their practices with their provided login information and will only be permitted to review their own data.

This brief document is a basic user guide to familiarize users with the technical aspects of the application and its functions. Most frequent users of the system will find it to be intuitive and will not need to review this guide once they begin to use it regularly.

This guide will offer example of most functions within the system, and will depict many screens. Each screen will be shown only once in the guide.

Getting Started

Request an Account

Accounts in the system are managed by system administrators Contact your system administrators to request an account, or to change your access privileges.

Requirements

Use of the Agricultural BMP Database System requires the following technologies on users' computers.

- A computer with Internet access to Web sites.
- A Web browser (Mozilla Firefox 10.0 or newer, Microsoft Internet Explorer 9.0 or newer).
- Microsoft Office 2007 or newer (to open the Excel import templates in .xlsx format, or open the attached documents)
- Any other software needed to view attach documents
- A valid username and password

Logging In

The Agricultural BMP Database System is housed on WV servers. The Ag BMP Database System password should be kept confidential. If you cannot remember your username or password, select the Forgot Password link on the Sign In page. The image below is example of the information you need to login.

WV Ag NPS BMP Database									
Note: The best browsers for this application are Internet Expl This online database serves as a means of reporting and tra reports needed for water quality assessment and monitoring Individual organizations are responsible for entering their p	Interestion 9.x or greater, Chrome, and Firefox acking Best Management Practices (BMPs). The use of this tool will allow for a more streamlined approach for generating ing purposes. Additionally, this database is used to submit data for inclusion in the Chesapeake Bay Watershed Model. practices with their provided login information and will only be permitted to review their own data. by would like to request user access, please contact Matt Monroe (WVDA) at mmonroe@ag.state.wv.us. Sign In Sign in using your registered account: Sign in using your registered account: Sign in using your registered ac								
	Register Version 1.0.0								

Figure 1.2.1 A basic username and password is needed for login

Overall Screen Structure

The screen is broken into several regions whose names may be used throughout this guide. The figure below highlights these regions.




Figure 1.2.2. Screen region names

- The Menu Bar is always available on all screens and regardless of a user's role. However, some items on the Menu Bar may not be available for use by certain users based on their assigned user roles within the system.
- The Page is the current screen where record details are displayed and may be edited. Users navigate to different Page screens via items in the Menu Bar, or from within other pages.
- The Footer is also visible on all screens and simply displays information to the user. Currently, the system version number is provided. Submit the version information presented in the footer whenever notifying the system administrator of problems.

Permissions

All users must login to the system to see any usable portion of it. Users are assigned a role which determines the types of actions that users may perform or information that they may see.

The following are the user roles currently provided and a summary of the operations these roles can perform. The further details and the meaning of the roles listed below will be explained later in this document.

- Admin Admin user can access all functionality of the system. Admin will approve the registration and assign a
 role & organization before the user can log in for the self-register users.
- Super User Super user has access to data across all organizations but do not have access to admin functions like managing users, and generating the NEIEN XML.
- **General User** General user can edit and view only their own organization's data. They will have no access to admin functions like managing users, and generating the NEIEN XML.
 - •
 - •
 - •

Screen Conventions

Data Grids

First Name	Last Name	Work Phone	Cell Phone	Email		
Amy	Zollinger	123-444-5555	567-890-1234 X123		2 🖨	<u></u>
Brent	Wood	578-444-3456	459-345-2345	bwood@gmail.com	2 🖨	
Brian	Smith	304-538-2399		bsmith@gmail.com	<u>/</u>	
Celin	Diaz	550-233-4543	550-334-8765	cd@lcc.com	2 🖨	
Fatema	Faizullabhoy	703-385-1595			2 🖨	
General	User 5			gu5@tt.com	2 🖨	
General	User 3			gu3@tt.com	<i>?</i>	•
4						1 - 20 of 20 items

Figure 1.3.1 Conventions in data grids

The Ag BMP Database system refers to tables of information as "data grids." Data grids are used throughout the system to list information and provide access to functions. The image above is a typical data grid example. User can use the blue button on the top left corner of the data grid to create (add) a new record.

The bottom left corner can be used to page through the results. The I◀ button navigates the user on the first page of the results on the data grid. The ◀ takes the user to the previous page. The ▶ button navigates to the next page and ▶I button navigates to the last page of the search results. The number in blue tells the user on which results page they are. The bottom right corner message indicates the total number of records from the search results. The pencil icon in the last column is to edit that record and red circle minus sign is to delete that record.




Figure 1.3.2 Delete record warning

Certain users have the rights to delete particular records. The application will warn users before attempting to delete records (example image above).



Figure 1.3.3 Sorting data grid values

All column heading names may be clicked to sort the values in the grid in ascending order (see example above sorting on WSF ID).



Figure 1.3.4 Sorting data grid values, the other way

The heading name may be clicked again to sort the values in descending order (see example above sorting on WSF ID).

Data Value Validations

Many fields throughout the system are mandatory. All mandatory fields in the system are marked with the red asterisk '*'. Some of the fields in the system limit what can be entered in order to protect the quality of data stored. Invalid or missing entries will trigger red error messages on the screen and allow you to correct.

Form Controls




Figure 2 Form controls (date fields)

This is typical date and time picker used in the application. User can select the date by clicking a small calendar icon. User can also type the date and time in the field provided.



Figure 3.6 Form controls (single-select)

The image above gives an example of single select fields. The field is the single select where user can only select one value from the dropdown.




Figure 4.7 Form controls (multi-select)

The image above gives an example of multi select fields. The field is the multi select where user can select multiple values from the dropdown.




Figure 5.8 Form controls (Auto-complete)

The image above gives an example of the "auto-complete" function. Users may begin typing some portion of the expected value then the control will list possible matches that maybe refined by additional typing. The options may be selected by the user at any time

Icon Conventions

The icons presented in the table below are used throughout the application. Most often they will appear in the rightmost column of tables of information.

Control/Flag	Function/Indication
	Edit
	Delete
Q	View



Instructions

2.1. Home Page




Figure 2.1.1 Home Page

The home page (see image above) gives users access to different functions of Ag BMP Database and you can track the progress of each year and all the BMPs of the that year can be seen on the Home page.




Figure 2.1.2 Home Page (contd..)

BMPs and Progress Year page serves as the home page for WV Ag BMP Database system.

The Home page is divided into sections – Progress Years and Add/Edit BMPs

User can search submissions by 'Organization', 'NEIN Status', 'Progress Year', 'Created User' and 'Updated Date'. The results of this search will be displayed in the grid below. BMPs for each submission can be viewed by clicking the blue arrow button in the Add/Edit BMPs section of the page.

2.2. BMPs & Submissions

Submissions




Figure 2.2.1 Submission Listings

This page is divided into sections - Progress Years and Add/Edit BMPs

User can search submissions by 'Organization', 'NEIN Status', 'Progress Year', 'Created User' and 'Updated Date'. The results of this search will be displayed in the grid below. BMPs for each submission can be viewed by clicking the blue arrow button in the Add/Edit BMPs section of the page.

BMPs




Figure 2.2.2 BMPs Listing Screen

The user can export the records of uploaded BMPs into an excel file by clicking the 'Download Data' button. Users can also add a new BMP record to the selected submissions by clicking 'Add New BMP' button.

The BMP forms allow users to edit and enter new information for a BMP, as seen in figure below. There are several required fields in the main section that need to be populated before the user can save the data.




Figure 2.2.3 BMPs Detail Screen – BMP General Information

This is the General section to enter general information of the BMP. User should select a 'BMP Name' and the Site on which the BMP is/will be implemented. If the BMP is going to be implement on multiple counties then select 'Yes' for Distribute Across Counties? And do not select the location (Latitude and Longitude values) and the measures for the BMP will be split across counties.

Enter additional information for the BMP in the following sections – Nutrient Management, Cover Crops, Pasture Management & Tillage, Buffers & Tree Planting, Waste Management, Measures, Financial Measures, Verification and Documents and Attachments

Below are the screens for all the subsections of BMP information.

Nutrient Management			
NMP/CNMP	•	Manure Analysis Date	08/12/2014
NMP Developed By	•	Integrator Name	•
РІап Туре	Revised Plan •	Animal Type	•
Cover Crops, Pasture Manage	ement & Tillage		
Crop Type (Tillage)	Wheat ▼	Srf Plant Residue %	•
Planting Method	Conventional ▼	Srf Plant Residue	
Planting Method Other		Fertilization?	No v
Planting Time	Fall ▼	Commodity?	No •
Date Planted	10/10/2014	Grazing Plan? (Pasture Management Only)	•
Kill Down Date			

Figure 2.2.4 BMPs Detail Screen – Nutrient Management and Cover Crops, Pasture Management & Tillage

ers & Tree Planting				
Protected By Fencing?	Yes •	Width River Left	30	
Protected By Buffer?	Yes ▼	Width River Right		
Buffer Type	Forest •	Length River Left	1946	
Method Of Planting	Natural •	Length River Right		
Adjacent To River? (Tree	Yes •	Spacing (Tree Planting)	,	
Planting) allons (Capture & Reuse)				
te Management				
te Management Structure Length	60	Trail Length		
	60	Trail Length Trail Width		
Structure Length				•
Structure Length Structure Width		Trail Width		
Structure Length Structure Width Structure Depth		Trail Width Gutters?		
Structure Length Structure Width Structure Depth Tons	30	Trail Width Gutters? Gutters (length in feet)		
Structure Length Structure Width Structure Depth Tons From County	30	Trail Width Gutters? Gutters (length in feet) Outside Of Bay?		

Figure 2.2.5 BMPs Detail Screen – Buffers & Tree Planting and Waste Management




Figure 2.2.6 BMPs Detail Screen – Measures and Financial Measures




Figure 2.2.7 BMPs Detail Screen – Measures Detail popup

In this section a user can add a BMP measure and view the list of BMP measures associated with the selected BMP. The user can also edit or delete an existing BMP measure from the data grid




Figure 2.2.8 BMPs Detail Screen – Financial Measures Detail popup

In the Financial Measures section users can add a BMP financial measure and view the list of existing measures associated with the selected BMP




Figure 2.2.9 BMPs Detail Screen – Verifications and Document Attachments

2.3. Upload Data

This page allows users to import their BMP data as a complete set per year using the upload templates. For the import to work successfully the user must use one of the provided templates for WV Ag BMP Data or WV Aggregated BMP Data. Users can download these templates by selecting the appropriate type and clicking the Download Blank Template button, seen below in figure. The user may then enter all their data in the format specified in the template.




Figure 2.3.1 Upload Data Screen

Once the user has entered their data into the correct template, the next step is to upload the template into the database. To do this the user must select the correct template type, either WV Ag BMP Data or WV Aggregated BMP Data, and then select the year that the data applies to. Finally the user needs to browse for their template and click the Import button. Please note, that each template must contain data for only one Chesapeake Bay Program submission year, e.g., July 1st, 2012 – June 30th, 2013. The data will be "added to" any existing data. Only the Admin has the ability to overwrite existing data.

2.4. Contacts & Organizations

Manage Contacts

There will be a contacts section which serves as an address book. The contacts would usually be the list of farm/site owners, operators etc.

All user roles will have access to all the contacts in the system and all the contact information. Once a contact has data tied with it, the contact cannot be deleted.

Contacts can be accessed through the Contact & organization menu, and 'Manage Contacts' option displays the screen below.




Figure 2.4.1 Contact Search Screen

The page is divided into sections - Contact Search Options and Contacts

Search the contacts by 'First Name' and 'Last Name. The results of this search will be displayed in the Contacts Section of the page. Contacts section displays all the Contacts by default. All user can edit or delete a Contact from the grid, upon deletion user will be provided a confirmation message.

Add a new contact by 'Add New Contact' button, which will display the screen shown below. The Edit icon of an existing contact will also show the same screen with the information.

First Name*	First Name	Street Address*	Street Address
Last Name*	Last Name	City*	City
Work Phone*		State*	WV
Cell Phone	(e.g. xxx-xxx-xxxx)	Zip Code	Zip Code
Cell Fillotte	(e.g. xxx-xxx-xxxx)	Notes	Notes
Fax	(e.g. xxx-xxx-xxxx)		10
Email	eg. abc@example.com		

Figure 2.4.2 Contact Detail Screen

All the required fields needs to be entered before saving the contact. System will display a confirmation message on saving the entered information. Cancel/Go Back button will take back to the search page without saving any unsaved information.

Organization

Organization can be accessed through the Contact & organization menu, and 'Manage Organization' option displays the screen below.




Figure 2.4.1 Organization Search Screen

The page is divided into sections - Organization Search Options and Organizations

Search the organizations by 'Organization Name' and 'Organization Type'. The results of this search will be displayed in the Organizations Section of the page. Organizations section displays all the Organization by default. All users can edit or delete an Organization from the grid, upon deletion user will be provided a confirmation message.

Add a new organization by 'Add New Organization' button, which will display the screen shown below. The Edit icon of an existing organization will also show the same screen with the information.




Figure 2.4.2 Organization Detail Screen

All the required fields needs to be entered before saving the contact. System will display a confirmation message on saving the entered information. Cancel/Go Back button will take back to the search page without saving any unsaved information.

The Primary Contact cannot be added when an organization is first created. The organization must be created and user's/contacts assigned to the organization before a Primary Contact can be selected.

2.5. Sites

Sites can be accessed through the Sites menu, and 'Manage Sites' option displays the screen below.




Figure 2.5.1 Sites Search Screen

The page is divided into sections - Sites Search Options and Sites

Search the sites by 'Property/Sites Name', 'County', 'Farm Name', 'Farm Owner', 'Category' and 'Farm Operator'. The results of this search will be displayed in the Sites Section of the page. Sites section displays all the sites by default. All users can edit or delete a Sites from the grid, upon deletion user will be provided a confirmation message.

Add a new sites by 'Add New Sites button, which will display the screen shown below. The Edit icon of an existing sites will also show the same screen with the information.




Figure 2.5.2 Sites Detail Screen

All the required fields needs to be entered before saving the contact. System will display a confirmation message on saving the entered information. Cancel/Go Back button will take back to the search page without saving any unsaved information. It will generate error log if the data is not in the correct format.

On upload

2.6. Adhoc Search

This section of the application allows user to query the database based on various fields. All the user can search the database using Adhoc Search. User can access the Adhoc Search from the top menu, which will display the following page.




Figure 2.6.1 Adhoc Search Screen.

This page is divided into two sections- Report Query Criteria Panel where user can define search criteria and the search results are displayed in the bottom section. User can query the database by various database fields. Select the name of the field on which you want to query, then click the Add Criteria button, then then select the operator and select the value for that field. User can add as many criteria to search for the desired record.

The criteria can use "And" or "Or" logic. "And", the default, stipulates that the results must conform to all of the criteria specified. "Or" stipulates that the results must conform to at least one of the criteria specified.

Please note that if the user clicks search without defining any search criteria then all the records will be displayed in the search results section of the page.




Figure 2.6.2 Adhoc Search Screen (with query).

User can generate the following reports either for all the records in the database or for specific set of records.

- BMP Expiry Status Report
- BMP NEIEN Status Report
- BMP Report
- BMP Advance Report

2.7. Generate NEIEN XML

Only Admin User can generate the Xml file for each year to submit the data to NEIN Node. The XML would be generated for a specified year and would export all the data across agencies. The data being exported would be aggregated data. All the data will be aggregated at county level before reporting to NEIEN.




Figure 2.7.1 XML Generation Screen

The Generate NEIEN XML section of the application allows admin users to create a NEIEN compliant XML file that can then be submitted through a NEIEN node. The user must first select the year that they would like to send, and then the appropriate Agency Code. The Agency Code is used only to re-submit historic data that was previously sent to the Program via a different application or submission method. For all data entered directly into this application via the user interface or upload templates, the Default Agency Code value can be used.

User Guide

This is a link form where you can download the User Guide of Ag BMP Database System.

Administration

The Admin section in the system allows the simple creation, editing and deletion of various supporting records. These functions are limited to a very small number of administrative users only. The following items may currently be administered in these screens.

- Manage Users
- Manage BMP Names
- Manage Lookups
- Manage Settings

•

Mange Users

From the Admin menu, user can select 'Manage Users' to view the page below.




Figure 3.1 User administrator screen

The page is divided into sections – User Search Options and Users

Search the users by 'First Name', 'Last Name' and 'Role'. The results of this search will be displayed in the Users Section of the page. Users section displays all the users by default. Only Admin user can edit or delete a User from the grid, upon deletion user will be provided a confirmation message.

Add a new user by clicking the 'Add New User' button, which will display the following screen. The Edit icon of an existing user will also show the same screen with the information.




Figure 3.2 Add New User screen

All the required fields needs to be entered before saving the contact. System will display a confirmation message on saving the entered information. Cancel/Go Back button will take back to the search page without saving any unsaved information.

Manage BMP Names

Only certain measures are applicable to each BMP Name. An admin or super user can add/edit BMP Names within the system & the edit the measures associated to it.

To add an FE BMP user has to append '_FE' at the trailing end of a BMP name and leave the NEIN BMP Name field blank. Multiple BMP measures can be associated to a BMP.

From the Admin menu, user can select 'Manage BMP Names' to view the page below.




Figure 3.3 Manage BMP Names administrator screen

The page is divided into sections – BMP Search Options and BMP Grid Panel

Search the BMPs by 'BMP Name'. The results of this search will be displayed in the BMP Grid Panel section of the page. BMP Grid Panel section displays all the BMPs by default. Only Admin user can edit or delete a BMPs from the grid, upon deletion user will be provided a confirmation message.

Add a new BMP by 'Add BMP Name' button, which will display the following screen. The Edit icon of an existing user will also show the same screen with the information.




Figure 3.4 Add BMP Name Detail Popup

All the required fields needs to be entered before saving the contact. System will display a confirmation message on saving the entered information. Cancel/Go Back button will take back to the search page without saving any unsaved information.

Manage Lookups

An Admin can edit and manage the lookups lists from this section.

From the Admin menu, user can select 'Manage Lookups' to view the page below.




Figure 3.5 Look search screen

The page is divided into sections – Lookup Table Search Options and Lookups

Select the name of the Lookup Table form the dropdown to view the lookup values in the section below.

Search the lookup tables by 'Lookup Name' and 'Lookup Description'. The results of this search will be updated in the Lookups Section of the page. Lookups section displays all the Lookups by default of the lookup table selected. Only admin has the permission to view, add or delete the tables. Any new values can be added to lookup tables.

Clicking the 'Add New' button of the lookup tables will display the screen shown below.

Add Lookup		×
Lookup Table Name	BMP_MEASURE	
Lookup Name* Lookup Description *		
Unit		
	Save	Cancel/Go Back

Figure 3.6 Look detail popup

Manage Settings

From the Admin menu, user can select 'Manage Settings' to view the page below.




Figure 3.7 Notification Setting screen

Here you can set when an admin and site contact receives a notification that a lifespan of a BMP practice is coming to an end. It will send the notification on days set before the BMP is expired. How many days prior to expire date is considered can be set on 'Lifespan IS Expiring Setting field.

If Send Notification field is set to blank then no notification will be sent.

Appendix D: West Virginia's Custom NEIEN Appendix

BMPs from the NEIEN NPS BMP Schema that WV has been us	ing			Updat	tes, refe	rence "I	NEIEN NPS BN	MP CBP Data Flow_P5Append	lixA 15.4_10	0022015	.xlsx"								
BMP Name	Measurement Name	Used	Used	Used	Used	Used	Corres-	Corresponds to this BMP in	Unit Name	State 5	Mappir	Scenario Builder BM	Comments	Status	Status Commer	Status Detail	Requr	Com	Target uni
		2010	2011	2012	2013	2014	ponds to	WV's QAPP											
							this BMP in WV's QAPP	l									_		
Animal Trails and Walkways	Feet	x	x	x	Ī		5	Barnyard Runoff Cont.	FEET	ALL	Assume	BarnRunoffCont	•	Release		R2 - Dec 2010	Υ	П	acres
Bioretention	Area Treated			x	x	x	26a	Bioretention	ACRE	ALL		BioRetUDAB		Release		R2 - Dec 2010	N	П	acres
Bioswale	Area Treated				x		26b	Bioswale	ACRE	ALL	1:1	BioSwale	Area draining to	Release	1	R1 - July 2010	N	CDA	acres
Composting Facility	No. Systems				x		11	Animal Mortality Compostin	COUNT	ALL	SB will r	MortailtyComp		Release	MD numbers	R2 - Dec 2010	N	\vdash	systems
Conservation Plans	Acres	x	x				19	Conservation Plans	ACRE	ALL	1:1	ConPlan	BMP Acres, not	Release		R1 - July 2010	N	П	acres
Cover Crops	Area Barley			x			7	Cover Crops	ACRE	ALL	1:1	CoverCropSOB	modified lob 3/	Release		R1 - July 2010	N	\Box	acres
Cover Crops	Area Planted	x	х	x	x	x	7	Cover Crops	ACRE	VA	1:1	CoverCropLOW	switched to LO	V Release		R1 - July 2010	N	\Box	acres
Cover Crops	Area Standard Rye						7	Cover Crops	ACRE	ALL	1:1	CoverCropSOR		Release		R1 - July 2010	N	\Box	acres
Cover Crops	Area Wheat			x			7	Cover Crops	ACRE	ALL	1:1	CoverCropLOW	modified 3/22/	2 Release		R1 - July 2010	N	\Box	acres
Cover Crops	BARLEY Early AERIAL Commodity	followi	ng Soy		x		8	Commodity Cover Crops	ACRE	ALL	1:1	ComCovCropEASB	Added 3/30/20	Release		2012	N	\Box	acres
Cover Crops	BARLEY Early BROADCAST Comm		,		x	x	8	Commodity Cover Crops	ACRE	ALL	1:1	ComCovCropEAB	modified from (Release		R1 - July 2010	N	П	acres
Cover Crops	BARLEY Early NO TILL Commodit	_			x		8	Commodity Cover Crops	ACRE	ALL	1:1	ComCovCropEAB	de - NOT CURRE	Release		R1 - July 2010	N	П	acres
Cover Crops	BARLEY Normal BROADCAST/LIG	HT DIS	(ING C	ommoo	x		8	Commodity Cover Crops	ACRE	ALL	1:1	ComCovCropSOB		Release		R1 - July 2010	N	П	acres
Cover Crops	BARLEY Normal CONVENTIONAL					x	8	Commodity Cover Crops	ACRE	ALL	1:1	ComCovCropSOB	Mod by J.Keppl	Release		R1 - July 2010	N	\Box	acres
Cover Crops	BARLEY Normal NO TILL Commo				х	x	8	Commodity Cover Crops	ACRE	ALL	1:1	ComCovCropSOB	Mod by J.Keppl	Release		R1 - July 2010	N	П	acres
Cover Crops	BARLEY Normal NO TILL Tradition	nal				x	7	Cover Crops	ACRE	ALL	1:1	CoverCropSOB	Mod by J.Keppl	Release		R1 - July 2010	N	\Box	acres
Cover Crops	Forage Radish Early Aerial				x		7	Cover Crops	ACRE	ALL		CoverCropEAFR		Release	New Species	Recomm - 10152013	N	\Box	acres
Cover Crops	Forage Radish Early Drilled				x	x	7	Cover Crops	ACRE	ALL		CoverCropEDFR		Release	New Species	Recomm - 10152013	N	\Box	acres
Cover Crops	Rye Early AERIAL Commodity foll	owing S	ov			x	8	Commodity Cover Crops	ACRE	ALL		ComCovCropEASR		Release	Correction for C	Recomm - 09272013	N	\Box	acres
Cover Crops	RYE Early BROADCAST Traditiona				x		7	Cover Crops	ACRE	ALL	1:1	CoverCropEAR	modified from (Release		R1 - July 2010	N	\Box	acres
Cover Crops	RYE Early NO TILL Traditional				x		7	Cover Crops	ACRE	ALL	1:1	CoverCropEAR	Mod by J.Keppl	e Release		R1 - July 2010	N		acres
Cover Crops	RYE Late BROADCAST/LIGHT DIS	KING Tr	adition	nal	x	x	7	Cover Crops	ACRE	ALL	1:1	CoverCropLOR		Release	ok 3/24	R1 - July 2010	N		acres
Cover Crops	RYE Normal BROADCAST Commo	dity		x			8	Commodity Cover Crops	ACRE	ALL	1:1	ComCovCropSAR	modified from (NA	SAR not Approv	R1 - July 2010	N		acres
Cover Crops	RYE Normal CONVENTIONAL Cor	nmodit	y			x	8	Commodity Cover Crops	ACRE	ALL	1:1	ComCovCropSOR	Mod by J.Keppl	e Release	Modified to DRA	R1 - July 2010	N		acres
Cover Crops	RYE Normal NO TILL Commodity				x	x	8	Commodity Cover Crops	ACRE	ALL	1:1	ComCovCropSOR	Mod by J.Keppl	e Release	Modified to DRA	R1 - July 2010	N		acres
Cover Crops	RYE Normal NO TILL Traditional				x	x	7	Cover Crops	ACRE	ALL	1:1	CoverCropSOR	Mod by J.Keppl	e Release		R1 - July 2010	N		acres
Cover Crops	RYEGRASS Normal BROADCAST (Commo	dity	x (mis	take)		8	Commodity Cover Crops	ACRE	ALL	1:1	ComCovCropSAR	modified from (NA	Ryegrass Not Ap	R1 - July 2010	N		acres
Cover Crops	TRITICALE Late NO TILL Tradition	nal				x	7	Cover Crops	ACRE	ALL	1:1	CoverCropLOT		Release		WTWG Approved 10	N		acres
Cover Crops	TRITICALE Normal BROADCAST C	ommod	lity	x			8	Commodity Cover Crops	ACRE	ALL	1:1	ComCovCropSAW	modified from (NA	triticale not app	R1 - July 2010	N		acres
Cover Crops	TRITICALE Normal NO TILL Tradit	tional				x	7	Cover Crops	ACRE	ALL	1:1	CoverCropSOT		Release		WTWG Approved 10	N		acres
Cover Crops	Wheat Early AERIAL Commodity	followin	ig Soy		x	x	8	Commodity Cover Crops	ACRE	ALL		ComCovCropEASW		Release	Correction for C	Recomm - 09272013	N		acres
Cover Crops	WHEAT Early AERIAL Traditional				x	x	7	Cover Crops	ACRE	ALL	1:1	CoverCropEAW	Mod by J.Keppl	e Release	previously Not a	R1 - July 2010	N		acres
Cover Crops	WHEAT Early BROADCAST Comm	odity			x		8	Commodity Cover Crops	ACRE	ALL	1:1	ComCovCropEAW	modified from (Release		R1 - July 2010	N		acres
Cover Crops	WHEAT Early BROADCAST Tradit	ional			x	x	7	Cover Crops	ACRE	ALL	1:1	CoverCropEAW	modified from (Release		R1 - July 2010	N		acres
Cover Crops	WHEAT Early NO TILL Commodit	у			x	x	8	Commodity Cover Crops	ACRE	ALL	1:1	ComCovCropEAW	Mod by J.Keppl	Release	ok 3/24	R1 - July 2010	N		acres
Cover Crops	WHEAT Late BROADCAST/LIGHT	DISKIN	G Com	modity		x	8	Commodity Cover Crops	ACRE	ALL	1:1	ComCovCropLOW		Release	moved to releas	Draft -CC	N		acres
Cover Crops	WHEAT Late NO TILL Traditional					x	7	Cover Crops	ACRE	ALL	1:1	CoverCropLOW	Mod by J.Keppl	e Release		R1 - July 2010	N		acres
Cover Crops	WHEAT Normal BROADCAST/LIG	HT DISH	(ING C	ommod	×	x	8	Commodity Cover Crops	ACRE	ALL	1:1	ComCovCropSOW		Release		R1 - July 2010	N		acres
Cover Crops	WHEAT Normal NO TILL Commo	dity			x	x	8	Commodity Cover Crops	ACRE	ALL	1:1	ComCovCropSOW	Mod by J.Keppl	e Release	Approved 3/25	R1 - July 2010	N		acres
Cover Crops	WHEAT Normal NO TILL Tradition	nal				x	7	Cover Crops	ACRE	ALL	1:1	CoverCropSOW	Mod by J.Keppl	e Release		R1 - July 2010	N		acres
Cover Crops	Winter Hardy Oats Early Other					x	7	Cover Crops	ACRE	ALL		CoverCropEOHO		Release	New Species	Recomm - 10152013	N		acres
Dry Detention Ponds	Area Treated			x	x	x	25a	Dry Detention Ponds	ACRE	ALL	1:1	DryPonds		Release	Added as Releas	2012	N	П	acres
Dry Extended Detention Ponds	Area Treated			x	x	x	25	Dry Extended Detention Po	ACRE	ALL	1:1	ExtDryPonds		Release		R1 - July 2010	N		acres
Dry Extended Detention Ponds	Drainage Area	X	x				25	Dry Extended Detention Po	ACRE	ALL	1:1	ExtDryPonds	Area draining to	o Release		R1 - July 2010	N		acres
Erosion & Sediment Control	Disturbed Area	x	x	x	x	x	34	Erosion and Sediment Conti	ACRE	ALL	1:1	EandS1	Acres that are o	Release		R1 - July 2010	N		acres
Erosion and Sediment Control Level 2	Disturbed Area						34	Erosion and Sediment Conti	ACRE	ALL		EandS2	Panel Approved	Release		Req Aug 2014	N	\Box	acres
Erosion & Sediment Control	Disturbed Area as percent			x?			34	Erosion and Sediment Conti	NA	ALL	1:1	EandS1	New on 3/16/2	(Release		R1 - July 2010	N		percent
Establishment of permanent introduced grasses and legumes	acres				x				ACRE	ALL		LandRetirePas		Release		2012	N		acres
Fencing	Percent Disturbed Pasture Fence	x	x	x	x	x	2	Stream Access Control with	NA	ALL		PastFence		Release		R4	N	Α	percent
-	-				_														-

BMPs from the NEIEN NPS BMP Schema that WV has been us	sing			Updat	es, refe	rence "		1P CBP Data Flow_P5Append	fixA 15.4_1	0022015	.xlsx"						_		
BMP Name	Measurement Name	Used 2010	Used 2011	Used 2012	Used 2013	Used 2014	Corres- ponds to this BMP in WV's QAPP	Corresponds to this BMP in WV's QAPP	Unit Nam	State S	r Mappin	Scenario Builder BMI	Comments	Status	Status Commer	Status Detail	Requi	n Com	Target u
Filter Strip	Acres		×		×		9	Grass Buffers	ACRE	ALL	1:1	GrassBuffers	assume that th	i: Release		R1 - July 2010	N	Τ	acres
Filtering Practices	Area Treated				x	х	27	Urban Filtering Practices	ACRE	ALL	1:1	Filter	Area draining t	o Release	2	R2 - Dec 2010	N	CDA	acres
Filtering Practices	Drainage Area	x					27	Urban Filtering Practices	ACRE	ALL	1:1	Filter	Area draining t	o Release		R1 - July 2010	N		acres
Forest Conservation	Acres	x					23	Forest Conservation	ACRE	ALL	1:1	ForestCon		Release		R1 - July 2010	N	T	acres
Forest Harvesting Practices	Acres	x	x	х	x	x	22	Forest Harvesting Practices	ACRE	ALL	1:1	ForHarvestBMP		Release		R1 - July 2010	N	T	acres
Forest Harvesting Practices	Area as percent			x?			22	Forest Harvesting Practices	NA	w	1:1	ForHarvestBMP	New for 3/16/2	Release		R1 - July 2010	N	+	percent
Forest Stand Improvement	Acres	x	x				16	Tree Planting	ACRE	ALL	1:1	ForHarvestBMP		Release		R1 - July 2010	N	+	acres
Infiltration Practices	Drainage Area		x		x		26	Urban Infiltration Practices	ACRE	ALL	1:1	Infiltration	see issue RE: A	G Release		R2 - Dec 2010	N	1	acres
Land Reclamation, Abandoned Mined Land	Acres	x	x		 		21	Abandoned Mine Reclamati	ACRE	ALL	1:1	AbanMineRec	BMP Acres, no		Need to change	R1 - July 2010	N	+	acres
Land Reclamation, Abandoned Mined Land	Land reclaimed as percent	-					21	Abandoned Mine Reclamati	NA	ALL	1:1	AbanMineRec	New for 3/16/2		Neet to change		N	+	percent
Livestock Exclusion with Riparian Buffer	Area improved and protected	×	×	×	×	×	15	Riparian Forest Buffers	ACRE	ALL	1:1	ForestBuffersTrp	Needs to be ma			R1 - July 2010	N	+	acres
Manure Transport	broilers	×	×	×	×	×	20	Manure Transport	TONS	ALL	Animal	ManureTransport	One valid anim	1		R1 - July 2010	N	+	-
Manure Transport	County From	v	v	v	v	v	20	Manure Transport	NA NA	ALL	MT:SB	ManureTransport	Required The			R1 - July 2010	N	CF	+
· · · · · · · · · · · · · · · · · · ·							20		NA NA	ALL		· ·	qu				N	СТ	+
Manure Transport	County To	X	X	×	×	×	20	Manure Transport	_		Animal	ManureTransport	Optional One valid anim	Release a Release		R1 - July 2010	N	CI	+
Manure Transport	layers			X	X	X		Manure Transport	TONS	ALL		ManureTransport				R1 - July 2010	_	+	+
Manure Transport	turkeys			X	X	X	20	Manure Transport	TONS	ALL	Animal	ManureTransport	One valid anim			R1 - July 2010	N	+	+
Nutrient Management	Acres	X	X	Х	_		14	Nutrient Management Plan	ACRE	ALL	1:1	NutMan		Retired	Retired in 2013	R1 - July 2010	N	+	acres
Nutrient Management	Tier 1 Acres				x	X	13	Nutrient Management Plan		ALL		EffNutMan	Tier 1 Nutrient		New BMP	Recomm - 1015201	+	_	acres
Nutrient Management on Hay Nutrient Management on Pasture	Area Implemented			X	-		14 14	Nutrient Management Plan Nutrient Management Plan		ALL	1:1	NutMan NutMan	missing & need	Retired Retired	Retired in 2013 Retired in 2013	R3 - April 2011 R3 - April 2011	N N	+	acres
Pasture & Hay Planting	Area Implemented Acres	v	X	X	-		18	Land Retirement (Conv. Till		ALL	1:1	LandRetirePas	Missing & need	Release	Retired in 2013	R1 - July 2010	N	+	acres
Poultry Phytase	Percent P reduction	X	х	-	-		10	Land Retirement (Conv. Till	COUNT	ALL	There is		There is a defa			R3 - April 2011	IN	+-	acres
			X		_								There is a derai					+	₩
Prescribed Grazing	Acres	X	X	Х	X	Х	14	Prescribed Grazing	ACRE	ALL	1:1	PrecRotGrazing		Release		R1 - July 2010	N	+	acres
Reduction of Impervious Surface	Acres	-	X	-	_		30	Impervious Surface Reducti		ALL	1:1	ImpSurRed		Release		R1 - July 2010	N	₩	acres
Residue and Tillage Management, No-Till/Strip Till/Direct See		X	X				6	Conservation Tillage -Additi		ALL	1:1	ConserveTillAddAcres		Release		R1 - July 2010	N	_	acres
Residue Management, Seasonal	Acres	X					6	Conservation Tillage -Additi		ALL	1:1	ConserveTillAddAcres	No model cred			R2 - Dec 2010	N	1	acres
Riparian Forest Buffer	Area Planted				×		15	Riparian Forest Buffers	ACRE	ALL	1:1	ForestBuffers		Release	Modified stored	R3 - April 2011	N	А	acres
Riparian Forest Buffer	Acres	×	×	x	x	x	15	Riparian Forest Buffers	ACRE	ALL	1:1	ForestBuffers		Release	Modified stored	R1 - July 2010	N	Α	acres
Roof runoff management	Layers		x		 		5	Barnyard Runoff Cont.	COUNT	ALL	used po	BarnRunoffCont	New for 3/16/2	2 Release		R2 - Dec 2010	N	+	AU
Roof runoff management	Livestock Animals		x	x			5	Barnyard Runoff Cont.	COUNT	ALL	used be	BarnRunoffCont	New for 3/16/2			R2 - Dec 2010	N	+	AU
Roof Runoff Structure	NO	x	x	x	x	x	5	Barnyard Runoff Cont.	COUNT	ALL		BarnRunoffCont	7/17 changing			R2 - Dec 2010	N	+	systems
Septic Connections	Hook ups	×	×	×	×		36	Septic Connection	COUNT	ALL	-	SepticConnect	Septics connec			R2 - Dec 2010	N	+	systems
Septic Denitrification	Other	x	-				38	Septic Denitrification	COUNT	ALL	1:1	SepticDeCon	System in area			R3 - April 2011	N		systems
Septic Tank Pumpout	No. Systems	x	×	x	x	x	37	Septic Pumping	COUNT	ALL	Now ac	SepticPump		Release		R2 - Dec 2010	N	1	systems
Septic Tank System Repair	No. Systems	x	x	x					COUNT	ALL	_	een submitted to CBP(No model cred	it Draft	Not mapped to		1	+	acres
Shallow Water Development and Management	Acres	ľ-	×	-			17	Wetland Restoration	ACRE	ALL	1:1	ConPlan	BMP Acres, no		эт тэррса то	R1 - July 2010	N	+	acres
Stream Restoration Ag	Length Restored		^			v	12	Non-urban Stream Restorat		ALL	-	NonUrbStrmRestPro	Panel Approve			Req Aug 2014	N	+	feet
Streambank Stabilization	Streambank Length	×		×	×	~	12	Non-urban Stream Restorat		ALL	Never h		the landuse wil		These measure	R3 - April 2011	N	+	feet
Street Sweeping	lbs	*		*	~		31	Street Sweeping Pounds	LBS	ALL	needed		are landuse Wil	Release	mese measure	R2 - Dec 2010	N	+	lbs
					^	^	33		ACRE	ALL	_			Release		R3 - April 2011	N	^	_
Tree Planting Tree Planting	Area Treated Number of Trees Planted		*				33	Tree Planting	COUNT		change	UrbanTreePlant	corrected Defa			RS - April 2011	N	^	acres
				X	X	X		Tree Planting		ALL					correction			Α	acres
Tree/Shrub Establishment	Acres	X	X	X	X	X	16	Tree Planting	ACRE	ALL	1:1	TreePlant	Area Planted	Release		R1 - July 2010	N	_	acres
Urban Forest Buffer	Area Planted					X	29	Urban Forest Buffers	ACRE	ALL	modifie	ForestBufUrban		Release		R5	N	1_	acres
Urban Infiltration Practices	Drainage Area				х	x	26	Urban Infiltration Practices	ACRE	ALL	1:1	Infiltration	Area draining t	o Release		R1 - July 2010	N	CDA	acres
Urban Nutrient Management	AC	х	X				35	Urban Nutrient Manageme	ACRE	ALL		UrbanNutMan	Existing practic	Retired	Retired in 2013	R3 - April 2011	N	1	acres
Vegetated Treatment Area	BMP Acres (Acres) A/B soils, no	underd	rain	×	x				ACRE	ALL		VegOpChanNoUDAB	added for WV	Release	2013	2012	N		acres

BMPs from the NEIEN NPS BMP Schema that WV has been u	ising			Upda	tes, refe	erence "	NEIEN NPS BN	MP CBP Data Flow_P5Append	lixA 15.4_10	0022015	.xlsx"								
BMP Name	Measurement Name		Used 2011						Unit Name	State S _l	Mappin	Scenario Builder BMI	Comments	Status	Status Commer	Status Detail	Requn (om Tar	rget ı
Vegetated Treatment Area	BMP Acres (Acres) C/D soils, no	under	drain	x					ACRE	ALL		VegOpChanNoUDCD	added for WV 2	Release	2013	2012	N	acr	es
Waste Storage Facility	BEEF_AU			х	x	x	3	Animal Waste Mgmt Sys.	COUNT	ALL		AWMS		Release		R3 - April 2011	N	AU	
Waste Storage Facility	No. Animals mid-sized Beef			x	x		3	Animal Waste Mgmt Sys.	COUNT	ALL		AWMS	D. Montali prop	Release		2013	N	AU	
Waste Storage Facility	Count	×	x			x	3	Animal Waste Mgmt Sys.	COUNT	ALL		AWMS		Release		R2 - Dec 2010	N	sys	tems
Waste Storage Facility	Poultry Facility	x	x	x		x	4	Animal Waste Mgmt Sys.	COUNT	ALL		AWMS		Release		R3 - April 2011	N	sys	tems
Waste Storage Facility	POULTRY_AU			x	x	x	4	Animal Waste Mgmt Sys.	COUNT	ALL		AWMS		Release		R3 - April 2011	N	AU	
Waste Utilization	Acres	х							ACRE	ALL		NutMan	Need more info	Retired	Retired in 2013	R3 - April 2011	N	acr	es
Watering Facility	NO	x	x	x	x	x	1	Offstream Watering withou	COUNT	MD	Choptar	OSWnoFence	The average far	Release		R2 - Dec 2010	N	acr	es
Wet Pond	Area Treated			x	x		24	Wet Ponds and Wetlands	ACRE	ALL		WetPondWetland		Release		R2 - Dec 2010	N	acr	es
Wet Ponds & Wetlands	Drainage Area	x	x			x	24	Wet Ponds and Wetlands	ACRE	ALL	1:1	WetPondWetland		Release		R1 - July 2010	N	acr	es
Wetland Restoration	Area	x					17	Wetland Restoration	ACRE	ALL	1:1	WetlandRestore	Acres treated (Release	SB Needs area t	R1 - July 2010	N	acr	es
Wetland Restoration	AC.				1	×	17	Wetland Restoration	ACRE	ALL	1:1	WetlandRestore	This is for AG -	Release	SB Needs area t	R1 - July 2010	N	acr	ac .

BMPs in the QAPP (9/24/2013) that weren't used 2010-2012:			Decision about whether to keep it in QAPP for now, or not.
		10	Loafing Lot Management	Keep in for now to keep discussion going - still not sure what to do with this BMI
		20	Land Retirement (Crop or Pa	Take out of QAPP for now. Just not done very much I suppose.
	now	28	Urban Grass Buffer	Leave in

Appendix E: Practice Review Form used by NRCS staff

ANNUAL MONITORING WORKSHEET

			County/Parish	
Select the Appropria	te Program: OEWPP-	FPE OEWRP (OFRPP OGRP OHFRP ()WRP
Landowner(s)		Phone	Monitoring Date	
NEST Agreement & Parcel Numb	er	Other	identifying name or number	
Monitor(s)		Affiliation if	other than NRCS	
The purpose of monitoring is to e restoration progress, determine benefits, and to maintain contac monitoring information. Partner reviews. The landowner or decis Photographs from designated po	restoration repairs or e t with landowners or pa s with the appropriate don maker should be of	enhancements ne artners. Staff wit technical experti ffered the opport	eded to ensure maximum en h applicable expertise should se may be authorized to cond unity to participate in monito	vironmental collect the duct monitoring
Methods of Monitoring Ownership Review	Landowner contact an	nd answer questi	on 1 of this worksheet.	
O Suncising Kevien		year immediate	ly following onsite monitoring	g
Offsite	A review of the most questions 1, 3 and 4 of	recent aerial pho	tography and answer	
Summary Review	At a minimum; a curs questions 1, 2, 3 and Only applicable during	4 of this worksh		wer
Onsite	At a minimum; lando photography and ans		review of available aerial on this worksheet.	
	Landown	er Informatio	n	
A. Landowner Cont	act (attempted) Dat	e Cor	ntact Method	
B. Was current land	d ownership verified?	YES O NO		
Date of verificati	on	Verified	i by	
			ne easement and have red the next 2 years) O Y	
New landowner	name(s) (if applicable	e)		
D. Follow up reques	sted by landowner			
2) Was the landowner	or decision maker p	resent during	the review? YES NO)
	Pa	age 1 of 6		February 2012

This table is a list of possible action items that can be taken to address concerns or violations discovered during the monitoring event. Use this list as a reference when answering the monitoring questions that ask for action items to be listed. Some of the action items listed in this table are not applicable to all programs or all questions.

		Action Items		
1) NRCS action eeded (FA contract)	(2) NRCS Action	(3) Entity action needed	(4) Landowner action needed	(5)CUA needed
eeded (FA contract)	contract)	action needed	action needed	
6)Plan needs to be	(7) O&M plan	(8) NRCS	(9) Other	$\overline{}$
eveloped/updated	needs to be	Enforcement		
	developed/update	a jaction needed	l	J
	м	onitoring Quest	ions	
3) A. Are the ter	ms and conditions	of the easement d	leed being met?	
(o a no opero	achment, dumping,	upputhorized use	es, etc.) O YES(O NO
(e.g. no encro	acriment, dumping,	, unauthorized use	es, etc.) TES) NO
Select observe	d unauthorized use	s (if applicable)		
Mining (inc	ludes	quaculture	Commercial	Seed Dumping
peat/gravel)		4	Production	
Cropping	Ir	mpervious Surface		Burning
			alteration	
		llegal Activities	Energy Production	Grazing
(phone gas et Encroachn	_	Structures	Haying/Mow	ring Trails
_		imber	Pest Manage	
of Acceptable		est/Cutting	restrialiage	inene Erood riots
Maintenano	ce of Private C	arbon Sequestrati	on Parked Equi	pment Road
Drainage		rities		
	ed Easement 1	ree/Shrub	Livestock	Other
Subdivision				
List the "other	" items (if applicab	le)		
B. Can unauth	orized uses he res	olved with a Comr	oatible Use Authoriz	ation?
	ble to GRP and FRE		acible ose Authoriza	acioni
			he mank and with a	CUA
т аррисавте, г	ndicate which unau	ithorized uses can	be resolved with a	CUA
If the unautho	rized use will not b	e resolved with a	CUA list the applica	ble action items

Page 2 of 6

February 2012

4)	Is there evidence or knowledge products, or other potential envi addressed? (Excluding the year OYES ONO If yes, describe and indicate the appropriate administrative, tech List required action items (if app	ronmental hazard an Ownership Rev location(s) on a p nical and legal sta licable)	is on the property that view was performed) property/site map. Con off to take required act	nsult with all tion(s).
3)	Maintenance of Private	Carbon	Haying/Mowing	Trails
	Drainage	Se questration Activities		
	Management/Maintenance Activities	Food Plots	Timber Harvest	Grazing
	Installation/Maintenance of Acceptable Structures	Pest Management	Developed Hunting/Fishing	Other
	List the "other" items (if applical	ole)		
	B. Are Compatible Use Authoriza	tions being follow	red?	
	O YES ONO O N/A			
	List action items			
6)	A. Is the easement accessible by	the legally descr	ibed route? O YES C) NO
	List action items			
	B. Is the easement accessible by	an alternative ro	ute? YES NO	
	List action items			

Page 3 of 6

7)	A. Is the boundary clearly marked and identifiable? YES NO			
	If no, choose at least one item below			
	Boundary not marked	Corner/ high risk posts missing	One to several low risk posts missing	
	Other			
	list the "other" condition (if ap	pplicable)		
	Are actions needed? O YESO NO List action items			
8)	Are the objectives of the management plan being met (e.g. grazing plans, WRPO, conservation plan etc.)? (Not applicable to FRPP) \(\bigcirc\) YES \(\bigcirc\) NO			
	List action items			
9)	Are installed practices being properly operated and maintained (e.g. in accordance with job sheets, O&M plans, etc.)? (Not applicable to FRPP) (YES (NO (N/A			
	List action items			
10)	Have planned restoration or enhancement objectives been met? (Not applicable to FRPP)			
	○ YES ○ NO ○ N/A			
	List action items			

Page 4 of 6

February 2012

11)	A. Are threatened or endangered species present on or proximal to this land?		
	(Not applicable to FRPP) ○ YES ○ NO		
	If yes, are identified habitat elements being provided to the extent possible?		
	O YES O NO		
	List action items		
	B. Have the appropriate consultations occurred or NEPA documentation completed?		
	(e.g. FWS, State Specialist, etc)		
	O YESO NO list action items		
12)	 Is acceptable hydrology present? (Not applicable to HFRP, GRP and FRPP) 		
	O YES O NOO N/A		
List action items			
13)	Is acceptable vegetation present? O YESO NO (Not applicable to FRPP)		
	List action items		
14)	14) Are there noxious plant or pest species problems that need to be addressed?		
	(deed, State or local requirements)		
	O YES O NO		
	List action items		
15)	Are deed requirements being met for cultural resource protection? O YESO NO O N/A		
(Only answer for FRPP if cultural resources were the purpose of the enrollment)			

Page 5 of 6 February 2012

Page 6 of 6

February 2012